

```

*****
IDIS Conformance test report
07-MAR-2014 10:31:08
iCTT Package 1, Edition 1.1, Revision 1 (209)
Licensed to: KEMA-IDIS Cert.
Tester: Bas Roelofsen
*****
    
```

```

*****
* Identification *
*****
    
```

```

Manufacturer = {
  Name = '\Landis+Gyr'
  ThreeLettersId = '\LGZ'
}
DeviceUnderTest = {
  IDISDeviceType = 101
  IDISFunctionType = [EXTENSION_D, EXTENSION_L, EXTENSION_M]
  SerialNr = 11480044
  Type = '\E450 ZMXi 3x0xP xxxxxxxx.xx S3'
}
    
```

Active firmware version (1-0:0.2.0.255) = \V650101

```

*****
* Summary *
*****
    
```

```

PASSED                1336
FAILED                 0
DISABLED              0
INAPPLICABLE         163
INCONCLUSIVE         0
FATAL                 0
TOTAL                 1499
    
```

```

*****
Test Case 1 : Discovery, 1 item(s)
*****
    
```

```

    (1) Meter Discovery PASSED
    
```

```

*****
Test Case 2 : Connect and release, 4 item(s)
*****
    
```

```

    (1) Connect Public PASSED
    (2) Release Public PASSED
    (3) Connect Management PASSED
    (4) Release Management PASSED
    
```

```

*****
Test Case 3 : Get public object-list, 1 item(s)
*****
    
```

```

Public Get Current association 0-0:40.0.0.255 (@9)
(1) .object_list PASSED
    <_Data>
      <Array Qty="000E" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <Unsigned Value="00" />
          <OctetString Value="0000608100FF" />
          <Structure Qty="0002" >
            <Array Qty="0002" >
              <Structure Qty="0003" >
                <Integer Value="02" />
            
```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0011" />
    <Unsigned Value="00" />
    <OctetString Value="0000290000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="000063620BFF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
            <Integer Value="01" />
        </Array>
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="00002B0100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="00002B0101FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7530" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70C06FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7549" />
  <Unsigned Value="01" />
  <OctetString Value="0000C70900FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7539" />

```

```
<Unsigned Value="03" />
<OctetString Value="0000C70800FF" />
<Structure Qty="0002" >
  <Array Qty="000F" >
    <Structure Qty="0003" >
      <Integer Value="0F" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0E" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0D" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0C" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0B" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0A" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0006" >
    <Structure Qty="0002" >
        <Integer Value="06" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="05" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000605AFFFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />

```

```

<OctetString Value="00002A0000FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280001FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="000C" />
    <Unsigned Value="02" />
    <OctetString Value="0000280002FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0008" >
        <Structure Qty="0002" >
            <Integer Value="08" />
            <Enum Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <Integer Value="02" />
            <Enum Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <Integer Value="03" />

```



```

    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7544" />
  <Unsigned Value="01" />
  <OctetString Value="0000C71300FF" />
  <Structure Qty="0002" >
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="000C" >
    <Structure Qty="0002" >
      <Integer Value="0C" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="0B" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="0A" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="09" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="08" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="07" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="06" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="05" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="03" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="02" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="01" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
</Array>
</_Data>

```

\*\*\*\*\*  
 Test Case 4 : Get mngmt object-list, 1 item(s)  
 \*\*\*\*\*

Mngmt Get Current association 0-0:40.0.0.255 (@9)  
 (1) .object\_list

PASSED

```

    <_Data>
        <Array Qty="013C" >
            <Structure Qty="0004" >
                <LongUnsigned Value="754F" />
                <Unsigned Value="00" />
                <OctetString Value="0000C71D00FF" />
            <Structure Qty="0002" >
                <Array Qty="0005" >
                    <Structure Qty="0003" >
                        <Integer Value="05" />
                        <Enum Value="03" />
                        <NullData />
                    </Structure>
                    <Structure Qty="0003" >
                        <Integer Value="04" />
                        <Enum Value="03" />
                        <NullData />
                    </Structure>
                    <Structure Qty="0003" >
                        <Integer Value="03" />
                        <Enum Value="01" />
                        <NullData />
                    </Structure>
                    <Structure Qty="0003" >
                        <Integer Value="02" />
                        <Enum Value="03" />
                        <NullData />
                    </Structure>
                    <Structure Qty="0003" >
                        <Integer Value="01" />
                        <Enum Value="01" />
                        <NullData />
                    </Structure>
                </Array>
            </Structure>
        </Array>
    </_Data>

```

```
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="754A" />
  <Unsigned Value="01" />
  <OctetString Value="0000C70D00FF" />
  <Structure Qty="0002" >
    <Array Qty="000C" >
      <Structure Qty="0003" >
        <Integer Value="0C" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7538" />
  <Unsigned Value="00" />
  <OctetString Value="0000C71700FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0002FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0003" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0006" />
  <Unsigned Value="00" />
  <OctetString Value="00000E0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0003" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00010A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0064FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0067FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006BFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0003FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >

```



```

        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0016" />
    <Unsigned Value="00" />
    <OctetString Value="00000F0000FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0016" />
    <Unsigned Value="00" />
    <OctetString Value="00000F0002FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600A02FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630200FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7540" />
  <Unsigned Value="00" />
  <OctetString Value="0000C71000FF" />
  <Structure Qty="0002" >
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600B04FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="04" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >

```

```

        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0002180500FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0001" >
                    <Integer Value="01" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="01" />
        </Structure>
        <Structure Qty="0002" >
            <Integer Value="02" />
            <Enum Value="00" />
        </Structure>
        <Structure Qty="0002" >
            <Integer Value="03" />

```



```

    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180500FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```

    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="04" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000608100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000201FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0004600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >

```

```

        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0003600101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0002600101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0001600101FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>

```

```

    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0011" />
  <Unsigned Value="00" />
  <OctetString Value="0000290000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0040" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0002" >
      <Structure Qty="0002" >
        <Integer Value="02" />

```

```

    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0004180300FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    </Structure>
  </Array>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="04" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0003180300FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0001" >
      <Integer Value="01" />
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0002180300FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <Array Qty="0001" >
        <Integer Value="01" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="04" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0001180300FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />

```



```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0001" >
        <Integer Value="01" />
    </Array>
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0004600A03FF" />
    <Structure Qty="0002" >

```

```

    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0003600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600A03FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600A01FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="004A" />
    <Unsigned Value="00" />
    <OctetString Value="0001180600FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="004A" />
    <Unsigned Value="00" />
    <OctetString Value="0000180600FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100520800FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7533" />
  <Unsigned Value="01" />
  <OctetString Value="0000C70000FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00010F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0016" />
  <Unsigned Value="00" />
  <OctetString Value="00000F0001FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0004180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

```

        <NullData />
      </Structure>
    </Array>
    <Array Qty="0002" >
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0003180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="0002180400FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0046" />
    <Unsigned Value="00" />
    <OctetString Value="0001180400FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0002" >
        <Structure Qty="0002" >
            <Integer Value="02" />
            <Enum Value="01" />
        </Structure>
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="01" />
        </Structure>
    </Structure>
</Array>
</Structure>
</Structure>
```



```

<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000208FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7532" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70106FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="754C" />
  <Unsigned Value="01" />
  <OctetString Value="0000C701C8FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7532" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70105FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7532" />
  <Unsigned Value="02" />

```

```

<OctetString Value="0000C70104FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7532" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70103FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >

```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0300FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B08FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B07FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B04FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B03FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
    </Structure>
</Structure>

```

```

        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B02FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
</Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600B01FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="000063620BFF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
  </Array>

```



```

    </Structure>
    <Structure Qty="0002" >
      <Integer Value="04" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636208FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>

```

```

    <Structure Qty="0002" >
      <Integer Value="03" />
      <Enum Value="00" />
    </Structure>
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="000063620AFF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >

```

```

        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0100636100FF" />
    <Structure Qty="0002" >
        <Array Qty="0008" >
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0001" >
                    <Integer Value="01" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0004" >
        <Structure Qty="0002" >
            <Integer Value="01" />

```

```

    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636204FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636203FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636202FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >
          <Integer Value="01" />
        </Array>
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636201FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <Array Qty="0001" >

```

```
        <Integer Value="01" />
      </Array>
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0017" />
  <Unsigned Value="01" />
  <OctetString Value="0000160000FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0004600100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0003600100FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0000" >
    </Array>
</Structure>
</Structure>

```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0002600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0001600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="0100470400FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="0100330400FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0015" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="FE" />

```

```

        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600500FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600400FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Structure Qty="0003" >

```

```

        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600300FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100080804FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080803FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080802FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>

```

```

        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100080801FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070804FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070803FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >

```



```

        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070802FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100070801FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060804FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060803FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
```

```

    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060802FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060801FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050804FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050803FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
    <Array Qty="0001" >
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100050802FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050801FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040804FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040803FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040802FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
```



```

<Unsigned Value="00" />
<OctetString Value="0100040801FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="FE" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030804FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030803FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100030802FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030801FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>

```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020804FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020803FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020802FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020801FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100010804FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>

```

```

</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010803FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010802FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010801FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100000880FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```



```

    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100000802FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000E1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100481800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100341800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100201800FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F01FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2301FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000D2700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600714FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C1F00FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000C2300FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600713FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600700FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
  </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600709FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >

```



```

        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000600715FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100482000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100342000FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>

```

```

    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100202000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100482400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100342400FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0100202400FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0048" />
    <Unsigned Value="00" />
    <OctetString Value="0004180100FF" />
    <Structure Qty="0002" >
        <Array Qty="0010" >
            <Structure Qty="0003" >
                <Integer Value="FC" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FD" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="0C" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="0B" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >

```

```
<Integer Value="0A" />
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
```

```
</Structure>
<Structure Qty="0002" >
  <Integer Value="03" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0003180100FF" />
  <Structure Qty="0002" >
    <Array Qty="0010" >
      <Structure Qty="0003" >
        <Integer Value="FC" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0C" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
```

```

    <Structure Qty="0002" >
      <Integer Value="05" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="06" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0002180100FF" />
  <Structure Qty="0002" >
    <Array Qty="0010" >
      <Structure Qty="0003" >
        <Integer Value="FC" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0C" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
</Array>
```



```
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0048" />
  <Unsigned Value="00" />
  <OctetString Value="0001180100FF" />
  <Structure Qty="0002" >
    <Array Qty="0010" >
      <Structure Qty="0003" >
        <Integer Value="FC" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0C" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0008" >
  <Structure Qty="0002" >
    <Integer Value="08" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="07" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >

```

```

    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >

```

```

    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0004180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180203FF" />
  <Structure Qty="0002" >

```

```

    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0003180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0002180203FF" />
    <Structure Qty="0002" >
        <Array Qty="0005" >
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />

```



```
<OctetString Value="0002180202FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0002180201FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180204FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180203FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0001180202FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
```

```

<LongUnsigned Value="0004" />
<Unsigned Value="00" />
<OctetString Value="0001180201FF" />
<Structure Qty="0002" >
  <Array Qty="0005" >
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C71800FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7532" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70102FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >

```

```

    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7545" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70101FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>

```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005B0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >

```

```

    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100020700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100510715FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100510714FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
            </Structure>
        </Array>
    </Structure>

```



```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="010051070AFF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100090700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >

```

```

        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100820700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01005A0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000D0700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010051073EFF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >

```

```

    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100510733FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100510728FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000E0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100470700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100330700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01001F0700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >

```

```

        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100480700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100340700FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100200700FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0032" />
  <Unsigned Value="01" />
  <OctetString Value="00001A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000F" >
      <Structure Qty="0003" >
        <Integer Value="0F" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0E" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0D" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0C" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0038" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0600FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000C71E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0034" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0200FF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0035" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0300FF" />

```

```

<Structure Qty="0002" >
  <Array Qty="0009" >
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0037" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0033" />
  <Unsigned Value="00" />
  <OctetString Value="00001A0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100482600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />

```

```

        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100482500FF" />
<Structure Qty="0002" >
  <Array Qty="0003" >
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202500FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >

```

```

        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100482200FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100342200FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
            </Structure>
        </Array>
    </Structure>

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100202200FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100482100FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```



```

        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100342100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100202100FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />

```

```

        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002B0101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70C05FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70C04FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="02" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="02" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70C03FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="02" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="02" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70C02FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="02" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="02" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>

```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70C01FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="02" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="02" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7531" />
  <Unsigned Value="02" />
  <OctetString Value="0000C70C00FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />

```

```

        <Enum Value="00" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="00" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="7530" />
    <Unsigned Value="00" />
    <OctetString Value="0000C70C06FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
    </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0007" />
    <Unsigned Value="01" />
    <OctetString Value="0000620100FF" />
    <Structure Qty="0002" >
        <Array Qty="000A" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <Array Qty="0001" >
                    <Integer Value="01" />
                </Array>
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>

```



```

    <Array Qty="0004" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
      </Structure>
      <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600B00FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0000636200FF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <Array Qty="0001" >
    <Integer Value="01" />
  </Array>
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600600FF" />
  <Structure Qty="0002" >
    <Array Qty="0003" >
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >

```

```

        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000600800FF" />
    <Structure Qty="0002" >
        <Array Qty="0003" >
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000600809FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000600808FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0000600807FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600806FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600805FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />

```

```

    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600804FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600803FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >

```

```
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0000600802FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
```

```

<Unsigned Value="00" />
<OctetString Value="0000600801FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0007" />
  <Unsigned Value="01" />
  <OctetString Value="0100630100FF" />
  <Structure Qty="0002" >
    <Array Qty="000A" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```



```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <Array Qty="0001" >
        <Integer Value="01" />
    </Array>
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="7549" />
    <Unsigned Value="01" />
    <OctetString Value="0000C70900FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    <Array Qty="0000" >
    </Array>
</Structure>

```

```
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7539" />
  <Unsigned Value="03" />
  <OctetString Value="0000C70800FF" />
  <Structure Qty="0002" >
    <Array Qty="000F" >
      <Structure Qty="0003" >
        <Integer Value="0F" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0E" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0D" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0C" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0006" >
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D01FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600D00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000605AFFFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600105FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />

```

```

<OctetString Value="0000600104FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600103FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600102FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600101FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >

```

```

    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000200FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>

```

```

</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="00002A0000FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="01000A0800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100090800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100040800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100030800FF" />
  <Structure Qty="0002" >

```



```

    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100080800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >

```

```

<LongUnsigned Value="0003" />
<Unsigned Value="00" />
<OctetString Value="0100070800FF" />
<Structure Qty="0002" >
  <Array Qty="0004" >
    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100060800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100050800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100100800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >

```

```

        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="00" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="01000F0800FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0003" />
    <Unsigned Value="00" />
    <OctetString Value="0100020800FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
            </Structure>
        </Array>
    </Structure>

```

```

        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010800FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0008" />
  <Unsigned Value="00" />
  <OctetString Value="0000010000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0006" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="05" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="06" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0014" />
  <Unsigned Value="00" />
  <OctetString Value="00000D0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >

```

```

    <Structure Qty="0003" >
      <Integer Value="FF" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="0A" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="09" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="08" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000B" />

```

```

<Unsigned Value="00" />
<OctetString Value="00000B0000FF" />
<Structure Qty="0002" >
  <Array Qty="0002" >
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="03" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000600E00FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040604FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```



```
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040603FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040602FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
```

```

<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040601FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100040600FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030604FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```
<Integer Value="02" />
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030603FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
```

```

</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030602FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030601FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100030600FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020604FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
```



```

    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020603FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020602FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >

```

```

    <Integer Value="FF" />
    <Enum Value="03" />
    <NullData />
  </Structure>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100020601FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100020600FF" />
    <Structure Qty="0002" >
        <Array Qty="0007" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Array>
<Array Qty="0001" >
    <Structure Qty="0002" >

```

```

        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100010604FF" />
    <Structure Qty="0002" >
        <Array Qty="0007" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="FF" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0004" />
    <Unsigned Value="00" />
    <OctetString Value="0100010603FF" />
    <Structure Qty="0002" >
        <Array Qty="0007" >
            <Structure Qty="0003" >
                <Integer Value="FE" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0001" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010602FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```

```

    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010601FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Array>

```

```

    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <Unsigned Value="00" />
  <OctetString Value="0100010600FF" />
  <Structure Qty="0002" >
    <Array Qty="0007" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100470400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />

```

```

        <Enum Value="03" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0005" />
    <Unsigned Value="00" />
    <OctetString Value="0100330400FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="09" />
                <Enum Value="03" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```



```

</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01001F0400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >

```

```

    <Integer Value="08" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="01000F1800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100101800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    <Structure Qty="0003" >
      <Integer Value="07" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="06" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100011800FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0005" />
    <Unsigned Value="00" />
    <OctetString Value="01000A0400FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="09" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```

```

</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100090400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >

```

```

    <Integer Value="06" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100040400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100030400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>
</Structure>
```



```

    <Structure Qty="0003" >
      <Integer Value="05" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="04" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="03" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="02" />
      <Enum Value="01" />
      <NullData />
    </Structure>
    <Structure Qty="0003" >
      <Integer Value="01" />
      <Enum Value="01" />
      <NullData />
    </Structure>
  </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0005" />
  <Unsigned Value="00" />
  <OctetString Value="0100020400FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />

```

```

        <Enum Value="01" />
        <NullData />
    </Structure>
</Structure>
<Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="01" />
    <NullData />
</Structure>
<Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
</Structure>
</Array>
<Array Qty="0002" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0005" />
    <Unsigned Value="00" />
    <OctetString Value="0100010400FF" />
    <Structure Qty="0002" >
        <Array Qty="0009" >
            <Structure Qty="0003" >
                <Integer Value="09" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="08" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="07" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="06" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="05" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>
</Structure>

```

```
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="00" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="00" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000060030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
```

```

    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="0100010480FF" />
  <Structure Qty="0002" >
    <Array Qty="0004" >
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0047" />
  <Unsigned Value="00" />
  <OctetString Value="0000110000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="0B" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="0A" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="07" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="06" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="05" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="04" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="01" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="753C" />
  <Unsigned Value="01" />
  <OctetString Value="0000C70201FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="03" />

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="753C" />
  <Unsigned Value="01" />
  <OctetString Value="0000C70200FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0012" />
  <Unsigned Value="00" />
  <OctetString Value="00002C0000FF" />
  <Structure Qty="0002" >
    <Array Qty="000B" >
      <Structure Qty="0003" >
        <Integer Value="FC" />

```

```
<Enum Value="01" />
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FD" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FE" />
  <Enum Value="02" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="FF" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="01" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0004" >
  <Structure Qty="0002" >
    <Integer Value="04" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="03" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
```

```

        </Structure>
        <Structure Qty="0002" >
            <Integer Value="01" />
            <Enum Value="01" />
        </Structure>
    </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="000061620BFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="0000616201FF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0000" >
        </Array>
    </Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="0001" />
    <Unsigned Value="00" />
    <OctetString Value="000061620AFF" />
    <Structure Qty="0002" >
        <Array Qty="0002" >
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="03" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
    </Structure>

```



```

    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616200FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0000616100FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0000" >
    </Array>
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="753A" />
  <Unsigned Value="01" />
  <OctetString Value="0000C70300FF" />
  <Structure Qty="0002" >
    <Array Qty="0006" >
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />

```

```

    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="03" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="02" />
    <Enum Value="03" />
    <NullData />
  </Structure>
  <Structure Qty="0003" >
    <Integer Value="01" />
    <Enum Value="01" />
    <NullData />
  </Structure>
</Array>
<Array Qty="0000" >
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000260030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="FC" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />

```

```

    <NullData />
  </Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0046" />
  <Unsigned Value="00" />
  <OctetString Value="000160030AFF" />
  <Structure Qty="0002" >
    <Array Qty="0008" >
      <Structure Qty="0003" >
        <Integer Value="FC" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FD" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0002" >
    <Structure Qty="0002" >
      <Integer Value="02" />
      <Enum Value="01" />
    </Structure>
  </Array>

```

```
</Structure>
<Structure Qty="0002" >
  <Integer Value="01" />
  <Enum Value="01" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280001FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  <Structure Qty="0002" >
```

```

        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
    <LongUnsigned Value="000C" />
    <Unsigned Value="02" />
    <OctetString Value="0000280002FF" />
    <Structure Qty="0002" >
        <Array Qty="0004" >
            <Structure Qty="0003" >
                <Integer Value="04" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="03" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="02" />
                <Enum Value="01" />
                <NullData />
            </Structure>
            <Structure Qty="0003" >
                <Integer Value="01" />
                <Enum Value="01" />
                <NullData />
            </Structure>
        </Array>
        <Array Qty="0008" >
            <Structure Qty="0002" >
                <Integer Value="08" />
                <Enum Value="01" />
            </Structure>
            <Structure Qty="0002" >
                <Integer Value="01" />
                <Enum Value="00" />
            </Structure>
            <Structure Qty="0002" >
                <Integer Value="02" />
                <Enum Value="00" />
            </Structure>
            <Structure Qty="0002" >
                <Integer Value="03" />
                <Enum Value="00" />
            </Structure>
            <Structure Qty="0002" >
                <Integer Value="04" />
                <Enum Value="00" />
            </Structure>
            <Structure Qty="0002" >
                <Integer Value="05" />
                <Enum Value="00" />
            </Structure>
        </Array>
    </Structure>

```

```

    <Structure Qty="0002" >
      <Integer Value="06" />
      <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="07" />
      <Enum Value="00" />
    </Structure>
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0003" />
  <Unsigned Value="00" />
  <OctetString Value="010000090BFF" />
  <Structure Qty="0002" >
    <Array Qty="0005" >
      <Structure Qty="0003" >
        <Integer Value="FE" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="FF" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="00" />
      </Structure>
    </Array>
  </Structure>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0009" />
  <Unsigned Value="00" />
  <OctetString Value="00000A006AFF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  </Structure>

```

```

    </Structure>
  </Array>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <Integer Value="01" />
      <Enum Value="01" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000901FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <Unsigned Value="00" />
  <OctetString Value="0100000902FF" />
  <Structure Qty="0002" >
    <Array Qty="0002" >
      <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="0000" >
  </Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7536" />
  <Unsigned Value="00" />
  <OctetString Value="0000C70700FF" />
  <Structure Qty="0002" >
    <Array Qty="0015" >
      <Structure Qty="0003" >
        <Integer Value="15" />
        <Enum Value="03" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="14" />
        <Enum Value="03" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```
<NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="13" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="12" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="11" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="10" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0F" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0E" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0D" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0C" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0B" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="0A" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="09" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="08" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="07" />
  <Enum Value="03" />
  <NullData />
</Structure>
```



```

</Structure>
<Structure Qty="0003" >
  <Integer Value="06" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="05" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="04" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="03" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="02" />
  <Enum Value="03" />
  <NullData />
</Structure>
<Structure Qty="0003" >
  <Integer Value="01" />
  <Enum Value="01" />
  <NullData />
</Structure>
</Array>
<Array Qty="0002" >
  <Structure Qty="0002" >
    <Integer Value="02" />
    <Enum Value="01" />
  </Structure>
  <Structure Qty="0002" >
    <Integer Value="01" />
    <Enum Value="01" />
  </Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="7544" />
  <Unsigned Value="01" />
  <OctetString Value="0000C71300FF" />
  <Structure Qty="0002" >
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
      </Structure>
    </Array>
  <Array Qty="000C" >
    <Structure Qty="0002" >
      <Integer Value="0C" />
      <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
      <Integer Value="0B" />
      <Enum Value="01" />
    </Structure>
  <Structure Qty="0002" >

```

```

    <Integer Value="0A" />
    <Enum Value="01" />
  </Structure>
</Structure>
<Structure Qty="0002" >
  <Integer Value="09" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="08" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="07" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="06" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="05" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="04" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="03" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="02" />
  <Enum Value="00" />
</Structure>
<Structure Qty="0002" >
  <Integer Value="01" />
  <Enum Value="00" />
</Structure>
</Array>
</Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="000F" />
  <Unsigned Value="01" />
  <OctetString Value="0000280000FF" />
  <Structure Qty="0002" >
    <Array Qty="0009" >
      <Structure Qty="0003" >
        <Integer Value="09" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="08" />
        <Enum Value="01" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="07" />
        <Enum Value="00" />
        <NullData />
      </Structure>
      <Structure Qty="0003" >
        <Integer Value="06" />
        <Enum Value="01" />
      </Structure>
    </Array>
  </Structure>
</Structure>

```

```

        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="05" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="04" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="03" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="02" />
        <Enum Value="01" />
        <NullData />
    </Structure>
    <Structure Qty="0003" >
        <Integer Value="01" />
        <Enum Value="01" />
        <NullData />
    </Structure>
</Array>
<Array Qty="0004" >
    <Structure Qty="0002" >
        <Integer Value="01" />
        <Enum Value="01" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="02" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="03" />
        <Enum Value="00" />
    </Structure>
    <Structure Qty="0002" >
        <Integer Value="04" />
        <Enum Value="00" />
    </Structure>
</Array>
</Structure>
</Structure>
</Array>
</_Data>

```

\*\*\*\*\*  
 Test Case 5 : Get public attributes, 15 item(s)  
 \*\*\*\*\*

Public Get SAP Assignment 0-0:41.0.0.255 (@4)

(1) .logical\_name PASSED

```

    <Data>
        <OctetString Value="0000290000FF" />
    </Data>

```

(2) .SAP\_assignment\_list PASSED

```

    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <OctetString Value="\LGZ1010711480044" />
            </Structure>
        </Array>
    </Data>

```

```

    </Structure>
  </Array>
</Data>

Public Get Current association 0-0:40.0.0.255 (@9)
(3) .logical_name PASSED
  <Data>
    <OctetString Value="0000280000FF" />
  </Data>
(4) .associated_partners_id PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="10" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
(5) .application_context_name PASSED
  <Data>
    <Structure Qty="0007" >
      <Unsigned Value="02" />
      <Unsigned Value="10" />
      <LongUnsigned Value="02F4" />
      <Unsigned Value="05" />
      <Unsigned Value="08" />
      <Unsigned Value="01" />
      <Unsigned Value="01" />
    </Structure>
  </Data>
(6) .xDLMS_context_info PASSED
  <Data>
    <Structure Qty="0006" >
      <BitString Value="000000000001111000011111" />
      <LongUnsigned Value="05DC" />
      <LongUnsigned Value="FFFF" />
      <Unsigned Value="06" />
      <Integer Value="00" />
      <OctetString Value="00000000000000000000000000000000" />
    </Structure>
  </Data>
(7) .authentication_mechanism_name PASSED
  <Data>
    <Structure Qty="0007" >
      <Unsigned Value="02" />
      <Unsigned Value="10" />
      <LongUnsigned Value="02F4" />
      <Unsigned Value="05" />
      <Unsigned Value="08" />
      <Unsigned Value="02" />
      <Unsigned Value="00" />
    </Structure>
  </Data>
(8) .association_status PASSED
  <Data>
    <Enum Value="02" />
  </Data>
(9) .security_setup_reference PASSED
  <Data>
    <OctetString Value="00002B0000FF" />
  </Data>

Public Get Security - Receive frame counter - broadcast key 0-0:43.1.1.255 (@33)
(10) .logical_name PASSED
  <Data>
    <OctetString Value="00002B0101FF" />
  </Data>
(11) .value PASSED

```

```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>

Public Get Security - Receive frame counter - unicast key 0-0:43.1.0.255 (@37)
(12) .logical_name PASSED
    <Data>
      <OctetString Value="00002B0100FF" />
    </Data>
(13) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="1B6F3478" />
    </Data>

Public Get COSEM logical device name 0-0:42.0.0.255 (@42)
(14) .logical_name PASSED
    <Data>
      <OctetString Value="00002A0000FF" />
    </Data>
(15) .value PASSED
    <Data>
      <OctetString Value="\LGZ1010711480044" />
    </Data>

*****
Test Case 6 : Get mngmt attributes, 1127 item(s)
*****

Mngmt Get SAP Assignment 0-0:41.0.0.255 (@4)
(1) .logical_name PASSED
    <Data>
      <OctetString Value="0000290000FF" />
    </Data>
(2) .SAP_assignment_list PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0001" />
          <OctetString Value="\LGZ1010711480044" />
        </Structure>
      </Array>
    </Data>

Mngmt Get Current association 0-0:40.0.0.255 (@9)
(3) .logical_name PASSED
    <Data>
      <OctetString Value="0000280000FF" />
    </Data>
(4) .associated_partners_id PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="01" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(5) .application_context_name PASSED
    <Data>
      <Structure Qty="0007" >
        <Unsigned Value="02" />
        <Unsigned Value="10" />
        <LongUnsigned Value="02F4" />
        <Unsigned Value="05" />
        <Unsigned Value="08" />
        <Unsigned Value="01" />
        <Unsigned Value="01" />
      </Structure>

```

```

    </Data>
(6) .xDLMS_context_info PASSED
    <Data>
      <Structure Qty="0006" >
        <BitString Value="000000000001111000011111" />
        <LongUnsigned Value="05DC" />
        <LongUnsigned Value="00EF" />
        <Unsigned Value="06" />
        <Integer Value="00" />
        <OctetString Value="00000000000000000000000000000000" />
      </Structure>
    </Data>
(7) .authentication_mechanism_name PASSED
    <Data>
      <Structure Qty="0007" >
        <Unsigned Value="02" />
        <Unsigned Value="10" />
        <LongUnsigned Value="02F4" />
        <Unsigned Value="05" />
        <Unsigned Value="08" />
        <Unsigned Value="02" />
        <Unsigned Value="05" />
      </Structure>
    </Data>
(8) .association_status PASSED
    <Data>
      <Enum Value="02" />
    </Data>
(9) .security_setup_reference PASSED
    <Data>
      <OctetString Value="00002B0000FF" />
    </Data>
Mngmt Get Security setup 0-0:43.0.0.255 (@24)
(10) .logical_name PASSED
    <Data>
      <OctetString Value="00002B0000FF" />
    </Data>
(11) .security_policy PASSED
    <Data>
      <Enum Value="00" />
    </Data>
(12) .security_suite PASSED
    <Data>
      <Enum Value="00" />
    </Data>
(13) .client_system_title PASSED
    <Data>
      <OctetString Value="4C475A4954000002" />
    </Data>
(14) .server_system_title PASSED
    <Data>
      <OctetString Value="4C475A6570AF2BEC" />
    </Data>
Mngmt Get Security - Receive frame counter - broadcast key 0-0:43.1.1.255 (@33)
(15) .logical_name PASSED
    <Data>
      <OctetString Value="00002B0101FF" />
    </Data>
(16) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
Mngmt Get Security - Receive frame counter - unicast key 0-0:43.1.0.255 (@37)

```

(17) .logical\_name PASSED  
<Data>  
<OctetString Value="00002B0100FF" />  
</Data>

(18) .value PASSED  
<Data>  
<DoubleLongUnsigned Value="1B6F3626" />  
</Data>

Mngmt Get COSEM logical device name 0-0:42.0.0.255 (@42)

(19) .logical\_name PASSED  
<Data>  
<OctetString Value="00002A0000FF" />  
</Data>

(20) .value PASSED  
<Data>  
<OctetString Value="\LGZ1010711480044" />  
</Data>

Mngmt Get Device ID 1, manufacturing number 0-0:96.1.0.255 (@46)

(21) .logical\_name PASSED  
<Data>  
<OctetString Value="0000600100FF" />  
</Data>

(22) .value PASSED  
<Data>  
<OctetString Value="\11480044" />  
</Data>

Mngmt Get Device ID 2 0-0:96.1.1.255 (@50)

(23) .logical\_name PASSED  
<Data>  
<OctetString Value="0000600101FF" />  
</Data>

(24) .value PASSED  
<Data>  
<OctetString Value="\Device ID 2" />  
</Data>

Mngmt Get Device ID 3 0-0:96.1.2.255 (@54)

(25) .logical\_name PASSED  
<Data>  
<OctetString Value="0000600102FF" />  
</Data>

(26) .value PASSED  
<Data>  
<OctetString Value="\Device ID 3" />  
</Data>

Mngmt Get Device ID 4 0-0:96.1.3.255 (@58)

(27) .logical\_name PASSED  
<Data>  
<OctetString Value="0000600103FF" />  
</Data>

(28) .value PASSED  
<Data>  
<OctetString Value="\Device ID 4" />  
</Data>

Mngmt Get Device ID 5 0-0:96.1.4.255 (@62)

(29) .logical\_name PASSED  
<Data>  
<OctetString Value="0000600104FF" />  
</Data>

(30) .value PASSED  
<Data>

```

    <OctetString Value="\Device ID 5" />
  </Data>

Mngmt Get Device ID 6, IDIS certification number 0-0:96.1.5.255 (@66)
(31) .logical_name PASSED
    <Data>
      <OctetString Value="0000600105FF" />
    </Data>
(32) .value PASSED
    <Data>
      <OctetString Value="\Device ID 6" />
    </Data>

Mngmt Get Currently active energy tariff 0-0:96.14.0.255 (@70)
(33) .logical_name PASSED
    <Data>
      <OctetString Value="0000600E00FF" />
    </Data>
(34) .value PASSED
    <Data>
      <OctetString Value="5241544531000000" />
    </Data>

Mngmt Get Clock 0-0:1.0.0.255 (@75)
(35) .logical_name PASSED
    <Data>
      <OctetString Value="0000010000FF" />
    </Data>
(36) .time PASSED
    <Data>
      <OctetString Value="07DE021902153407FF800001" />
    </Data>
(37) .time_zone PASSED
    <Data>
      <Long Value="FFC4" />
    </Data>
(38) .status PASSED
    <Data>
      <Unsigned Value="01" />
    </Data>
(39) .daylights_savings_begin PASSED
    <Data>
      <OctetString Value="FFFF03FE07020000008000FF" />
    </Data>
(40) .daylights_savings_end PASSED
    <Data>
      <OctetString Value="FFFF0AFE07030000008000FF" />
    </Data>
(41) .daylights_savings_deviation PASSED
    <Data>
      <Integer Value="3C" />
    </Data>
(42) .daylights_savings_enabled PASSED
    <Data>
      <Bool Value="01" />
    </Data>
(43) .clock_base PASSED
    <Data>
      <Enum Value="01" />
    </Data>

Mngmt Get Local Time 1-0:0.9.1.255 (@86)
(44) .logical_name PASSED
    <Data>
      <OctetString Value="0100000901FF" />
    </Data>

```



```

(45) .value                                     PASSED
      <Data>
        <OctetString Value="15341BFF" />
      </Data>

Mngmt Get Local Date 1-0:0.9.2.255 (@90)
(46) .logical_name                             PASSED
      <Data>
        <OctetString Value="0100000902FF" />
      </Data>

(47) .value                                     PASSED
      <Data>
        <OctetString Value="07DE021902" />
      </Data>

Mngmt Get Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(48) .logical_name                             PASSED
      <Data>
        <OctetString Value="010000090BFF" />
      </Data>

(49) .value                                     PASSED
      <Data>
        <Unsigned Value="3C" />
      </Data>

(50) .scaler_unit                              PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

Mngmt Get Activity Calendar 0-0:13.0.0.255 (@100)
(51) .logical_name                             PASSED
      <Data>
        <OctetString Value="00000D0000FF" />
      </Data>

(52) .calendar_name_active                    PASSED
      <Data>
        <OctetString Value="\ACTIVE" />
      </Data>

(53) .season_profile_active                   PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0003" >
            <OctetString Value="00" />
            <OctetString Value="FFFF0101FF000000008000FF" />
            <OctetString Value="01" />
          </Structure>
        </Array>
      </Data>

(54) .week_profile_table_active              PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0008" >
            <OctetString Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
            <Unsigned Value="01" />
          </Structure>
        </Array>
      </Data>

```

```

(55) .day_profile_table_active PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Unsigned Value="01" />
          <Array Qty="0001" >
            <Structure Qty="0003" >
              <OctetString Value="00000000" />
              <OctetString Value="00000A0064FF" />
              <LongUnsigned Value="0001" />
            </Structure>
          </Array>
        </Structure>
      </Array>
    </Data>

(56) .calendar_name_passive PASSED
    <Data>
      <OctetString Value="" />
    </Data>

(57) .season_profile_passive PASSED
    <Data>
      <Array Qty="0000" >
      </Array>
    </Data>

(58) .week_profile_table_passive PASSED
    <Data>
      <Array Qty="0000" >
      </Array>
    </Data>

(59) .day_profile_table_passive PASSED
    <Data>
      <Array Qty="0000" >
      </Array>
    </Data>

(60) .activate_passive_calendar_time PASSED
    <Data>
      <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
    </Data>

Mngmt Get Special Days Table 0-0:11.0.0.255 (@113)
(61) .logical_name PASSED
    <Data>
      <OctetString Value="00000B0000FF" />
    </Data>

(62) .entries PASSED
    <Data>
      <Array Qty="0000" >
      </Array>
    </Data>

Mngmt Get Register activation - Energy 0-0:14.0.1.255 (@117)
(63) .logical_name PASSED
    <Data>
      <OctetString Value="00000E0001FF" />
    </Data>

(64) .register_assignment PASSED
    <_Data>
      <Array Qty="0029" >
        <Structure Qty="0002" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010801FF" />
        </Structure>
        <Structure Qty="0002" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010802FF" />
        </Structure>
      </Array>
    </_Data>

```

```
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100010804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100020804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100030804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100040804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
```

```
<OctetString Value="0100050803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100050804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100060804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100070804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080803FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0100080804FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0000600801FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0000600802FF" />
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <OctetString Value="0000600803FF" />
</Structure>
```

```

    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0000600804FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0000600805FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0000600806FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0000600807FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0000600808FF" />
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0000600809FF" />
    </Structure>
  </Array>
</_Data>
(65) .mask_list
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <OctetString Value="5241544531000000" />
        <Array Qty="0005" >
          <Unsigned Value="01" />
          <Unsigned Value="05" />
          <Unsigned Value="09" />
          <Unsigned Value="0D" />
          <Unsigned Value="21" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544532000000" />
        <Array Qty="0005" >
          <Unsigned Value="02" />
          <Unsigned Value="06" />
          <Unsigned Value="0A" />
          <Unsigned Value="0E" />
          <Unsigned Value="22" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544533000000" />
        <Array Qty="0005" >
          <Unsigned Value="03" />
          <Unsigned Value="07" />
          <Unsigned Value="0B" />
          <Unsigned Value="0F" />
          <Unsigned Value="23" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544534000000" />
        <Array Qty="0005" >
          <Unsigned Value="04" />
          <Unsigned Value="08" />
          <Unsigned Value="0C" />
          <Unsigned Value="10" />
        </Array>
      </Structure>
    </Array>
  </Data>

```

PASSED

```

        <Unsigned Value="24" />
      </Array>
    </Structure>
  </Array>
</Data>
(66) .active_mask PASSED
  <Data>
    <OctetString Value="5241544531000000" />
  </Data>

Mngmt Get Register activation - Maximum Demand 0-0:14.0.2.255 (@123)
(67) .logical_name PASSED
  <Data>
    <OctetString Value="00000E0002FF" />
  </Data>
(68) .register_assignment PASSED
  <_Data>
    <Array Qty="0010" >
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100010601FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100010602FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100010603FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100010604FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100020601FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100020602FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100020603FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100020604FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100030601FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100030602FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100030603FF" />
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0100030604FF" />
      </Structure>
    </Array>
  </_Data>

```

```

    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0100040601FF" />
    </Structure>
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <OctetString Value="0100040602FF" />
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <OctetString Value="0100040603FF" />
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <OctetString Value="0100040604FF" />
  </Structure>
</Array>
</_Data>
(69) .mask_list PASSED
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <OctetString Value="5241544531000000" />
        <Array Qty="0004" >
          <Unsigned Value="01" />
          <Unsigned Value="05" />
          <Unsigned Value="09" />
          <Unsigned Value="0D" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544532000000" />
        <Array Qty="0004" >
          <Unsigned Value="02" />
          <Unsigned Value="06" />
          <Unsigned Value="0A" />
          <Unsigned Value="0E" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544533000000" />
        <Array Qty="0004" >
          <Unsigned Value="03" />
          <Unsigned Value="07" />
          <Unsigned Value="0B" />
          <Unsigned Value="0F" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544534000000" />
        <Array Qty="0004" >
          <Unsigned Value="04" />
          <Unsigned Value="08" />
          <Unsigned Value="0C" />
          <Unsigned Value="10" />
        </Array>
      </Structure>
    </Array>
  </Data>
(70) .active_mask PASSED
  <Data>
    <OctetString Value="5241544531000000" />
  </Data>
Mngmt Get Tariffication script table 0-0:10.0.100.255 (@129)
(71) .logical_name PASSED

```

```

<Data>
<OctetString Value="00000A0064FF" />
</Data>
(72) .scripts
  <_Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <LongUnsigned Value="0001" />
        <Array Qty="0003" >
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="5241544531000000" />
          </Structure>
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="5241544531000000" />
          </Structure>
          <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="01" />
            <Unsigned Value="00" />
          </Structure>
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0002" />
        <Array Qty="0003" >
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />
            <OctetString Value="5241544532000000" />
          </Structure>
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0002FF" />
            <Integer Value="04" />
            <OctetString Value="5241544532000000" />
          </Structure>
          <Structure Qty="0005" >
            <Enum Value="02" />
            <LongUnsigned Value="0046" />
            <OctetString Value="000160030AFF" />
            <Integer Value="02" />
            <Unsigned Value="00" />
          </Structure>
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <LongUnsigned Value="0003" />
        <Array Qty="0003" >
          <Structure Qty="0005" >
            <Enum Value="01" />
            <LongUnsigned Value="0006" />
            <OctetString Value="00000E0001FF" />
            <Integer Value="04" />

```



```

    <OctetString Value="5241544533000000" />
  </Structure>
  <Structure Qty="0005" >
    <Enum Value="01" />
    <LongUnsigned Value="0006" />
    <OctetString Value="00000E0002FF" />
    <Integer Value="04" />
    <OctetString Value="5241544533000000" />
  </Structure>
  <Structure Qty="0005" >
    <Enum Value="02" />
    <LongUnsigned Value="0046" />
    <OctetString Value="000160030AFF" />
    <Integer Value="01" />
    <Unsigned Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0003" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="5241544534000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="5241544534000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
      <Integer Value="02" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Structure>
</Array>
</_Data>

```

Mngmt Get Predefined Scripts - MDI reset / end of billing period 0-0:10.0.1.255 (@135)

(73) .logical\_name PASSED

```

  <Data>
    <OctetString Value="00000A0001FF" />
  </Data>

```

(74) .scripts INAPPLICABLE

Optional access right not available

Mngmt Get End of billing period 1 scheduler 0-0:15.0.0.255 (@140)

(75) .logical\_name PASSED

```

  <Data>
    <OctetString Value="00000F0000FF" />
  </Data>

```

(76) .executed\_script PASSED

```

  <Data>
    <Structure Qty="0002" >
      <OctetString Value="00000A0001FF" />
      <LongUnsigned Value="0001" />
    </Structure>

```

```

    </Data>
(77) .type PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(78) .execution_time PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <OctetString Value="00000000" />
          <OctetString Value="FFFFFF01FF" />
        </Structure>
      </Array>
    </Data>

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)
(79) .logical_name PASSED
    <Data>
      <OctetString Value="0000620100FF" />
    </Data>
(80) .capture_objects PASSED
    <Data>
      <Array Qty="0005" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010801FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010802FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020801FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100020802FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(81) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(82) .sort_method PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(83) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >

```

```

        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(84) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(85) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="0000002E" />
    </Data>

Mngmt Get Disconnect control scheduler 0-0:15.0.1.255 (@158)
(86) .logical_name PASSED
    <Data>
        <OctetString Value="00000F0001FF" />
    </Data>
(87) .executed_script PASSED
    <Data>
        <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0001" />
        </Structure>
    </Data>
(88) .type PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(89) .execution_time PASSED
    <Data>
        <Array Qty="0001" >
            <Structure Qty="0002" >
                <OctetString Value="FFFFFFFF" />
                <OctetString Value="FFFFFFFF" />
            </Structure>
        </Array>
    </Data>

Mngmt Get Disconnect script table 0-0:10.0.106.255 (@164)
(90) .logical_name PASSED
    <Data>
        <OctetString Value="00000A006AFF" />
    </Data>
(91) .scripts PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0002" >
                <LongUnsigned Value="0001" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />
                        <LongUnsigned Value="0046" />
                        <OctetString Value="000060030AFF" />
                        <Integer Value="01" />
                        <Unsigned Value="00" />
                    </Structure>
                </Array>
            </Structure>
            <Structure Qty="0002" >
                <LongUnsigned Value="0002" />
                <Array Qty="0001" >
                    <Structure Qty="0005" >
                        <Enum Value="02" />

```

```

        <LongUnsigned Value="0046" />
        <OctetString Value="000060030AFF" />
        <Integer Value="02" />
        <Unsigned Value="00" />
    </Structure>
</Array>
</Structure>
</Array>
</Data>

```

Mngmt Get Disconnect control 0-0:96.3.10.255 (@169)

```

(92) .logical_name                                     PASSED
    <Data>
        <OctetString Value="000060030AFF" />
    </Data>
(93) .output_state                                     PASSED
    <Data>
        <Bool Value="01" />
    </Data>
(94) .control_state                                    PASSED
    <Data>
        <Enum Value="01" />
    </Data>
(95) .control_mode                                    PASSED
    <Data>
        <Enum Value="02" />
    </Data>

```

Mngmt Get Event Object - Disconnect Control log 0-0:96.11.2.255 (@177)

```

(96) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0000600B02FF" />
    </Data>
(97) .value                                            PASSED
    <Data>
        <Enum Value="00" />
    </Data>

```

Mngmt Get Disconnect Control Log 0-0:99.98.2.255 (@181)

```

(98) .logical_name                                     PASSED
    <Data>
        <OctetString Value="0000636202FF" />
    </Data>
(99) .capture_objects                                  PASSED
    <Data>
        <Array Qty="0003" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0000600B02FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0047" />
                <OctetString Value="0000110000FF" />
                <Integer Value="03" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

(100) .capture_period                                     PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(101) .sort_method                                       PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(102) .sort_object                                       PASSED
      <Data>
        <Structure Qty="0004" >
          <LongUnsigned Value="0000" />
          <OctetString Value="000000000000" />
          <Integer Value="00" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Data>
(103) .entries_in_use                                    PASSED
      <Data>
        <DoubleLongUnsigned Value="0000000D" />
      </Data>
(104) .profile_entries                                   PASSED
      <Data>
        <DoubleLongUnsigned Value="00000010" />
      </Data>

Mngmt Get Load Mgmt script table 0-0:10.0.103.255 (@192)
(105) .logical_name                                     PASSED
      <Data>
        <OctetString Value="00000A0067FF" />
      </Data>
(106) .scripts                                          PASSED
      <Data>
        <Array Qty="0004" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0001" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000160030AFF" />
                <Integer Value="01" />
                <Unsigned Value="00" />
              </Structure>
            </Array>
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0002" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000160030AFF" />
                <Integer Value="02" />
                <Unsigned Value="00" />
              </Structure>
            </Array>
          </Structure>
          <Structure Qty="0002" >
            <LongUnsigned Value="0003" />
            <Array Qty="0001" >
              <Structure Qty="0005" >
                <Enum Value="02" />
                <LongUnsigned Value="0046" />
                <OctetString Value="000260030AFF" />
                <Integer Value="01" />
              </Structure>
            </Array>
          </Structure>
        </Array>
      </Data>

```

```

    <Unsigned Value="00" />
  </Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0004" />
  <Array Qty="0001" >
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000260030AFF" />
      <Integer Value="02" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Structure>
</Array>
</Data>

```

```

Mngmt Get Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)
(107) .logical_name PASSED
  <Data>
    <OctetString Value="000160030AFF" />
  </Data>
(108) .output_state PASSED
  <Data>
    <Bool Value="00" />
  </Data>
(109) .control_state PASSED
  <Data>
    <Enum Value="02" />
  </Data>
(110) .control_mode PASSED
  <Data>
    <Enum Value="06" />
  </Data>

Mngmt Get Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)
(111) .logical_name PASSED
  <Data>
    <OctetString Value="000260030AFF" />
  </Data>
(112) .output_state PASSED
  <Data>
    <Bool Value="00" />
  </Data>
(113) .control_state PASSED
  <Data>
    <Enum Value="02" />
  </Data>
(114) .control_mode PASSED
  <Data>
    <Enum Value="06" />
  </Data>

Mngmt Get Limiter 0-0:17.0.0.255 (@213)
(115) .logical_name PASSED
  <Data>
    <OctetString Value="0000110000FF" />
  </Data>
(116) .monitored_value PASSED
  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0005" />
      <OctetString Value="0100011800FF" />
      <Integer Value="02" />
    </Structure>
  </Data>

```

```

    </Structure>
  </Data>
(117) .threshold_active PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(118) .threshold_normal PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(119) .treshold_emergency PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(120) .min_over_threshold_duration PASSED
  <Data>
    <DoubleLongUnsigned Value="000000B4" />
  </Data>
(121) .min_under_threshold_duration PASSED
  <Data>
    <DoubleLongUnsigned Value="000000B4" />
  </Data>
(122) .emergency_profile PASSED
  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0001" />
      <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
      <DoubleLongUnsigned Value="00000258" />
    </Structure>
  </Data>
(123) .emergency_profile_group_id_list PASSED
  <Data>
    <Array Qty="0004" >
      <LongUnsigned Value="0001" />
      <LongUnsigned Value="0002" />
      <LongUnsigned Value="0003" />
      <LongUnsigned Value="0004" />
    </Array>
  </Data>
(124) .emergency_profile_active PASSED
  <Data>
    <Bool Value="00" />
  </Data>
(125) .actions PASSED
  <Data>
    <Structure Qty="0002" >
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0001" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="00000A006AFF" />
        <LongUnsigned Value="0002" />
      </Structure>
    </Structure>
  </Data>

Mngmt Get Supervision monitor 1 - Fuse supervision L1 1-0:31.4.0.255 (@226)
(126) .logical_name PASSED
  <Data>
    <OctetString Value="01001F0400FF" />
  </Data>
(127) .thresholds PASSED
  <Data>
    <Array Qty="0001" >
      <DoubleLongUnsigned Value="00000000" />

```

```

    </Array>
  </Data>
(128) .monitored_value PASSED
  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0005" />
      <OctetString Value="01001F0400FF" />
      <Integer Value="02" />
    </Structure>
  </Data>
(129) .actions PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0001" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0002" />
        </Structure>
      </Structure>
    </Array>
  </Data>
Mngmt Get Supervision monitor 2 - Fuse supervision L2 1-0:51.4.0.255 (@232)
(130) .logical_name PASSED
  <Data>
    <OctetString Value="0100330400FF" />
  </Data>
(131) .thresholds PASSED
  <Data>
    <Array Qty="0001" >
      <DoubleLongUnsigned Value="00000000" />
    </Array>
  </Data>
(132) .monitored_value PASSED
  <Data>
    <Structure Qty="0003" >
      <LongUnsigned Value="0005" />
      <OctetString Value="0100330400FF" />
      <Integer Value="02" />
    </Structure>
  </Data>
(133) .actions PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0001" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0002" />
        </Structure>
      </Structure>
    </Array>
  </Data>
Mngmt Get Supervision monitor 3 - Fuse supervision L3 1-0:71.4.0.255 (@238)
(134) .logical_name PASSED
  <Data>
    <OctetString Value="0100470400FF" />
  </Data>

```



(135)	.thresholds <Data> <Array Qty="0001" > <DoubleLongUnsigned Value="00000000" /> </Array> </Data>	PASSED
(136)	.monitored_value <Data> <Structure Qty="0003" > <LongUnsigned Value="0005" /> <OctetString Value="0100470400FF" /> <Integer Value="02" /> </Structure> </Data>	PASSED
(137)	.actions <Data> <Array Qty="0001" > <Structure Qty="0002" > <Structure Qty="0002" > <OctetString Value="00000A006AFF" /> <LongUnsigned Value="0001" /> </Structure> <Structure Qty="0002" > <OctetString Value="00000A006AFF" /> <LongUnsigned Value="0002" /> </Structure> </Structure> </Array> </Data>	PASSED
Mngmt	Get Error Register 0-0:97.97.0.255 (@245)	
(138)	.logical_name <Data> <OctetString Value="0000616100FF" /> </Data>	PASSED
(139)	.value <Data> <DoubleLongUnsigned Value="00000001" /> </Data>	PASSED
Mngmt	Get Alarm Register 0-0:97.98.0.255 (@249)	
(140)	.logical_name <Data> <OctetString Value="0000616200FF" /> </Data>	PASSED
(141)	.value <Data> <DoubleLongUnsigned Value="00002001" /> </Data>	PASSED
Mngmt	Get Alarm Filter 0-0:97.98.10.255 (@253)	
(142)	.logical_name <Data> <OctetString Value="000061620AFF" /> </Data>	PASSED
(143)	.value <Data> <DoubleLongUnsigned Value="FFFFFFFF" /> </Data>	PASSED
Mngmt	Get Event Object - Standard Event Log 0-0:96.11.0.255 (@257)	
(144)	.logical_name <Data> <OctetString Value="0000600B00FF" /> </Data>	PASSED
(145)	.value	PASSED

```

    <Data>
      <Enum Value="02" />
    </Data>

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)
(146) .logical_name PASSED
    <Data>
      <OctetString Value="0000636200FF" />
    </Data>
(147) .capture_objects PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600B00FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(148) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(149) .sort_method PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(150) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(151) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="0000002C" />
    </Data>
(152) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="000000B5" />
    </Data>

Mngmt Get Event Object - Fraud Detection Log 0-0:96.11.1.255 (@272)
(153) .logical_name PASSED
    <Data>
      <OctetString Value="0000600B01FF" />
    </Data>
(154) .value PASSED
    <Data>
      <Enum Value="31" />
    </Data>

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)
(155) .logical_name PASSED
    <Data>
      <OctetString Value="0000636201FF" />

```

```

    </Data>
(156) .capture_objects PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600B01FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(157) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(158) .sort_method PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(159) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(160) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="0000000D" />
    </Data>
(161) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="00000048" />
    </Data>

Mngmt Get Consumer Message Text 0-0:96.13.0.255 (@288)
(162) .logical_name PASSED
    <Data>
      <OctetString Value="0000600D00FF" />
    </Data>
(163) .value PASSED
    <Data>
      <OctetString Value="\Consumer Message Text" />
    </Data>

Mngmt Get Consumer Message Code 0-0:96.13.1.255 (@292)
(164) .logical_name PASSED
    <Data>
      <OctetString Value="0000600D01FF" />
    </Data>
(165) .value PASSED
    <Data>
      <OctetString Value="00" />
    </Data>

Mngmt Get Image transfer 0-0:44.0.0.255 (@297)
(166) .logical_name PASSED

```

```

    <Data>
    <OctetString Value="00002C0000FF" />
  </Data>
(167) .image_block_size PASSED
  <Data>
    <DoubleLongUnsigned Value="00000040" />
  </Data>
(168) .image_transferred_block_status PASSED
  <Data>
    <BitString Value="00" />
  </Data>
(169) .image_first_not_transferred_block_number PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(170) .image_transfer_enabled PASSED
  <Data>
    <Bool Value="01" />
  </Data>
(171) .image_transfer_status PASSED
  <Data>
    <Enum Value="00" />
  </Data>
(172) .image_to_activate_info PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <DoubleLongUnsigned Value="00000000" />
        <OctetString Value="000000000000000000000000" />
        <OctetString
Value="0000000000000000000000000000000000000000000000000000000000000000" />
      </Structure>
    </Array>
  </Data>

Mngmt Get Image transfer activation scheduler 0-0:15.0.2.255 (@310)
(173) .logical_name PASSED
  <Data>
    <OctetString Value="00000F0002FF" />
  </Data>
(174) .executed_script PASSED
  <Data>
    <Structure Qty="0002" >
      <OctetString Value="00000A006BFF" />
      <LongUnsigned Value="0001" />
    </Structure>
  </Data>
(175) .type PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(176) .execution_time PASSED
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <OctetString Value="FFFFFFFF" />
        <OctetString Value="FFFFFFFFFFFF" />
      </Structure>
    </Array>
  </Data>

Mngmt Get Predefined Scripts - Image activation 0-0:10.0.107.255 (@316)
(177) .logical_name PASSED
  <Data>
    <OctetString Value="00000A006BFF" />
  </Data>

```

(178) .scripts	INAPPLICABLE
Optional access right not available	
Mngmt Get Active firmware version 1-0:0.2.0.255 (@321)	
(179) .logical_name	PASSED
<Data>	
<OctetString Value="0100000200FF" />	
</Data>	
(180) .value	PASSED
<Data>	
<OctetString Value="\V650101" />	
</Data>	
Mngmt Get Active firmware version signature 1-0:0.2.8.255 (@325)	
(181) .logical_name	PASSED
<Data>	
<OctetString Value="0100000208FF" />	
</Data>	
(182) .value	PASSED
<Data>	
<OctetString Value="\85EDED8" />	
</Data>	
Mngmt Get Active firmware version 1 1-1:0.2.0.255 (@329)	
(183) .logical_name	INAPPLICABLE
Optional object is not implemented	
(184) .value	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Active firmware version signature 1 1-1:0.2.8.255 (@333)	
(185) .logical_name	INAPPLICABLE
Optional object is not implemented	
(186) .value	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Active firmware version 2 1-2:0.2.0.255 (@337)	
(187) .logical_name	INAPPLICABLE
Optional object is not implemented	
(188) .value	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Active firmware version signature 2 1-2:0.2.8.255 (@341)	
(189) .logical_name	INAPPLICABLE
Optional object is not implemented	
(190) .value	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Active energy import (+A) 1-0:1.8.0.255 (@346)	
(191) .logical_name	PASSED
<Data>	
<OctetString Value="0100010800FF" />	
</Data>	
(192) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="000016E0" />	
</Data>	
(193) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1E" />	
</Structure>	
</Data>	
Mngmt Get Active energy export (-A) 1-0:2.8.0.255 (@352)	
(194) .logical_name	PASSED

```

    <Data>
    <OctetString Value="0100020800FF" />
  </Data>
(195) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000032" />
  </Data>
(196) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy (|+A|+|-A|)
Combined total 1-0:15.8.0.255 (@358)
(197) .logical_name PASSED
  <Data>
    <OctetString Value="01000F0800FF" />
  </Data>
(198) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00001713" />
  </Data>
(199) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy (|+A|-|-A|)
Combined total 1-0:16.8.0.255 (@364)
(200) .logical_name PASSED
  <Data>
    <OctetString Value="0100100800FF" />
  </Data>
(201) .value PASSED
  <Data>
    <DoubleLong Value="000016AC" />
  </Data>
(202) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Reactive energy QI (+Ri) 1-0:5.8.0.255 (@370)
(203) .logical_name PASSED
  <Data>
    <OctetString Value="0100050800FF" />
  </Data>
(204) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="000005FC" />
  </Data>
(205) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

```

```

    </Data>
Mngmt Get Reactive energy QII (+Rc) 1-0:6.8.0.255 (@376)
(206) .logical_name PASSED
    <Data>
      <OctetString Value="0100060800FF" />
    </Data>
(207) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="000005CB" />
    </Data>
(208) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy QIII (-Ri) 1-0:7.8.0.255 (@382)
(209) .logical_name PASSED
    <Data>
      <OctetString Value="0100070800FF" />
    </Data>
(210) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(211) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy QIV (-Rc) 1-0:8.8.0.255 (@388)
(212) .logical_name PASSED
    <Data>
      <OctetString Value="0100080800FF" />
    </Data>
(213) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="000000C5" />
    </Data>
(214) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy import (+R)
(QI+QII) 1-0:3.8.0.255 (@394)
(215) .logical_name PASSED
    <Data>
      <OctetString Value="0100030800FF" />
    </Data>
(216) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000BC8" />
    </Data>
(217) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >

```

```

    <Integer Value="00" />
    <Enum Value="20" />
  </Structure>
</Data>

```

```

Mngmt Get Reactive energy export (-R)
(QIII+QIV) 1-0:4.8.0.255 (@400)
(218) .logical_name PASSED
    <Data>
      <OctetString Value="0100040800FF" />
    </Data>
(219) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="000000C5" />
    </Data>
(220) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Apparent energy import (+VA)
(QI+QIV) 1-0:9.8.0.255 (@406)
(221) .logical_name PASSED
    <Data>
      <OctetString Value="0100090800FF" />
    </Data>
(222) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="0000197F" />
    </Data>
(223) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1F" />
      </Structure>
    </Data>

Mngmt Get Apparent energy export (-VA)
(QII+QIII) 1-0:10.8.0.255 (@412)
(224) .logical_name PASSED
    <Data>
      <OctetString Value="01000A0800FF" />
    </Data>
(225) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="000005B8" />
    </Data>
(226) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1F" />
      </Structure>
    </Data>

Mngmt Get Active energy import (+A) rate 1 1-0:1.8.1.255 (@419)
(227) .logical_name PASSED
    <Data>
      <OctetString Value="0100010801FF" />
    </Data>
(228) .value PASSED
    <Data>

```



```

    <DoubleLongUnsigned Value="000016E0" />
  </Data>
(229) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy import (+A) rate 2 1-0:1.8.2.255 (@425)
(230) .logical_name PASSED
  <Data>
    <OctetString Value="0100010802FF" />
  </Data>
(231) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(232) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy import (+A) rate 3 1-0:1.8.3.255 (@431)
(233) .logical_name PASSED
  <Data>
    <OctetString Value="0100010803FF" />
  </Data>
(234) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(235) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy import (+A) rate 4 1-0:1.8.4.255 (@437)
(236) .logical_name PASSED
  <Data>
    <OctetString Value="0100010804FF" />
  </Data>
(237) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(238) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1E" />
    </Structure>
  </Data>

Mngmt Get Active energy export (-A) rate 1 1-0:2.8.1.255 (@443)
(239) .logical_name PASSED
  <Data>
    <OctetString Value="0100020801FF" />
  </Data>

```

```
(240) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000032" />
      </Data>

(241) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Active energy export (-A) rate 2 1-0:2.8.2.255 (@449)
(242) .logical_name PASSED
      <Data>
        <OctetString Value="0100020802FF" />
      </Data>

(243) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>

(244) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Active energy export (-A) rate 3 1-0:2.8.3.255 (@455)
(245) .logical_name PASSED
      <Data>
        <OctetString Value="0100020803FF" />
      </Data>

(246) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>

(247) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Active energy export (-A) rate 4 1-0:2.8.4.255 (@461)
(248) .logical_name PASSED
      <Data>
        <OctetString Value="0100020804FF" />
      </Data>

(249) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>

(250) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1E" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (+R) rate 1 1-0:3.8.1.255 (@467)
(251) .logical_name PASSED
      <Data>
```

```

    <OctetString Value="0100030801FF" />
  </Data>
(252) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000BC8" />
  </Data>
(253) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy (+R) rate 2 1-0:3.8.2.255 (@473)
(254) .logical_name PASSED
  <Data>
    <OctetString Value="0100030802FF" />
  </Data>
(255) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(256) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy (+R) rate 3 1-0:3.8.3.255 (@479)
(257) .logical_name PASSED
  <Data>
    <OctetString Value="0100030803FF" />
  </Data>
(258) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(259) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy (+R) rate 4 1-0:3.8.4.255 (@485)
(260) .logical_name PASSED
  <Data>
    <OctetString Value="0100030804FF" />
  </Data>
(261) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(262) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="20" />
    </Structure>
  </Data>

Mngmt Get Reactive energy (-R) rate 1 1-0:4.8.1.255 (@491)

```

(263) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100040801FF" />  
</Data>

(264) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="000000C5" />  
</Data>

(265) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="20" />  
    </Structure>  
</Data>

Mngmt Get Reactive energy (-R) rate 2 1-0:4.8.2.255 (@497)

(266) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100040802FF" />  
</Data>

(267) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(268) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="20" />  
    </Structure>  
</Data>

Mngmt Get Reactive energy (-R) rate 3 1-0:4.8.3.255 (@503)

(269) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100040803FF" />  
</Data>

(270) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(271) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="20" />  
    </Structure>  
</Data>

Mngmt Get Reactive energy (-R) rate 4 1-0:4.8.4.255 (@509)

(272) .logical\_name PASSED  
<Data>  
    <OctetString Value="0100040804FF" />  
</Data>

(273) .value PASSED  
<Data>  
    <DoubleLongUnsigned Value="00000000" />  
</Data>

(274) .scaler\_unit PASSED  
<Data>  
    <Structure Qty="0002" >  
        <Integer Value="00" />  
        <Enum Value="20" />  
    </Structure>  
</Data>

```
Mngmt Get Reactive energy (QI) rate 1 1-0:5.8.1.255 (@515)
(275) .logical_name PASSED
      <Data>
        <OctetString Value="0100050801FF" />
      </Data>
(276) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(277) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (QI) rate 2 1-0:5.8.2.255 (@521)
(278) .logical_name PASSED
      <Data>
        <OctetString Value="0100050802FF" />
      </Data>
(279) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(280) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (QI) rate 3 1-0:5.8.3.255 (@527)
(281) .logical_name PASSED
      <Data>
        <OctetString Value="0100050803FF" />
      </Data>
(282) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(283) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (QI) rate 4 1-0:5.8.4.255 (@533)
(284) .logical_name PASSED
      <Data>
        <OctetString Value="0100050804FF" />
      </Data>
(285) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(286) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>
```

```

    </Structure>
  </Data>

Mngmt Get Reactive energy (QII) rate 1 1-0:6.8.1.255 (@539)
(287) .logical_name PASSED
      <Data>
        <OctetString Value="0100060801FF" />
      </Data>
(288) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(289) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (QII) rate 2 1-0:6.8.2.255 (@545)
(290) .logical_name PASSED
      <Data>
        <OctetString Value="0100060802FF" />
      </Data>
(291) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(292) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (QII) rate 3 1-0:6.8.3.255 (@551)
(293) .logical_name PASSED
      <Data>
        <OctetString Value="0100060803FF" />
      </Data>
(294) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(295) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="20" />
        </Structure>
      </Data>

Mngmt Get Reactive energy (QII) rate 4 1-0:6.8.4.255 (@557)
(296) .logical_name PASSED
      <Data>
        <OctetString Value="0100060804FF" />
      </Data>
(297) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(298) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >

```

```

        <Integer Value="00" />
        <Enum Value="20" />
    </Structure>
</Data>

Mngmt Get Reactive energy (QIII) rate 1 1-0:7.8.1.255 (@563)
(299) .logical_name PASSED
    <Data>
        <OctetString Value="0100070801FF" />
    </Data>
(300) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(301) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 2 1-0:7.8.2.255 (@569)
(302) .logical_name PASSED
    <Data>
        <OctetString Value="0100070802FF" />
    </Data>
(303) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(304) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 3 1-0:7.8.3.255 (@575)
(305) .logical_name PASSED
    <Data>
        <OctetString Value="0100070803FF" />
    </Data>
(306) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(307) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="20" />
        </Structure>
    </Data>

Mngmt Get Reactive energy (QIII) rate 4 1-0:7.8.4.255 (@581)
(308) .logical_name PASSED
    <Data>
        <OctetString Value="0100070804FF" />
    </Data>
(309) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(310) .scaler_unit PASSED

```

```

    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIV) rate 1 1-0:8.8.1.255 (@587)
(311) .logical_name PASSED
    <Data>
      <OctetString Value="0100080801FF" />
    </Data>
(312) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(313) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIV) rate 2 1-0:8.8.2.255 (@593)
(314) .logical_name PASSED
    <Data>
      <OctetString Value="0100080802FF" />
    </Data>
(315) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(316) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIV) rate 3 1-0:8.8.3.255 (@599)
(317) .logical_name PASSED
    <Data>
      <OctetString Value="0100080803FF" />
    </Data>
(318) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(319) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Reactive energy (QIV) rate 4 1-0:8.8.4.255 (@605)
(320) .logical_name PASSED
    <Data>
      <OctetString Value="0100080804FF" />
    </Data>
(321) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />

```



```

    </Data>
(322) .scaler_unit                                     PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="20" />
      </Structure>
    </Data>

Mngmt Get Apparent energy import (+VA) rate 1 1-0:9.8.1.255 (@611)
(323) .logical_name                                   INAPPLICABLE
    Optional object is not implemented
(324) .value                                           INAPPLICABLE
    Optional object is not implemented
(325) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 2 1-0:9.8.2.255 (@617)
(326) .logical_name                                   INAPPLICABLE
    Optional object is not implemented
(327) .value                                           INAPPLICABLE
    Optional object is not implemented
(328) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 3 1-0:9.8.3.255 (@623)
(329) .logical_name                                   INAPPLICABLE
    Optional object is not implemented
(330) .value                                           INAPPLICABLE
    Optional object is not implemented
(331) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy import (+VA) rate 4 1-0:9.8.4.255 (@629)
(332) .logical_name                                   INAPPLICABLE
    Optional object is not implemented
(333) .value                                           INAPPLICABLE
    Optional object is not implemented
(334) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 1 1-0:10.8.1.255 (@635)
(335) .logical_name                                   INAPPLICABLE
    Optional object is not implemented
(336) .value                                           INAPPLICABLE
    Optional object is not implemented
(337) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 2 1-0:10.8.2.255 (@641)
(338) .logical_name                                   INAPPLICABLE
    Optional object is not implemented
(339) .value                                           INAPPLICABLE
    Optional object is not implemented
(340) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 3 1-0:10.8.3.255 (@647)
(341) .logical_name                                   INAPPLICABLE
    Optional object is not implemented
(342) .value                                           INAPPLICABLE
    Optional object is not implemented
(343) .scaler_unit                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get Apparent energy export (-VA) rate 4 1-0:10.8.4.255 (@653)

```

(344) .logical_name		INAPPLICABLE
Optional object is not implemented		
(345) .value		INAPPLICABLE
Optional object is not implemented		
(346) .scaler_unit		INAPPLICABLE
Optional object is not implemented		
Mngmt Get Active energy Combined total	( +A + -A ) rate 1 1-0:15.8.1.255 (@659)	
(347) .logical_name		INAPPLICABLE
Optional object is not implemented		
(348) .value		INAPPLICABLE
Optional object is not implemented		
(349) .scaler_unit		INAPPLICABLE
Optional object is not implemented		
Mngmt Get Active energy Combined total	( +A + -A ) rate 2 1-0:15.8.2.255 (@665)	
(350) .logical_name		INAPPLICABLE
Optional object is not implemented		
(351) .value		INAPPLICABLE
Optional object is not implemented		
(352) .scaler_unit		INAPPLICABLE
Optional object is not implemented		
Mngmt Get Active energy Combined total	( +A + -A ) rate 3 1-0:15.8.3.255 (@671)	
(353) .logical_name		INAPPLICABLE
Optional object is not implemented		
(354) .value		INAPPLICABLE
Optional object is not implemented		
(355) .scaler_unit		INAPPLICABLE
Optional object is not implemented		
Mngmt Get Active energy Combined total	( +A + -A ) rate 4 1-0:15.8.4.255 (@677)	
(356) .logical_name		INAPPLICABLE
Optional object is not implemented		
(357) .value		INAPPLICABLE
Optional object is not implemented		
(358) .scaler_unit		INAPPLICABLE
Optional object is not implemented		
Mngmt Get Demand Register 1 - Active energy import (+A)	1-0:1.4.0.255 (@684)	
(359) .logical_name		PASSED
<Data>		
<OctetString Value="0100010400FF" />		
</Data>		
(360) .current_average_value		PASSED
<Data>		
<DoubleLongUnsigned Value="00000000" />		
</Data>		
(361) .last_average_value		PASSED
<Data>		
<DoubleLongUnsigned Value="00000000" />		
</Data>		
(362) .scaler_unit		PASSED
<Data>		
<Structure Qty="0002" >		
<Integer Value="00" />		
<Enum Value="1B" />		
</Structure>		
</Data>		
(363) .status		PASSED
<Data>		
<Unsigned Value="00" />		
</Data>		
(364) .capture_time		PASSED
<Data>		
<OctetString Value="07DE021902160000FF800000" />		

```

    </Data>
(365) .start_time_current PASSED
    <Data>
      <OctetString Value="07DE021902160000FF800000" />
    </Data>
(366) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(367) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Demand Register 2 - Active energy export (-A) 1-0:2.4.0.255 (@697)
(368) .logical_name PASSED
    <Data>
      <OctetString Value="0100020400FF" />
    </Data>
(369) .current_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(370) .last_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(371) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>
    </Data>
(372) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(373) .capture_time PASSED
    <Data>
      <OctetString Value="07DE021902160000FF800000" />
    </Data>
(374) .start_time_current PASSED
    <Data>
      <OctetString Value="07DE021902160000FF800000" />
    </Data>
(375) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(376) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Demand Register 3 - Reactive energy import (+R) 1-0:3.4.0.255 (@710)
(377) .logical_name PASSED
    <Data>
      <OctetString Value="0100030400FF" />
    </Data>
(378) .current_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(379) .last_average_value PASSED
    <Data>

```

```

    <DoubleLongUnsigned Value="00000000" />
  </Data>
(380) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1D" />
    </Structure>
  </Data>
(381) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(382) .capture_time PASSED
  <Data>
    <OctetString Value="07DE021902160000FF800000" />
  </Data>
(383) .start_time_current PASSED
  <Data>
    <OctetString Value="07DE021902160000FF800000" />
  </Data>
(384) .period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>
(385) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="0001" />
  </Data>

Mngmt Get Demand Register 4 - Reactive energy export (-R) 1-0:4.4.0.255 (@723)
(386) .logical_name PASSED
  <Data>
    <OctetString Value="0100040400FF" />
  </Data>
(387) .current_average_value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(388) .last_average_value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(389) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1D" />
    </Structure>
  </Data>
(390) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(391) .capture_time PASSED
  <Data>
    <OctetString Value="07DE021902160000FF800000" />
  </Data>
(392) .start_time_current PASSED
  <Data>
    <OctetString Value="07DE021902160000FF800000" />
  </Data>
(393) .period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>

```

```
(394) .number_of_periods PASSED
      <Data>
        <LongUnsigned Value="0001" />
      </Data>

Mngmt Get Demand Register 5 - Apparent energy import (+VA) 1-0:9.4.0.255 (@736)
(395) .logical_name PASSED
      <Data>
        <OctetString Value="0100090400FF" />
      </Data>
(396) .current_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(397) .last_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(398) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
(399) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(400) .capture_time PASSED
      <Data>
        <OctetString Value="07DE021902160000FF800000" />
      </Data>
(401) .start_time_current PASSED
      <Data>
        <OctetString Value="07DE021902160000FF800000" />
      </Data>
(402) .period PASSED
      <Data>
        <DoubleLongUnsigned Value="00000384" />
      </Data>
(403) .number_of_periods PASSED
      <Data>
        <LongUnsigned Value="0001" />
      </Data>

Mngmt Get Demand Register 6 - Apparent energy export (-VA) 1-0:10.4.0.255 (@749)
(404) .logical_name PASSED
      <Data>
        <OctetString Value="01000A0400FF" />
      </Data>
(405) .current_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(406) .last_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(407) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1C" />
        </Structure>
      </Data>
```

(408)	.status	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(409)	.capture_time	PASSED
	<Data>	
	<OctetString Value="07DE021902160000FF800000" />	
	</Data>	
(410)	.start_time_current	PASSED
	<Data>	
	<OctetString Value="07DE021902160000FF800000" />	
	</Data>	
(411)	.period	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000384" />	
	</Data>	
(412)	.number_of_periods	PASSED
	<Data>	
	<LongUnsigned Value="0001" />	
	</Data>	
Mngmt Get Last Average Demand Register 1 - Active energy import (+A) 1-0:1.5.0.255 (@762)		
(413)	.logical_name	INAPPLICABLE
	Optional object is not implemented	
(414)	.value	INAPPLICABLE
	Optional object is not implemented	
(415)	.scaler_unit	INAPPLICABLE
	Optional object is not implemented	
(416)	.status	INAPPLICABLE
	Optional object is not implemented	
(417)	.capture_time	INAPPLICABLE
	Optional object is not implemented	
Mngmt Get Last Average Demand Register 2 - Active energy export (-A) 1-0:2.5.0.255 (@770)		
(418)	.logical_name	INAPPLICABLE
	Optional object is not implemented	
(419)	.value	INAPPLICABLE
	Optional object is not implemented	
(420)	.scaler_unit	INAPPLICABLE
	Optional object is not implemented	
(421)	.status	INAPPLICABLE
	Optional object is not implemented	
(422)	.capture_time	INAPPLICABLE
	Optional object is not implemented	
Mngmt Get Last Average Demand Register 3 - Reactive energy import (+R) 1-0:3.5.0.255 (@778)		
(423)	.logical_name	INAPPLICABLE
	Optional object is not implemented	
(424)	.value	INAPPLICABLE
	Optional object is not implemented	
(425)	.scaler_unit	INAPPLICABLE
	Optional object is not implemented	
(426)	.status	INAPPLICABLE
	Optional object is not implemented	
(427)	.capture_time	INAPPLICABLE
	Optional object is not implemented	
Mngmt Get Last Average Demand Register 4 - Reactive energy export (-R) 1-0:4.5.0.255 (@786)		
(428)	.logical_name	INAPPLICABLE
	Optional object is not implemented	
(429)	.value	INAPPLICABLE
	Optional object is not implemented	
(430)	.scaler_unit	INAPPLICABLE
	Optional object is not implemented	
(431)	.status	INAPPLICABLE
	Optional object is not implemented	

```

(432) .capture_time                               INAPPLICABLE
      Optional object is not implemented

Mngmt Get Last Average Demand Register 5 - Apparent energy import (+VA) 1-0:9.5.0.255 (@794)
(433) .logical_name                               INAPPLICABLE
      Optional object is not implemented
(434) .value                                       INAPPLICABLE
      Optional object is not implemented
(435) .scaler_unit                                INAPPLICABLE
      Optional object is not implemented
(436) .status                                      INAPPLICABLE
      Optional object is not implemented
(437) .capture_time                               INAPPLICABLE
      Optional object is not implemented

Mngmt Get Last Average Demand Register 6 - Apparent energy export (-VA) 1-0:10.5.0.255 (@802)
(438) .logical_name                               INAPPLICABLE
      Optional object is not implemented
(439) .value                                       INAPPLICABLE
      Optional object is not implemented
(440) .scaler_unit                                INAPPLICABLE
      Optional object is not implemented
(441) .status                                      INAPPLICABLE
      Optional object is not implemented
(442) .capture_time                               INAPPLICABLE
      Optional object is not implemented

Mngmt Get Maximum Demand Register 1 - Active energy import (+A) 1-0:1.6.0.255 (@810)
(443) .logical_name                               PASSED
      <Data>
        <OctetString Value="0100010600FF" />
      </Data>
(444) .value                                       PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(445) .scaler_unit                                PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(446) .status                                      PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(447) .capture_time                               PASSED
      <Data>
        <OctetString Value="07DE021902000000FF800000" />
      </Data>

Mngmt Get Maximum Demand Register 2 - Active energy import (+A) - rate 1 1-0:1.6.1.255 (@818)
(448) .logical_name                               PASSED
      <Data>
        <OctetString Value="0100010601FF" />
      </Data>
(449) .value                                       PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(450) .scaler_unit                                PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>

```

```

    </Structure>
  </Data>
(451) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(452) .capture_time PASSED
  <Data>
    <OctetString Value="07DE021902000000FF800000" />
  </Data>

Mngmt Get Maximum Demand Register 3 - Active energy import (+A) - rate 2 1-0:1.6.2.255 (@826)
(453) .logical_name PASSED
  <Data>
    <OctetString Value="0100010602FF" />
  </Data>
(454) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(455) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1B" />
    </Structure>
  </Data>
(456) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(457) .capture_time PASSED
  <Data>
    <OctetString Value="07DE021902000000FF800000" />
  </Data>

Mngmt Get Maximum Demand Register 4 - Active energy import (+A) - rate 3 1-0:1.6.3.255 (@834)
(458) .logical_name PASSED
  <Data>
    <OctetString Value="0100010603FF" />
  </Data>
(459) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(460) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="1B" />
    </Structure>
  </Data>
(461) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(462) .capture_time PASSED
  <Data>
    <OctetString Value="07DE021902000000FF800000" />
  </Data>

Mngmt Get Maximum Demand Register 5 - Active energy import (+A) - rate 4 1-0:1.6.4.255 (@842)
(463) .logical_name PASSED
  <Data>
    <OctetString Value="0100010604FF" />
  </Data>

```



```

(464) .value                                     PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(465) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(466) .status                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(467) .capture_time                              PASSED
      <Data>
        <OctetString Value="07DE021902000000FF800000" />
      </Data>

Mngmt Get Maximum Demand Register 6 - Active energy export (-A) 1-0:2.6.0.255 (@850)
(468) .logical_name                             PASSED
      <Data>
        <OctetString Value="0100020600FF" />
      </Data>
(469) .value                                     PASSED
      <Data>
        <DoubleLongUnsigned Value="0000000F" />
      </Data>
(470) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(471) .status                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(472) .capture_time                              PASSED
      <Data>
        <OctetString Value="07DE021902000F00FF800000" />
      </Data>

Mngmt Get Maximum Demand Register 7 - Active energy export (-A) - rate 1 1-0:2.6.1.255 (@858)
(473) .logical_name                             PASSED
      <Data>
        <OctetString Value="0100020601FF" />
      </Data>
(474) .value                                     PASSED
      <Data>
        <DoubleLongUnsigned Value="0000000F" />
      </Data>
(475) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1B" />
        </Structure>
      </Data>
(476) .status                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(477) .capture_time                              PASSED

```

```

    <Data>
      <OctetString Value="07DE021902000F00FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 8 - Active energy export (-A) - rate 2 1-0:2.6.2.255 (@866)
(478) .logical_name PASSED
    <Data>
      <OctetString Value="0100020602FF" />
    </Data>
(479) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(480) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>
    </Data>
(481) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(482) .capture_time PASSED
    <Data>
      <OctetString Value="07DE021902000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 9 - Active energy export (-A) - rate 3 1-0:2.6.3.255 (@874)
(483) .logical_name PASSED
    <Data>
      <OctetString Value="0100020603FF" />
    </Data>
(484) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(485) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>
    </Data>
(486) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(487) .capture_time PASSED
    <Data>
      <OctetString Value="07DE021902000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 10 - Active energy export (-A) - rate 4 1-0:2.6.4.255 (@882)
(488) .logical_name PASSED
    <Data>
      <OctetString Value="0100020604FF" />
    </Data>
(489) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(490) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >

```

```

        <Integer Value="00" />
        <Enum Value="1B" />
    </Structure>
</Data>
(491) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(492) .capture_time PASSED
    <Data>
        <OctetString Value="07DE021902000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 11 - Reactive energy import (+R) 1-0:3.6.0.255 (@890)
(493) .logical_name PASSED
    <Data>
        <OctetString Value="0100030600FF" />
    </Data>
(494) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(495) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(496) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(497) .capture_time PASSED
    <Data>
        <OctetString Value="07DE021902000F00FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 12 - Reactive energy import (+R) - rate 1 1-0:3.6.1.255
(@898)
(498) .logical_name PASSED
    <Data>
        <OctetString Value="0100030601FF" />
    </Data>
(499) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(500) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="1D" />
        </Structure>
    </Data>
(501) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(502) .capture_time PASSED
    <Data>
        <OctetString Value="07DE021902000F00FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 13 - Reactive energy import (+R) - rate 2 1-0:3.6.2.255
(@906)

```

```

(503) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100030602FF" />
      </Data>
(504) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(505) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(506) .status                                          PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(507) .capture_time                                    PASSED
      <Data>
        <OctetString Value="07DE021902000000FF800000" />
      </Data>

Mngmt Get Maximum Demand Register 14 - Reactive energy import (+R) - rate 3 1-0:3.6.3.255
(@914)
(508) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100030603FF" />
      </Data>
(509) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(510) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>
      </Data>
(511) .status                                          PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(512) .capture_time                                    PASSED
      <Data>
        <OctetString Value="07DE021902000000FF800000" />
      </Data>

Mngmt Get Maximum Demand Register 15 - Reactive energy import (+R) - rate 4 1-0:3.6.4.255
(@922)
(513) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100030604FF" />
      </Data>
(514) .value                                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(515) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="1D" />
        </Structure>

```

```

    </Data>
(516) .status                                     PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(517) .capture_time                               PASSED
    <Data>
      <OctetString Value="07DE021902000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 16 - Reactive energy export (-R) 1-0:4.6.0.255 (@930)
(518) .logical_name                               PASSED
    <Data>
      <OctetString Value="0100040600FF" />
    </Data>
(519) .value                                       PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(520) .scaler_unit                                 PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(521) .status                                     PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(522) .capture_time                               PASSED
    <Data>
      <OctetString Value="07DE021902000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 17 - Reactive energy export (-R) - rate 1 1-0:4.6.1.255
(@938)
(523) .logical_name                               PASSED
    <Data>
      <OctetString Value="0100040601FF" />
    </Data>
(524) .value                                       PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(525) .scaler_unit                                 PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(526) .status                                     PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(527) .capture_time                               PASSED
    <Data>
      <OctetString Value="07DE021902000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 18 - Reactive energy export (-R) - rate 2 1-0:4.6.2.255
(@946)
(528) .logical_name                               PASSED
    <Data>
      <OctetString Value="0100040602FF" />

```

```

    </Data>
(529) .value                                     PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(530) .scaler_unit                               PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(531) .status                                    PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(532) .capture_time                              PASSED
    <Data>
      <OctetString Value="07DE021902000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 19 - Reactive energy export (-R) - rate 3 1-0:4.6.3.255
(@954)
(533) .logical_name                              PASSED
    <Data>
      <OctetString Value="0100040603FF" />
    </Data>
(534) .value                                     PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(535) .scaler_unit                               PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(536) .status                                    PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(537) .capture_time                              PASSED
    <Data>
      <OctetString Value="07DE021902000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 20 - Reactive energy export (-R) - rate 4 1-0:4.6.4.255
(@962)
(538) .logical_name                              PASSED
    <Data>
      <OctetString Value="0100040604FF" />
    </Data>
(539) .value                                     PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(540) .scaler_unit                               PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1D" />
      </Structure>
    </Data>
(541) .status                                    PASSED
    <Data>

```

```

    <Unsigned Value="00" />
  </Data>
(542) .capture_time                                     PASSED
    <Data>
      <OctetString Value="07DE021902000000FF800000" />
    </Data>

Mngmt Get Maximum Demand Register 21 - Apparent energy import (+VA) 1-0:9.6.0.255 (@970)
(543) .logical_name                                     INAPPLICABLE
      Optional object is not implemented
(544) .value                                           INAPPLICABLE
      Optional object is not implemented
(545) .scaler_unit                                     INAPPLICABLE
      Optional object is not implemented
(546) .status                                          INAPPLICABLE
      Optional object is not implemented
(547) .capture_time                                     INAPPLICABLE
      Optional object is not implemented

Mngmt Get Maximum Demand Register 22 - Apparent energy import (+VA) - rate 1 1-0:9.6.1.255
(@978)
(548) .logical_name                                     INAPPLICABLE
      Optional object is not implemented
(549) .value                                           INAPPLICABLE
      Optional object is not implemented
(550) .scaler_unit                                     INAPPLICABLE
      Optional object is not implemented
(551) .status                                          INAPPLICABLE
      Optional object is not implemented
(552) .capture_time                                     INAPPLICABLE
      Optional object is not implemented

Mngmt Get Maximum Demand Register 23 - Apparent energy import (+VA) - rate 2 1-0:9.6.2.255
(@986)
(553) .logical_name                                     INAPPLICABLE
      Optional object is not implemented
(554) .value                                           INAPPLICABLE
      Optional object is not implemented
(555) .scaler_unit                                     INAPPLICABLE
      Optional object is not implemented
(556) .status                                          INAPPLICABLE
      Optional object is not implemented
(557) .capture_time                                     INAPPLICABLE
      Optional object is not implemented

Mngmt Get Maximum Demand Register 24 - Apparent energy import (+VA) - rate 3 1-0:9.6.3.255
(@994)
(558) .logical_name                                     INAPPLICABLE
      Optional object is not implemented
(559) .value                                           INAPPLICABLE
      Optional object is not implemented
(560) .scaler_unit                                     INAPPLICABLE
      Optional object is not implemented
(561) .status                                          INAPPLICABLE
      Optional object is not implemented
(562) .capture_time                                     INAPPLICABLE
      Optional object is not implemented

Mngmt Get Maximum Demand Register 25 - Apparent energy import (+VA) - rate 4 1-0:9.6.4.255
(@1002)
(563) .logical_name                                     INAPPLICABLE
      Optional object is not implemented
(564) .value                                           INAPPLICABLE
      Optional object is not implemented
(565) .scaler_unit                                     INAPPLICABLE
      Optional object is not implemented

```

```

(566) .status INAPPLICABLE
Optional object is not implemented
(567) .capture_time INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 26 - Apparent energy export (-VA) 1-0:10.6.0.255 (@1010)
(568) .logical_name INAPPLICABLE
Optional object is not implemented
(569) .value INAPPLICABLE
Optional object is not implemented
(570) .scaler_unit INAPPLICABLE
Optional object is not implemented
(571) .status INAPPLICABLE
Optional object is not implemented
(572) .capture_time INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 27 - Apparent energy export (-VA) - rate 1 1-0:10.6.1.255
(@1018)
(573) .logical_name INAPPLICABLE
Optional object is not implemented
(574) .value INAPPLICABLE
Optional object is not implemented
(575) .scaler_unit INAPPLICABLE
Optional object is not implemented
(576) .status INAPPLICABLE
Optional object is not implemented
(577) .capture_time INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 28 - Apparent energy export (-VA) - rate 2 1-0:10.6.2.255
(@1026)
(578) .logical_name INAPPLICABLE
Optional object is not implemented
(579) .value INAPPLICABLE
Optional object is not implemented
(580) .scaler_unit INAPPLICABLE
Optional object is not implemented
(581) .status INAPPLICABLE
Optional object is not implemented
(582) .capture_time INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 29 - Apparent energy export (-VA) - rate 3 1-0:10.6.3.255
(@1034)
(583) .logical_name INAPPLICABLE
Optional object is not implemented
(584) .value INAPPLICABLE
Optional object is not implemented
(585) .scaler_unit INAPPLICABLE
Optional object is not implemented
(586) .status INAPPLICABLE
Optional object is not implemented
(587) .capture_time INAPPLICABLE
Optional object is not implemented

Mngmt Get Maximum Demand Register 30 - Apparent energy export (-VA) - rate 4 1-0:10.6.4.255
(@1042)
(588) .logical_name INAPPLICABLE
Optional object is not implemented
(589) .value INAPPLICABLE
Optional object is not implemented
(590) .scaler_unit INAPPLICABLE
Optional object is not implemented
(591) .status INAPPLICABLE
Optional object is not implemented

```



```

(592) .capture_time                               INAPPLICABLE
      Optional object is not implemented

Mngmt Get Profile status - Load profile with period 1 0-0:96.10.1.255 (@1051)
(593) .logical_name                               PASSED
      <Data>
        <OctetString Value="0000600A01FF" />
      </Data>

(594) .status                                     PASSED
      <Data>
        <Unsigned Value="02" />
      </Data>

Mngmt Get Load profile with period 1
i.e. General Load Profile 1-0:99.1.0.255 (@1055)
(595) .logical_name                               PASSED
      <Data>
        <OctetString Value="0100630100FF" />
      </Data>

(596) .capture_objects                           PASSED
      <Data>
        <Array Qty="0006" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0000600A01FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100010800FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100020800FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="01000F0800FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0003" />
            <OctetString Value="0100100800FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>

(597) .capture_period                             PASSED
      <Data>
        <DoubleLongUnsigned Value="00000384" />
      </Data>

(598) .sort_method                               PASSED
      <Data>

```

```

    <Enum Value="04" />
  </Data>
(599) .sort_object PASSED
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
(600) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="0000005D" />
  </Data>
(601) .profile_entries PASSED
  <Data>
    <DoubleLongUnsigned Value="000013D8" />
  </Data>

Mngmt Get Profile status - Load profile with period 2 0-0:96.10.2.255 (@1066)
(602) .logical_name PASSED
  <Data>
    <OctetString Value="0000600A02FF" />
  </Data>
(603) .status PASSED
  <Data>
    <Unsigned Value="86" />
  </Data>

Mngmt Get Load profile with period 2
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)
(604) .logical_name PASSED
  <Data>
    <OctetString Value="0100630200FF" />
  </Data>
(605) .capture_objects PASSED
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600A02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />

```

```

        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(606) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00015180" />
    </Data>
(607) .sort_method PASSED
    <Data>
        <Enum Value="04" />
    </Data>
(608) .sort_object PASSED
    <Data>
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Data>
(609) .entries_in_use PASSED
    <Data>
        <DoubleLongUnsigned Value="00000005" />
    </Data>
(610) .profile_entries PASSED
    <Data>
        <DoubleLongUnsigned Value="000002AC" />
    </Data>

Mngmt Get Number of power failures in any phase 0-0:96.7.21.255 (@1082)
(611) .logical_name PASSED
    <Data>
        <OctetString Value="0000600715FF" />
    </Data>
(612) .value PASSED
    <Data>
        <LongUnsigned Value="0009" />
    </Data>

Mngmt Get Number of long power failures in any phase 0-0:96.7.9.255 (@1086)
(613) .logical_name PASSED
    <Data>
        <OctetString Value="0000600709FF" />
    </Data>
(614) .value PASSED
    <Data>
        <LongUnsigned Value="0001" />
    </Data>

Mngmt Get Time threshold for long power failure 0-0:96.7.20.255 (@1090)
(615) .logical_name PASSED
    <Data>
        <OctetString Value="0000600714FF" />
    </Data>
(616) .value PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

```

```

(617) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

Mngmt Get Duration of last long power failure in any phase 0-0:96.7.19.255 (@1096)
(618) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0000600713FF" />
      </Data>
(619) .value                                           PASSED
      <Data>
        <LongUnsigned Value="01D6" />
      </Data>
(620) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

Mngmt Get Threshold for voltage sag 1-0:12.31.0.255 (@1102)
(621) .logical_name                                     PASSED
      <Data>
        <OctetString Value="01000C1F00FF" />
      </Data>
(622) .value                                           PASSED
      <Data>
        <LongUnsigned Value="00CF" />
      </Data>
(623) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

Mngmt Get Time threshold for voltage sag 1-0:12.43.0.255 (@1108)
(624) .logical_name                                     PASSED
      <Data>
        <OctetString Value="01000C2B00FF" />
      </Data>
(625) .value                                           PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>
(626) .scaler_unit                                     PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="07" />
        </Structure>
      </Data>

Mngmt Get Number of voltage sags in phase L1 1-0:32.32.0.255 (@1114)
(627) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0100202000FF" />
      </Data>
(628) .value                                           PASSED
      <Data>

```

```

        <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Number of voltage sags in phase L2 1-0:52.32.0.255 (@1118)
(629) .logical_name PASSED
    <Data>
        <OctetString Value="0100342000FF" />
    </Data>
(630) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Number of voltage sags in phase L3 1-0:72.32.0.255 (@1122)
(631) .logical_name PASSED
    <Data>
        <OctetString Value="0100482000FF" />
    </Data>
(632) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Duration of last voltage sag in phase L1 1-0:32.33.0.255 (@1126)
(633) .logical_name PASSED
    <Data>
        <OctetString Value="0100202100FF" />
    </Data>
(634) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(635) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Duration of last voltage sag in phase L2 1-0:52.33.0.255 (@1132)
(636) .logical_name PASSED
    <Data>
        <OctetString Value="0100342100FF" />
    </Data>
(637) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(638) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Duration of last voltage sag in phase L3 1-0:72.33.0.255 (@1138)
(639) .logical_name PASSED
    <Data>
        <OctetString Value="0100482100FF" />
    </Data>
(640) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>

```

(641) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="07" />  
 </Structure>  
</Data>

Mngmt Get Magnitude of last voltage sag in phase L1 1-0:32.34.0.255 (@1144)

(642) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100202200FF" />  
</Data>

(643) .value PASSED  
<Data>  
 <LongUnsigned Value="0000" />  
</Data>

(644) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="23" />  
 </Structure>  
</Data>

Mngmt Get Magnitude of last voltage sag in phase L2 1-0:52.34.0.255 (@1150)

(645) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100342200FF" />  
</Data>

(646) .value PASSED  
<Data>  
 <LongUnsigned Value="0000" />  
</Data>

(647) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="23" />  
 </Structure>  
</Data>

Mngmt Get Magnitude of last voltage sag in phase L3 1-0:72.34.0.255 (@1156)

(648) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100482200FF" />  
</Data>

(649) .value PASSED  
<Data>  
 <LongUnsigned Value="0000" />  
</Data>

(650) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="23" />  
 </Structure>  
</Data>

Mngmt Get Threshold for voltage swell 1-0:12.35.0.255 (@1162)

(651) .logical\_name PASSED  
<Data>  
 <OctetString Value="01000C2300FF" />  
</Data>

(652) .value PASSED  
<Data>

```

        <LongUnsigned Value="00FD" />
    </Data>
(653) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Time threshold for voltage swell 1-0:12.44.0.255 (@1168)
(654) .logical_name PASSED
    <Data>
        <OctetString Value="01000C2C00FF" />
    </Data>
(655) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>
(656) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Number of voltage swells in phase L1 1-0:32.36.0.255 (@1174)
(657) .logical_name PASSED
    <Data>
        <OctetString Value="0100202400FF" />
    </Data>
(658) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Number of voltage swells in phase L2 1-0:52.36.0.255 (@1178)
(659) .logical_name PASSED
    <Data>
        <OctetString Value="0100342400FF" />
    </Data>
(660) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Number of voltage swells in phase L3 1-0:72.36.0.255 (@1182)
(661) .logical_name PASSED
    <Data>
        <OctetString Value="0100482400FF" />
    </Data>
(662) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>

Mngmt Get Duration of last voltage swell in phase L1 1-0:32.37.0.255 (@1186)
(663) .logical_name PASSED
    <Data>
        <OctetString Value="0100202500FF" />
    </Data>
(664) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>

```

(665) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="07" />  
 </Structure>  
</Data>

Mngmt Get Duration of last voltage swell in phase L2 1-0:52.37.0.255 (@1192)

(666) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100342500FF" />  
</Data>

(667) .value PASSED  
<Data>  
 <LongUnsigned Value="0000" />  
</Data>

(668) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="07" />  
 </Structure>  
</Data>

Mngmt Get Duration of last voltage swell in phase L3 1-0:72.37.0.255 (@1198)

(669) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100482500FF" />  
</Data>

(670) .value PASSED  
<Data>  
 <LongUnsigned Value="0000" />  
</Data>

(671) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="07" />  
 </Structure>  
</Data>

Mngmt Get Magnitude of last voltage swell in phase L1 1-0:32.38.0.255 (@1204)

(672) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100202600FF" />  
</Data>

(673) .value PASSED  
<Data>  
 <LongUnsigned Value="0000" />  
</Data>

(674) .scaler\_unit PASSED  
<Data>  
 <Structure Qty="0002" >  
 <Integer Value="00" />  
 <Enum Value="23" />  
 </Structure>  
</Data>

Mngmt Get Magnitude of last voltage swell in phase L2 1-0:52.38.0.255 (@1210)

(675) .logical\_name PASSED  
<Data>  
 <OctetString Value="0100342600FF" />  
</Data>

(676) .value PASSED  
<Data>



```

        <LongUnsigned Value="0000" />
    </Data>
(677) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Magnitude of last voltage swell in phase L3 1-0:72.38.0.255 (@1216)
(678) .logical_name PASSED
    <Data>
        <OctetString Value="0100482600FF" />
    </Data>
(679) .value PASSED
    <Data>
        <LongUnsigned Value="0000" />
    </Data>
(680) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)
(681) .logical_name PASSED
    <Data>
        <OctetString Value="01000C2700FF" />
    </Data>
(682) .value PASSED
    <Data>
        <LongUnsigned Value="0067" />
    </Data>
(683) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="23" />
        </Structure>
    </Data>

Mngmt Get Time threshold for voltage cut 1-0:12.45.0.255 (@1228)
(684) .logical_name PASSED
    <Data>
        <OctetString Value="01000C2D00FF" />
    </Data>
(685) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>
(686) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)
(687) .logical_name PASSED
    <Data>
        <OctetString Value="0100636100FF" />
    </Data>

```

```

(688) .capture_objects PASSED
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0000600713FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
(689) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(690) .sort_method PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(691) .sort_object PASSED
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0000" />
      <OctetString Value="000000000000" />
      <Integer Value="00" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
(692) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="0000000A" />
  </Data>
(693) .profile_entries PASSED
  <Data>
    <DoubleLongUnsigned Value="00000019" />
  </Data>

Mngmt Get Event Object - Power Quality Log 0-0:96.11.4.255 (@1245)
(694) .logical_name PASSED
  <Data>
    <OctetString Value="0000600B04FF" />
  </Data>
(695) .value PASSED
  <Data>
    <Enum Value="53" />
  </Data>

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)
(696) .logical_name PASSED
  <Data>
    <OctetString Value="0000636204FF" />
  </Data>
(697) .capture_objects PASSED
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

```

        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600B04FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(698) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(699) .sort_method PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(700) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(701) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="00000013" />
    </Data>
(702) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="000000B5" />
    </Data>

Mngmt Get Instantaneous voltage L1 1-0:32.7.0.255 (@1260)
(703) .logical_name PASSED
    <Data>
      <OctetString Value="0100200700FF" />
    </Data>
(704) .value PASSED
    <Data>
      <LongUnsigned Value="00E3" />
    </Data>
(705) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="23" />
      </Structure>
    </Data>

Mngmt Get Average voltage L1 1-0:32.24.0.255 (@1266)
(706) .logical_name PASSED
    <Data>
      <OctetString Value="0100201800FF" />
    </Data>
(707) .value PASSED
    <Data>
      <LongUnsigned Value="00E4" />
    </Data>
(708) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="23" />
      </Structure>
    </Data>

```

```

    </Structure>
  </Data>

Mngmt Get Instantaneous current L1 1-0:31.7.0.255 (@1272)
(709) .logical_name PASSED
      <Data>
        <OctetString Value="01001F0700FF" />
      </Data>
(710) .value PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(711) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>

Mngmt Get Sliding Average current L1 (for fuse supervision) 1-0:31.4.0.255 (@1278)
(712) .logical_name PASSED
      <Data>
        <OctetString Value="01001F0400FF" />
      </Data>
(713) .current_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(714) .last_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(715) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
(716) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(717) .capture_time PASSED
      <Data>
        <OctetString Value="07DE021902160D3BFF800000" />
      </Data>
(718) .start_time_current PASSED
      <Data>
        <OctetString Value="07DE021902160C20FF800000" />
      </Data>
(719) .period PASSED
      <Data>
        <DoubleLongUnsigned Value="00000001" />
      </Data>
(720) .number_of_periods PASSED
      <Data>
        <LongUnsigned Value="005A" />
      </Data>

Mngmt Get Instantaneous voltage L2 1-0:52.7.0.255 (@1291)
(721) .logical_name PASSED
      <Data>
        <OctetString Value="0100340700FF" />
      </Data>

```

```

(722) .value                                     PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(723) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>
Mngmt Get Average voltage L2 1-0:52.24.0.255 (@1297)
(724) .logical_name                             PASSED
      <Data>
        <OctetString Value="0100341800FF" />
      </Data>
(725) .value                                     PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(726) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>
Mngmt Get Instantaneous current L2 1-0:51.7.0.255 (@1303)
(727) .logical_name                             PASSED
      <Data>
        <OctetString Value="0100330700FF" />
      </Data>
(728) .value                                     PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(729) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
Mngmt Get Sliding Average current L2 (for fuse supervision) 1-0:51.4.0.255 (@1309)
(730) .logical_name                             PASSED
      <Data>
        <OctetString Value="0100330400FF" />
      </Data>
(731) .current_average_value                    PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(732) .last_average_value                       PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(733) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>

```

```

(734) .status                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(735) .capture_time                               PASSED
      <Data>
        <OctetString Value="07DE021902160E28FF800000" />
      </Data>
(736) .start_time_current                         PASSED
      <Data>
        <OctetString Value="07DE021902160D0DFF800000" />
      </Data>
(737) .period                                     PASSED
      <Data>
        <DoubleLongUnsigned Value="00000001" />
      </Data>
(738) .number_of_periods                         PASSED
      <Data>
        <LongUnsigned Value="005A" />
      </Data>

Mngmt Get Instantaneous voltage L3 1-0:72.7.0.255 (@1322)
(739) .logical_name                               PASSED
      <Data>
        <OctetString Value="0100480700FF" />
      </Data>
(740) .value                                     PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(741) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

Mngmt Get Average voltage L3 1-0:72.24.0.255 (@1328)
(742) .logical_name                               PASSED
      <Data>
        <OctetString Value="0100481800FF" />
      </Data>
(743) .value                                     PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(744) .scaler_unit                               PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="23" />
        </Structure>
      </Data>

Mngmt Get Instantaneous current L3 1-0:71.7.0.255 (@1334)
(745) .logical_name                               PASSED
      <Data>
        <OctetString Value="0100470700FF" />
      </Data>
(746) .value                                     PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(747) .scaler_unit                               PASSED
      <Data>

```

```

        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>

Mngmt Get Sliding Average current L3 (for fuse supervision) 1-0:71.4.0.255 (@1340)
(748) .logical_name PASSED
      <Data>
        <OctetString Value="0100470400FF" />
      </Data>
(749) .current_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(750) .last_average_value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(751) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>
(752) .status PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(753) .capture_time PASSED
      <Data>
        <OctetString Value="07DE021902160F17FF800000" />
      </Data>
(754) .start_time_current PASSED
      <Data>
        <OctetString Value="07DE021902160D38FF800000" />
      </Data>
(755) .period PASSED
      <Data>
        <DoubleLongUnsigned Value="00000001" />
      </Data>
(756) .number_of_periods PASSED
      <Data>
        <LongUnsigned Value="005A" />
      </Data>

Mngmt Get Instantaneous current
(sum over all phases) 1-0:90.7.0.255 (@1353)
(757) .logical_name PASSED
      <Data>
        <OctetString Value="01005A0700FF" />
      </Data>
(758) .value PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(759) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="21" />
        </Structure>
      </Data>

Mngmt Get Instantaneous net frequency; any phase 1-0:14.7.0.255 (@1359)

```

(760)	.logical_name <Data> <OctetString Value="01000E0700FF" /> </Data>	PASSED
(761)	.value <Data> <LongUnsigned Value="0032" /> </Data>	PASSED
(762)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="2C" /> </Structure> </Data>	PASSED
Mngmt	Get Instantaneous active power ( +A + -A ) 1-0:15.7.0.255 (@1365)	
(763)	.logical_name <Data> <OctetString Value="01000F0700FF" /> </Data>	PASSED
(764)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(765)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1B" /> </Structure> </Data>	PASSED
Mngmt	Get Instantaneous active import power (+A) 1-0:1.7.0.255 (@1371)	
(766)	.logical_name <Data> <OctetString Value="0100010700FF" /> </Data>	PASSED
(767)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(768)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1B" /> </Structure> </Data>	PASSED
Mngmt	Get Instantaneous active export power (-A) 1-0:2.7.0.255 (@1377)	
(769)	.logical_name <Data> <OctetString Value="0100020700FF" /> </Data>	PASSED
(770)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(771)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="1B" /> </Structure> </Data>	PASSED



Mngmt Get Instantaneous reactive import power (+R) 1-0:3.7.0.255 (@1383)	
(772) .logical_name	PASSED
<Data>	
<OctetString Value="0100030700FF" />	
</Data>	
(773) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(774) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1D" />	
</Structure>	
</Data>	
Mngmt Get Instantaneous reactive export power (-R) 1-0:4.7.0.255 (@1389)	
(775) .logical_name	PASSED
<Data>	
<OctetString Value="0100040700FF" />	
</Data>	
(776) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(777) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1D" />	
</Structure>	
</Data>	
Mngmt Get Instantaneous apparent import power (+VA) 1-0:9.7.0.255 (@1395)	
(778) .logical_name	PASSED
<Data>	
<OctetString Value="0100090700FF" />	
</Data>	
(779) .value	PASSED
<Data>	
<DoubleLongUnsigned Value="00000000" />	
</Data>	
(780) .scaler_unit	PASSED
<Data>	
<Structure Qty="0002" >	
<Integer Value="00" />	
<Enum Value="1C" />	
</Structure>	
</Data>	
Mngmt Get Instantaneous apparent export power (-VA) 1-0:10.7.0.255 (@1401)	
(781) .logical_name	INAPPLICABLE
Optional object is not implemented	
(782) .value	INAPPLICABLE
Optional object is not implemented	
(783) .scaler_unit	INAPPLICABLE
Optional object is not implemented	
Mngmt Get Average Import Power (+A) 1-0:1.24.0.255 (@1407)	
(784) .logical_name	PASSED
<Data>	
<OctetString Value="0100011800FF" />	
</Data>	
(785) .current_average_value	PASSED

```

    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(786) .last_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(787) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>
    </Data>
(788) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(789) .capture_time PASSED
    <Data>
      <OctetString Value="07DE021902161025FF800000" />
    </Data>
(790) .start_time_current PASSED
    <Data>
      <OctetString Value="07DE021902160225FF800000" />
    </Data>
(791) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="0000003C" />
    </Data>
(792) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="000F" />
    </Data>

Mngmt Get Average Net Power (|+A|-|-A|) 1-0:16.24.0.255 (@1420)
(793) .logical_name PASSED
    <Data>
      <OctetString Value="0100101800FF" />
    </Data>
(794) .current_average_value PASSED
    <Data>
      <DoubleLong Value="00000000" />
    </Data>
(795) .last_average_value PASSED
    <Data>
      <DoubleLong Value="00000000" />
    </Data>
(796) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>
    </Data>
(797) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(798) .capture_time PASSED
    <Data>
      <OctetString Value="07DE021902161025FF800000" />
    </Data>
(799) .start_time_current PASSED
    <Data>
      <OctetString Value="07DE021902160225FF800000" />

```

```

    </Data>
(800) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="0000003C" />
    </Data>
(801) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="000F" />
    </Data>

Mngmt Get Average Total Power (|+A|+|-A|) 1-0:15.24.0.255 (@1433)
(802) .logical_name PASSED
    <Data>
      <OctetString Value="01000F1800FF" />
    </Data>
(803) .current_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(804) .last_average_value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(805) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="1B" />
      </Structure>
    </Data>
(806) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(807) .capture_time PASSED
    <Data>
      <OctetString Value="07DE021902161025FF800000" />
    </Data>
(808) .start_time_current PASSED
    <Data>
      <OctetString Value="07DE021902160225FF800000" />
    </Data>
(809) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="0000003C" />
    </Data>
(810) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="000F" />
    </Data>

Mngmt Get Instantaneous Power factor (+A/+VA) 1-0:13.7.0.255 (@1446)
(811) .logical_name PASSED
    <Data>
      <OctetString Value="01000D0700FF" />
    </Data>
(812) .value PASSED
    <Data>
      <LongUnsigned Value="03E8" />
    </Data>
(813) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="FD" />
        <Enum Value="FF" />
      </Structure>

```

```

    </Data>
Mngmt Get Last Average Power factor (+A/+VA) 1-0:13.5.0.255 (@1452)
(814) .logical_name PASSED
    <Data>
        <OctetString Value="01000D0500FF" />
    </Data>
(815) .value PASSED
    <Data>
        <LongUnsigned Value="03E8" />
    </Data>
(816) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="FD" />
            <Enum Value="FF" />
        </Structure>
    </Data>
(817) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(818) .capture_time PASSED
    <Data>
        <OctetString Value="07DE021902160F00FF800000" />
    </Data>
Mngmt Get Minimum Power factor (+A/+VA) 1-0:13.3.0.255 (@1460)
(819) .logical_name PASSED
    <Data>
        <OctetString Value="01000D0300FF" />
    </Data>
(820) .value PASSED
    <Data>
        <LongUnsigned Value="03E8" />
    </Data>
(821) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="FD" />
            <Enum Value="FF" />
        </Structure>
    </Data>
(822) .status PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>
(823) .capture_time PASSED
    <Data>
        <OctetString Value="07DE021902000000FF800000" />
    </Data>
Mngmt Get Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)
(824) .logical_name PASSED
    <Data>
        <OctetString Value="0100000802FF" />
    </Data>
(825) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000258" />
    </Data>
(826) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="07" />
        </Structure>
    </Data>

```

```

    </Structure>
  </Data>

Mngmt Get M-Bus master port setup 1 0-0:24.6.0.255 (@1475)
(827) .logical_name PASSED
  <Data>
    <OctetString Value="0000180600FF" />
  </Data>
(828) .comm_speed PASSED
  <Data>
    <Enum Value="03" />
  </Data>

Mngmt Get M-Bus master port setup 2 0-1:24.6.0.255 (@1479)
(829) .logical_name PASSED
  <Data>
    <OctetString Value="0001180600FF" />
  </Data>
(830) .comm_speed PASSED
  <Data>
    <Enum Value="03" />
  </Data>

Mngmt Get M-Bus client channel 1 0-1:24.1.0.255 (@1483)
(831) .logical_name PASSED
  <Data>
    <OctetString Value="0001180100FF" />
  </Data>
(832) .mbus_port_reference PASSED
  <Data>
    <OctetString Value="0000180600FF" />
  </Data>
(833) .capture_definition PASSED
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <OctetString Value="\ " />
        <OctetString Value="\ " />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="\ " />
        <OctetString Value="\ " />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="\ " />
        <OctetString Value="\ " />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="\ " />
        <OctetString Value="\ " />
      </Structure>
    </Array>
  </Data>
(834) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(835) .primary_address PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(836) .identification_number PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(837) .manufacturer_id PASSED

```

```

    <Data>
      <LongUnsigned Value="0000" />
    </Data>
(838) .version PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(839) .device_type PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(840) .access_number PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(841) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(842) .alarm PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(843) .logical_name PASSED
    <Data>
      <OctetString Value="0002180100FF" />
    </Data>
(844) .mbus_port_reference PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(845) .capture_definition PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
      </Array>
    </Data>
(846) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(847) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(848) .identification_number PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>

```

```

(849) .manufacturer_id                                     PASSED
      <Data>
        <LongUnsigned Value="0000" />
      </Data>
(850) .version                                           PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(851) .device_type                                       PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(852) .access_number                                     PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(853) .status                                           PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(854) .alarm                                             PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

Mngmt Get M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(855) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0003180100FF" />
      </Data>
(856) .mbus_port_reference                             PASSED
      <Data>
        <OctetString Value="0000180600FF" />
      </Data>
(857) .capture_definition                             PASSED
      <Data>
        <Array Qty="0004" >
          <Structure Qty="0002" >
            <OctetString Value="\ " />
            <OctetString Value="\ " />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="\ " />
            <OctetString Value="\ " />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="\ " />
            <OctetString Value="\ " />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="\ " />
            <OctetString Value="\ " />
          </Structure>
        </Array>
      </Data>
(858) .capture_period                                   PASSED
      <Data>
        <DoubleLongUnsigned Value="00000E10" />
      </Data>
(859) .primary_address                                 PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>
(860) .identification_number                           PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />

```

```

    </Data>
(861) .manufacturer_id PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>
(862) .version PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(863) .device_type PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(864) .access_number PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(865) .status PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(866) .alarm PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Get M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(867) .logical_name PASSED
    <Data>
      <OctetString Value="0004180100FF" />
    </Data>
(868) .mbus_port_reference PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(869) .capture_definition PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
      </Array>
    </Data>
(870) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(871) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(872) .identification_number PASSED
    <Data>

```



```

    <DoubleLongUnsigned Value="00000000" />
  </Data>
(873) .manufacturer_id PASSED
  <Data>
    <LongUnsigned Value="0000" />
  </Data>
(874) .version PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(875) .device_type PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(876) .access_number PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(877) .status PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>
(878) .alarm PASSED
  <Data>
    <Unsigned Value="00" />
  </Data>

Mngmt Get M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1571)
(879) .logical_name PASSED
  <Data>
    <OctetString Value="0001180201FF" />
  </Data>
(880) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(881) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
(882) .status PASSED
  <Data>
    <Unsigned Value="04" />
  </Data>
(883) .capture_time PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>

Mngmt Get M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1579)
(884) .logical_name PASSED
  <Data>
    <OctetString Value="0001180202FF" />
  </Data>
(885) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(886) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>

```

```

    </Structure>
  </Data>
(887) .status PASSED
  <Data>
    <Unsigned Value="04" />
  </Data>
(888) .capture_time PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>

Mngmt Get M-Bus Value channel 1, instance 3 0-1:24.2.3.255 (@1587)
(889) .logical_name PASSED
  <Data>
    <OctetString Value="0001180203FF" />
  </Data>
(890) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(891) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
(892) .status PASSED
  <Data>
    <Unsigned Value="04" />
  </Data>
(893) .capture_time PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>

Mngmt Get M-Bus Value channel 1, instance 4 0-1:24.2.4.255 (@1595)
(894) .logical_name PASSED
  <Data>
    <OctetString Value="0001180204FF" />
  </Data>
(895) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(896) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
(897) .status PASSED
  <Data>
    <Unsigned Value="04" />
  </Data>
(898) .capture_time PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>

Mngmt Get M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1603)
(899) .logical_name PASSED
  <Data>
    <OctetString Value="0002180201FF" />
  </Data>

```

(900)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(901)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="FF" /> </Structure> </Data>	PASSED
(902)	.status <Data> <Unsigned Value="04" /> </Data>	PASSED
(903)	.capture_time <Data> <OctetString Value="07D0010106000000FF800000" /> </Data>	PASSED
Mngmt	Get M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1611)	
(904)	.logical_name <Data> <OctetString Value="0002180202FF" /> </Data>	PASSED
(905)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(906)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="FF" /> </Structure> </Data>	PASSED
(907)	.status <Data> <Unsigned Value="04" /> </Data>	PASSED
(908)	.capture_time <Data> <OctetString Value="07D0010106000000FF800000" /> </Data>	PASSED
Mngmt	Get M-Bus Value channel 2, instance 3 0-2:24.2.3.255 (@1619)	
(909)	.logical_name <Data> <OctetString Value="0002180203FF" /> </Data>	PASSED
(910)	.value <Data> <DoubleLongUnsigned Value="00000000" /> </Data>	PASSED
(911)	.scaler_unit <Data> <Structure Qty="0002" > <Integer Value="00" /> <Enum Value="FF" /> </Structure> </Data>	PASSED
(912)	.status <Data> <Unsigned Value="04" /> </Data>	PASSED
(913)	.capture_time	PASSED

```

    <Data>
      <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get M-Bus Value channel 2, instance 4 0-2:24.2.4.255 (@1627)
(914) .logical_name PASSED
    <Data>
      <OctetString Value="0002180204FF" />
    </Data>
(915) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(916) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
      </Structure>
    </Data>
(917) .status PASSED
    <Data>
      <Unsigned Value="04" />
    </Data>
(918) .capture_time PASSED
    <Data>
      <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1635)
(919) .logical_name PASSED
    <Data>
      <OctetString Value="0003180201FF" />
    </Data>
(920) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(921) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >
        <Integer Value="00" />
        <Enum Value="FF" />
      </Structure>
    </Data>
(922) .status PASSED
    <Data>
      <Unsigned Value="04" />
    </Data>
(923) .capture_time PASSED
    <Data>
      <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1643)
(924) .logical_name PASSED
    <Data>
      <OctetString Value="0003180202FF" />
    </Data>
(925) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(926) .scaler_unit PASSED
    <Data>
      <Structure Qty="0002" >

```

```

        <Integer Value="00" />
        <Enum Value="FF" />
    </Structure>
</Data>
(927) .status PASSED
    <Data>
        <Unsigned Value="04" />
    </Data>
(928) .capture_time PASSED
    <Data>
        <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get M-Bus Value channel 3, instance 3 0-3:24.2.3.255 (@1651)
(929) .logical_name PASSED
    <Data>
        <OctetString Value="0003180203FF" />
    </Data>
(930) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(931) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="FF" />
        </Structure>
    </Data>
(932) .status PASSED
    <Data>
        <Unsigned Value="04" />
    </Data>
(933) .capture_time PASSED
    <Data>
        <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get M-Bus Value channel 3, instance 4 0-3:24.2.4.255 (@1659)
(934) .logical_name PASSED
    <Data>
        <OctetString Value="0003180204FF" />
    </Data>
(935) .value PASSED
    <Data>
        <DoubleLongUnsigned Value="00000000" />
    </Data>
(936) .scaler_unit PASSED
    <Data>
        <Structure Qty="0002" >
            <Integer Value="00" />
            <Enum Value="FF" />
        </Structure>
    </Data>
(937) .status PASSED
    <Data>
        <Unsigned Value="04" />
    </Data>
(938) .capture_time PASSED
    <Data>
        <OctetString Value="07D0010106000000FF800000" />
    </Data>

Mngmt Get M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1667)
(939) .logical_name PASSED
    <Data>

```

```

    <OctetString Value="0004180201FF" />
  </Data>
(940) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(941) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
(942) .status PASSED
  <Data>
    <Unsigned Value="04" />
  </Data>
(943) .capture_time PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>

Mngmt Get M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1675)
(944) .logical_name PASSED
  <Data>
    <OctetString Value="0004180202FF" />
  </Data>
(945) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(946) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
(947) .status PASSED
  <Data>
    <Unsigned Value="04" />
  </Data>
(948) .capture_time PASSED
  <Data>
    <OctetString Value="07D0010106000000FF800000" />
  </Data>

Mngmt Get M-Bus Value channel 4, instance 3 0-4:24.2.3.255 (@1683)
(949) .logical_name PASSED
  <Data>
    <OctetString Value="0004180203FF" />
  </Data>
(950) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000000" />
  </Data>
(951) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
(952) .status PASSED
  <Data>
    <Unsigned Value="04" />
  </Data>

```

```
</Data>
(953) .capture_time PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>

Mngmt Get M-Bus Value channel 4, instance 4 0-4:24.2.4.255 (@1691)
(954) .logical_name PASSED
      <Data>
        <OctetString Value="0004180204FF" />
      </Data>
(955) .value PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
(956) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
(957) .status PASSED
      <Data>
        <Unsigned Value="04" />
      </Data>
(958) .capture_time PASSED
      <Data>
        <OctetString Value="07D0010106000000FF800000" />
      </Data>

Mngmt Get M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)
(959) .logical_name PASSED
      <Data>
        <OctetString Value="0001600100FF" />
      </Data>
(960) .value PASSED
      <Data>
        <OctetString Value="00" />
      </Data>

Mngmt Get M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)
(961) .logical_name PASSED
      <Data>
        <OctetString Value="0002600100FF" />
      </Data>
(962) .value PASSED
      <Data>
        <OctetString Value="00" />
      </Data>

Mngmt Get M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)
(963) .logical_name PASSED
      <Data>
        <OctetString Value="0003600100FF" />
      </Data>
(964) .value PASSED
      <Data>
        <OctetString Value="00" />
      </Data>

Mngmt Get M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)
(965) .logical_name PASSED
      <Data>
        <OctetString Value="0004600100FF" />
      </Data>
```

```
(966) .value PASSED
      <Data>
        <OctetString Value="00" />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)
(967) .logical_name PASSED
      <Data>
        <OctetString Value="0001600101FF" />
      </Data>
(968) .value PASSED
      <Data>
        <OctetString Value="00" />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)
(969) .logical_name PASSED
      <Data>
        <OctetString Value="0002600101FF" />
      </Data>
(970) .value PASSED
      <Data>
        <OctetString Value="00" />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)
(971) .logical_name PASSED
      <Data>
        <OctetString Value="0003600101FF" />
      </Data>
(972) .value PASSED
      <Data>
        <OctetString Value="00" />
      </Data>

Mngmt Get M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)
(973) .logical_name PASSED
      <Data>
        <OctetString Value="0004600101FF" />
      </Data>
(974) .value PASSED
      <Data>
        <OctetString Value="00" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 1 0-1:96.10.3.255 (@1731)
(975) .logical_name PASSED
      <Data>
        <OctetString Value="0001600A03FF" />
      </Data>
(976) .status PASSED
      <Data>
        <Unsigned Value="14" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 2 0-2:96.10.3.255 (@1735)
(977) .logical_name PASSED
      <Data>
        <OctetString Value="0002600A03FF" />
      </Data>
(978) .status PASSED
      <Data>
        <Unsigned Value="14" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 3 0-3:96.10.3.255 (@1739)
```



```

(979) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0003600A03FF" />
      </Data>
(980) .status                                           PASSED
      <Data>
        <Unsigned Value="14" />
      </Data>

Mngmt Get Profile status for M-Bus Master Load profile 4 0-4:96.10.3.255 (@1743)
(981) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0004600A03FF" />
      </Data>
(982) .status                                           PASSED
      <Data>
        <Unsigned Value="14" />
      </Data>

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)
(983) .logical_name                                     PASSED
      <Data>
        <OctetString Value="0001180300FF" />
      </Data>
(984) .capture_objects                                  PASSED
      <Data>
        <Array Qty="0006" >
          <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0001600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180201FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180202FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180203FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
          <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0001180204FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
          </Structure>
        </Array>
      </Data>
(985) .capture_period                                  PASSED

```

```

    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(986) .sort_method PASSED
    <Data>
      <Enum Value="04" />
    </Data>
(987) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(988) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="00000005" />
    </Data>
(989) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="000000F2" />
    </Data>

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)
(990) .logical_name PASSED
    <Data>
      <OctetString Value="0002180300FF" />
    </Data>
(991) .capture_objects PASSED
    <Data>
      <Array Qty="0006" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0002600A03FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0002180201FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0002180202FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0002180203FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0004" />
          <OctetString Value="0002180204FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>

```

```

        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(992) .capture_period PASSED
<Data>
    <DoubleLongUnsigned Value="00000E10" />
</Data>
(993) .sort_method PASSED
<Data>
    <Enum Value="04" />
</Data>
(994) .sort_object PASSED
<Data>
    <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(995) .entries_in_use PASSED
<Data>
    <DoubleLongUnsigned Value="00000005" />
</Data>
(996) .profile_entries PASSED
<Data>
    <DoubleLongUnsigned Value="000000F2" />
</Data>

Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)
(997) .logical_name PASSED
<Data>
    <OctetString Value="0003180300FF" />
</Data>
(998) .capture_objects PASSED
<Data>
    <Array Qty="0006" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0003600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0003180201FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0003180202FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0003180203FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>

```

```

        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(999) .capture_period PASSED
<Data>
    <DoubleLongUnsigned Value="00000E10" />
</Data>
(1000) .sort_method PASSED
<Data>
    <Enum Value="04" />
</Data>
(1001) .sort_object PASSED
<Data>
    <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(1002) .entries_in_use PASSED
<Data>
    <DoubleLongUnsigned Value="00000005" />
</Data>
(1003) .profile_entries PASSED
<Data>
    <DoubleLongUnsigned Value="000000F2" />
</Data>

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)
(1004) .logical_name PASSED
<Data>
    <OctetString Value="0004180300FF" />
</Data>
(1005) .capture_objects PASSED
<Data>
    <Array Qty="0006" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0004600A03FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0004180201FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0004" />
            <OctetString Value="0004180202FF" />
        </Structure>
    </Array>

```

```

    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
(1006) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>
(1007) .sort_method PASSED
  <Data>
    <Enum Value="04" />
  </Data>
(1008) .sort_object PASSED
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
(1009) .entries_in_use PASSED
  <Data>
    <DoubleLongUnsigned Value="00000005" />
  </Data>
(1010) .profile_entries PASSED
  <Data>
    <DoubleLongUnsigned Value="000000F2" />
  </Data>

Mngmt Get M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1791)
(1011) .logical_name PASSED
  <Data>
    <OctetString Value="0001180400FF" />
  </Data>
(1012) .output_state PASSED
  <Data>
    <Bool Value="01" />
  </Data>
(1013) .control_state PASSED
  <Data>
    <Enum Value="01" />
  </Data>
(1014) .control_mode PASSED
  <Data>
    <Enum Value="00" />
  </Data>

Mngmt Get M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1799)
(1015) .logical_name PASSED
  <Data>
    <OctetString Value="0002180400FF" />
  </Data>

```

```
(1016) .output_state PASSED
      <Data>
        <Bool Value="01" />
      </Data>
(1017) .control_state PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(1018) .control_mode PASSED
      <Data>
        <Enum Value="00" />
      </Data>

Mngmt Get M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)
(1019) .logical_name PASSED
      <Data>
        <OctetString Value="0003180400FF" />
      </Data>
(1020) .output_state PASSED
      <Data>
        <Bool Value="01" />
      </Data>
(1021) .control_state PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(1022) .control_mode PASSED
      <Data>
        <Enum Value="00" />
      </Data>

Mngmt Get M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)
(1023) .logical_name PASSED
      <Data>
        <OctetString Value="0004180400FF" />
      </Data>
(1024) .output_state PASSED
      <Data>
        <Bool Value="01" />
      </Data>
(1025) .control_state PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(1026) .control_mode PASSED
      <Data>
        <Enum Value="00" />
      </Data>

Mngmt Get M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1823)
(1027) .logical_name PASSED
      <Data>
        <OctetString Value="00010F0001FF" />
      </Data>
(1028) .executed_script PASSED
      <Data>
        <Structure Qty="0002" >
          <OctetString Value="00010A006AFF" />
          <LongUnsigned Value="0001" />
        </Structure>
      </Data>
(1029) .type PASSED
      <Data>
        <Enum Value="01" />
      </Data>
(1030) .execution_time PASSED
```

```

<Data>
  <Array Qty="0001" >
    <Structure Qty="0002" >
      <OctetString Value="FFFFFFFF" />
      <OctetString Value="FFFFFFFFFF" />
    </Structure>
  </Array>
</Data>

```

Mngmt Get M-Bus Disconnecter script table 0-1:10.0.106.255 (@1829)

(1031) .logical\_name PASSED

```

<Data>
  <OctetString Value="00010A006AFF" />
</Data>

```

(1032) .scripts PASSED

```

<_Data>
  <Array Qty="0008" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
          <OctetString Value="0001180400FF" />
          <Integer Value="01" />
          <Unsigned Value="00" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0002" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
          <OctetString Value="0001180400FF" />
          <Integer Value="02" />
          <Unsigned Value="00" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0003" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
          <OctetString Value="0002180400FF" />
          <Integer Value="01" />
          <Unsigned Value="00" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <LongUnsigned Value="0004" />
      <Array Qty="0001" >
        <Structure Qty="0005" >
          <Enum Value="02" />
          <LongUnsigned Value="0046" />
          <OctetString Value="0002180400FF" />
          <Integer Value="02" />
          <Unsigned Value="00" />
        </Structure>
      </Array>
    </Structure>
    <Structure Qty="0002" >

```

```

    <LongUnsigned Value="0005" />
    <Array Qty="0001" >
      <Structure Qty="0005" >
        <Enum Value="02" />
        <LongUnsigned Value="0046" />
        <OctetString Value="0003180400FF" />
        <Integer Value="01" />
        <Unsigned Value="00" />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0006" />
    <Array Qty="0001" >
      <Structure Qty="0005" >
        <Enum Value="02" />
        <LongUnsigned Value="0046" />
        <OctetString Value="0003180400FF" />
        <Integer Value="02" />
        <Unsigned Value="00" />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0007" />
    <Array Qty="0001" >
      <Structure Qty="0005" >
        <Enum Value="02" />
        <LongUnsigned Value="0046" />
        <OctetString Value="0004180400FF" />
        <Integer Value="01" />
        <Unsigned Value="00" />
      </Structure>
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0008" />
    <Array Qty="0001" >
      <Structure Qty="0005" >
        <Enum Value="02" />
        <LongUnsigned Value="0046" />
        <OctetString Value="0004180400FF" />
        <Integer Value="02" />
        <Unsigned Value="00" />
      </Structure>
    </Array>
  </Structure>
</_Data>

```

```

Mngmt Get Event Objects - M-Bus Master Control logs 1 0-1:96.11.4.255 (@1834)
(1033) .logical_name PASSED
  <Data>
    <OctetString Value="0001600B04FF" />
  </Data>
(1034) .value PASSED
  <Data>
    <Enum Value="00" />
  </Data>

Mngmt Get Event Objects - M-Bus Master Control logs 2 0-2:96.11.4.255 (@1838)
(1035) .logical_name PASSED
  <Data>
    <OctetString Value="0002600B04FF" />
  </Data>
(1036) .value PASSED

```



```

    <Data>
      <Enum Value="00" />
    </Data>

Mngmt Get Event Objects - M-Bus Master Control logs 3 0-3:96.11.4.255 (@1842)
(1037) .logical_name PASSED
    <Data>
      <OctetString Value="0003600B04FF" />
    </Data>
(1038) .value PASSED
    <Data>
      <Enum Value="00" />
    </Data>

Mngmt Get Event Objects - M-Bus Master Control logs 4 0-4:96.11.4.255 (@1846)
(1039) .logical_name PASSED
    <Data>
      <OctetString Value="0004600B04FF" />
    </Data>
(1040) .value PASSED
    <Data>
      <Enum Value="00" />
    </Data>

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1850)
(1041) .logical_name PASSED
    <Data>
      <OctetString Value="0001180500FF" />
    </Data>
(1042) .capture_objects PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0001600B04FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(1043) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(1044) .sort_method PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(1045) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(1046) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="00000006" />

```

```

    </Data>
(1047) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="00000024" />
    </Data>

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)
(1048) .logical_name PASSED
    <Data>
      <OctetString Value="0002180500FF" />
    </Data>
(1049) .capture_objects PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0002600B04FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>
(1050) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(1051) .sort_method PASSED
    <Data>
      <Enum Value="01" />
    </Data>
(1052) .sort_object PASSED
    <Data>
      <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Data>
(1053) .entries_in_use PASSED
    <Data>
      <DoubleLongUnsigned Value="00000006" />
    </Data>
(1054) .profile_entries PASSED
    <Data>
      <DoubleLongUnsigned Value="00000024" />
    </Data>

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)
(1055) .logical_name PASSED
    <Data>
      <OctetString Value="0003180500FF" />
    </Data>
(1056) .capture_objects PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />

```

```

        <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0003600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(1057) .capture_period PASSED
<Data>
    <DoubleLongUnsigned Value="00000000" />
</Data>
(1058) .sort_method PASSED
<Data>
    <Enum Value="01" />
</Data>
(1059) .sort_object PASSED
<Data>
    <Structure Qty="0004" >
        <LongUnsigned Value="0000" />
        <OctetString Value="000000000000" />
        <Integer Value="00" />
        <LongUnsigned Value="0000" />
    </Structure>
</Data>
(1060) .entries_in_use PASSED
<Data>
    <DoubleLongUnsigned Value="00000006" />
</Data>
(1061) .profile_entries PASSED
<Data>
    <DoubleLongUnsigned Value="00000024" />
</Data>

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)
(1062) .logical_name PASSED
<Data>
    <OctetString Value="0004180500FF" />
</Data>
(1063) .capture_objects PASSED
<Data>
    <Array Qty="0002" >
        <Structure Qty="0004" >
            <LongUnsigned Value="0008" />
            <OctetString Value="0000010000FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
            <LongUnsigned Value="0001" />
            <OctetString Value="0004600B04FF" />
            <Integer Value="02" />
            <LongUnsigned Value="0000" />
        </Structure>
    </Array>
</Data>
(1064) .capture_period PASSED
<Data>
    <DoubleLongUnsigned Value="00000000" />
</Data>
(1065) .sort_method PASSED
<Data>
    <Enum Value="01" />
</Data>

```

```

(1066) .sort_object PASSED
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0000" />
    <OctetString Value="000000000000" />
    <Integer Value="00" />
    <LongUnsigned Value="0000" />
  </Structure>
</Data>
(1067) .entries_in_use PASSED
<Data>
  <DoubleLongUnsigned Value="00000006" />
</Data>
(1068) .profile_entries PASSED
<Data>
  <DoubleLongUnsigned Value="00000024" />
</Data>

Mngmt Get Event Object - M-Bus Event Log 0-0:96.11.3.255 (@1894)
(1069) .logical_name PASSED
<Data>
  <OctetString Value="0000600B03FF" />
</Data>
(1070) .value PASSED
<Data>
  <Enum Value="00" />
</Data>

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)
(1071) .logical_name PASSED
<Data>
  <OctetString Value="0000636203FF" />
</Data>
(1072) .capture_objects PASSED
<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600B03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
(1073) .capture_period PASSED
<Data>
  <DoubleLongUnsigned Value="00000000" />
</Data>
(1074) .sort_method PASSED
<Data>
  <Enum Value="01" />
</Data>
(1075) .sort_object PASSED
<Data>
  <Structure Qty="0004" >
    <LongUnsigned Value="0000" />
    <OctetString Value="000000000000" />
    <Integer Value="00" />
    <LongUnsigned Value="0000" />
  </Structure>

```

```

    </Data>
(1076) .entries_in_use                                     PASSED
    <Data>
      <DoubleLongUnsigned Value="00000006" />
    </Data>
(1077) .profile_entries                                   PASSED
    <Data>
      <DoubleLongUnsigned Value="00000048" />
    </Data>

Mngmt Get IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)
(1078) .logical_name                                     INAPPLICABLE
    Optional object is not implemented
(1079) .default_mode                                     INAPPLICABLE
    Optional object is not implemented
(1080) .default_baud                                     INAPPLICABLE
    Optional object is not implemented
(1081) .prop_baud                                       INAPPLICABLE
    Optional object is not implemented
(1082) .response_time                                    INAPPLICABLE
    Optional object is not implemented
(1083) .device_addr                                     INAPPLICABLE
    Optional object is not implemented

Mngmt Get IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)
(1084) .logical_name                                     PASSED
    <Data>
      <OctetString Value="0000160000FF" />
    </Data>
(1085) .comm_speed                                       PASSED
    <Data>
      <Enum Value="05" />
    </Data>
(1086) .window_size_transmit                             PASSED
    <Data>
      <Unsigned Value="01" />
    </Data>
(1087) .window_size_receive                             PASSED
    <Data>
      <Unsigned Value="01" />
    </Data>
(1088) .max_info_field_lenght_transmit                   PASSED
    <Data>
      <LongUnsigned Value="00F8" />
    </Data>
(1089) .max_info_field_lenght_receive                   PASSED
    <Data>
      <LongUnsigned Value="003E" />
    </Data>
(1090) .inter_octet_time_out                             PASSED
    <Data>
      <LongUnsigned Value="0096" />
    </Data>
(1091) .inactivity_time_out                             PASSED
    <Data>
      <LongUnsigned Value="0078" />
    </Data>
(1092) .device_address                                   PASSED
    <Data>
      <LongUnsigned Value="0000" />
    </Data>

Mngmt Get S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(1093) .logical_name                                     PASSED
    <Data>
      <OctetString Value="00001A0000FF" />

```

```
</Data>
(1094) .initiator_electrical_phase PASSED
<Data>
  <Enum Value="00" />
</Data>
(1095) .delta_electrical_phase PASSED
<Data>
  <Enum Value="01" />
</Data>
(1096) .max_receiving_gain PASSED
<Data>
  <Unsigned Value="24" />
</Data>
(1097) .max_transmitting_gain PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(1098) .search_initiator_gain PASSED
<Data>
  <Unsigned Value="06" />
</Data>
(1099) .frequencies PASSED
<Data>
  <Structure Qty="0002" >
    <DoubleLongUnsigned Value="0000F744" />
    <DoubleLongUnsigned Value="00012110" />
  </Structure>
</Data>
(1100) .mac_address PASSED
<Data>
  <LongUnsigned Value="0001" />
</Data>
(1101) .mac_group_addresses PASSED
<Data>
  <Array Qty="0005" >
    <LongUnsigned Value="0000" />
    <LongUnsigned Value="0000" />
    <LongUnsigned Value="0000" />
    <LongUnsigned Value="0000" />
    <LongUnsigned Value="0000" />
  </Array>
</Data>
(1102) .repeater PASSED
<Data>
  <Enum Value="02" />
</Data>
(1103) .repeater_status PASSED
<Data>
  <Bool Value="01" />
</Data>
(1104) .min_delta_credit PASSED
<Data>
  <Unsigned Value="00" />
</Data>
(1105) .initiator_mac_address PASSED
<Data>
  <LongUnsigned Value="0C00" />
</Data>
(1106) .synchronization_locked PASSED
<Data>
  <Bool Value="01" />
</Data>
(1107) .transmission_speed PASSED
<Data>
  <Enum Value="03" />
</Data>
```

```

Mngmt Get S-FSK Active Initiator 0-0:26.1.0.255 (@1950)
(1108) .logical_name PASSED
      <Data>
        <OctetString Value="00001A0100FF" />
      </Data>
(1109) .active_initiator PASSED
      <Data>
        <Structure Qty="0003" >
          <OctetString Value="4C475A4954000002" />
          <LongUnsigned Value="0C00" />
          <Unsigned Value="01" />
        </Structure>
      </Data>

Mngmt Get S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)
(1110) .logical_name PASSED
      <Data>
        <OctetString Value="00001A0200FF" />
      </Data>
(1111) .search_initiator_timeout PASSED
      <Data>
        <LongUnsigned Value="0258" />
      </Data>
(1112) .synchronization_confirmation_timeout PASSED
      <Data>
        <LongUnsigned Value="0005" />
      </Data>
(1113) .timeout_not_addressed PASSED
      <Data>
        <LongUnsigned Value="0168" />
      </Data>
(1114) .timeout_frame_not_OK PASSED
      <Data>
        <LongUnsigned Value="001E" />
      </Data>

Mngmt Get S-FSK MAC counters 0-0:26.3.0.255 (@1962)
(1115) .logical_name PASSED
      <Data>
        <OctetString Value="00001A0300FF" />
      </Data>
(1116) .synchronization_register PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <LongUnsigned Value="0C00" />
            <DoubleLongUnsigned Value="00000002" />
          </Structure>
        </Array>
      </Data>
(1117) .desynchronization_listing PASSED
      <Data>
        <Structure Qty="0005" >
          <DoubleLongUnsigned Value="00000000" />
          <DoubleLongUnsigned Value="00000000" />
          <DoubleLongUnsigned Value="0000000B" />
          <DoubleLongUnsigned Value="00000000" />
          <DoubleLongUnsigned Value="00000000" />
        </Structure>
      </Data>
(1118) .broadcast_frames_counter PASSED
      <Data>
        <Array Qty="0000" >
        </Array>
      </Data>

```

```
(1119) .repetitions_counter PASSED
      <Data>
        <DoubleLongUnsigned Value="0000000E" />
      </Data>
(1120) .transmissions_counter PASSED
      <Data>
        <DoubleLongUnsigned Value="000004BC" />
      </Data>
(1121) .CRC_OK_frames_counter PASSED
      <Data>
        <DoubleLongUnsigned Value="000004CB" />
      </Data>
(1122) .CRC_NOK_frames_counter PASSED
      <Data>
        <DoubleLongUnsigned Value="00000000" />
      </Data>
```

Mngmt Get S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)

```
(1123) .logical_name PASSED
      <Data>
        <OctetString Value="00001A0500FF" />
      </Data>
(1124) .max_frame_length PASSED
      <Data>
        <Unsigned Value="F2" />
      </Data>
(1125) .reply_status_list PASSED
      <Data>
        <Array Qty="0001" >
          <Structure Qty="0002" >
            <Unsigned Value="00" />
            <Unsigned Value="07" />
          </Structure>
        </Array>
      </Data>
```

Mngmt Get S-FSK Reporting system list 0-0:26.6.0.255 (@1978)

```
(1126) .logical_name PASSED
      <Data>
        <OctetString Value="00001A0600FF" />
      </Data>
(1127) .reporting_system_list PASSED
      <Data>
        <Array Qty="0005" >
          <OctetString Value="0000000000000000" />
          <OctetString Value="0000000000000000" />
          <OctetString Value="0000000000000000" />
          <OctetString Value="0000000000000000" />
          <OctetString Value="0000000000000000" />
        </Array>
      </Data>
```

```
*****
Test Case 7 : Set mngmt attributes, 189 item(s)
*****
```

Mngmt Set Current association 0-0:40.0.0.255 (@9)

```
(1) .authentication_mechanism_name INAPPLICABLE
    Optional access right not available
(2) .secret INAPPLICABLE
    Optional access right not available
```

Mngmt Set Security setup 0-0:43.0.0.255 (@24)

```
(3) .security_suite PASSED
      <Data>
        <Enum Value="00" />
```



```

    </Data>

Mngmt Set Device ID 2 0-0:96.1.1.255 (@50)
(4) .value PASSED
    <Data>
      <OctetString Value="\Device ID 2" />
    </Data>

Mngmt Set Device ID 3 0-0:96.1.2.255 (@54)
(5) .value PASSED
    <Data>
      <OctetString Value="\Device ID 3" />
    </Data>

Mngmt Set Device ID 4 0-0:96.1.3.255 (@58)
(6) .value PASSED
    <Data>
      <OctetString Value="\Device ID 4" />
    </Data>

Mngmt Set Device ID 5 0-0:96.1.4.255 (@62)
(7) .value PASSED
    <Data>
      <OctetString Value="\Device ID 5" />
    </Data>

Mngmt Set Clock 0-0:1.0.0.255 (@75)
(8) .time PASSED
    <Data>
      <OctetString Value="07DE021902153407FF800001" />
    </Data>
(9) .time_zone PASSED
    <Data>
      <Long Value="FFC4" />
    </Data>
(10) .daylights_savings_begin PASSED
    <Data>
      <OctetString Value="FFFF03FE07020000008000FF" />
    </Data>
(11) .daylights_savings_end PASSED
    <Data>
      <OctetString Value="FFFF0AFE07030000008000FF" />
    </Data>
(12) .daylights_savings_deviation PASSED
    <Data>
      <Integer Value="3C" />
    </Data>
(13) .daylights_savings_enabled PASSED
    <Data>
      <Bool Value="01" />
    </Data>

Mngmt Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)
(14) .value PASSED
    <Data>
      <Unsigned Value="3C" />
    </Data>

Mngmt Set Activity Calendar 0-0:13.0.0.255 (@100)
(15) .calendar_name_passive PASSED
    <Data>
      <OctetString Value="" />
    </Data>
(16) .season_profile_passive PASSED
    <Data>
      <Array Qty="0000" >

```

```

    </Array>
  </Data>
(17) .week_profile_table_passive PASSED
  <Data>
    <Array Qty="0000" >
    </Array>
  </Data>
(18) .day_profile_table_passive PASSED
  <Data>
    <Array Qty="0000" >
    </Array>
  </Data>
(19) .activate_passive_calendar_time PASSED
  <Data>
    <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
  </Data>

Mngmt Set Special Days Table 0-0:11.0.0.255 (@113)
(20) .entries PASSED
  <Data>
    <Array Qty="0000" >
    </Array>
  </Data>

Mngmt Set Register activation - Energy 0-0:14.0.1.255 (@117)
(21) .register_assignment INAPPLICABLE
  Optional access right not available
(22) .mask_list PASSED
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <OctetString Value="5241544531000000" />
        <Array Qty="0005" >
          <Unsigned Value="01" />
          <Unsigned Value="05" />
          <Unsigned Value="09" />
          <Unsigned Value="0D" />
          <Unsigned Value="21" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544532000000" />
        <Array Qty="0005" >
          <Unsigned Value="02" />
          <Unsigned Value="06" />
          <Unsigned Value="0A" />
          <Unsigned Value="0E" />
          <Unsigned Value="22" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544533000000" />
        <Array Qty="0005" >
          <Unsigned Value="03" />
          <Unsigned Value="07" />
          <Unsigned Value="0B" />
          <Unsigned Value="0F" />
          <Unsigned Value="23" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544534000000" />
        <Array Qty="0005" >
          <Unsigned Value="04" />
          <Unsigned Value="08" />
          <Unsigned Value="0C" />
        </Array>
      </Structure>
    </Array>
  </Data>

```

```

        <Unsigned Value="10" />
        <Unsigned Value="24" />
    </Array>
</Structure>
</Array>
</Data>

```

Mngmt Set Register activation - Maximum Demand 0-0:14.0.2.255 (@123)

(23) .register\_assignment

INAPPLICABLE

Optional access right not available

(24) .mask\_list

PASSED

```

<Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <OctetString Value="5241544531000000" />
      <Array Qty="0004" >
        <Unsigned Value="01" />
        <Unsigned Value="05" />
        <Unsigned Value="09" />
        <Unsigned Value="0D" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="5241544532000000" />
      <Array Qty="0004" >
        <Unsigned Value="02" />
        <Unsigned Value="06" />
        <Unsigned Value="0A" />
        <Unsigned Value="0E" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="5241544533000000" />
      <Array Qty="0004" >
        <Unsigned Value="03" />
        <Unsigned Value="07" />
        <Unsigned Value="0B" />
        <Unsigned Value="0F" />
      </Array>
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="5241544534000000" />
      <Array Qty="0004" >
        <Unsigned Value="04" />
        <Unsigned Value="08" />
        <Unsigned Value="0C" />
        <Unsigned Value="10" />
      </Array>
    </Structure>
  </Array>
</Data>

```

Mngmt Set Tariffication script table 0-0:10.0.100.255 (@129)

(25) .scripts

PASSED

```

<_Data>
  <Array Qty="0004" >
    <Structure Qty="0002" >
      <LongUnsigned Value="0001" />
      <Array Qty="0003" >
        <Structure Qty="0005" >
          <Enum Value="01" />
          <LongUnsigned Value="0006" />
          <OctetString Value="00000E0001FF" />
          <Integer Value="04" />
          <OctetString Value="5241544531000000" />
        </Structure>
      </Array>
    </Structure>
  </Array>

```

```
<Structure Qty="0005" >
  <Enum Value="01" />
  <LongUnsigned Value="0006" />
  <OctetString Value="00000E0002FF" />
  <Integer Value="04" />
  <OctetString Value="5241544531000000" />
</Structure>
<Structure Qty="0005" >
  <Enum Value="02" />
  <LongUnsigned Value="0046" />
  <OctetString Value="000160030AFF" />
  <Integer Value="01" />
  <Unsigned Value="00" />
</Structure>
</Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0002" />
  <Array Qty="0003" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="5241544532000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="5241544532000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
      <Integer Value="02" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Structure>
<Structure Qty="0002" >
  <LongUnsigned Value="0003" />
  <Array Qty="0003" >
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0001FF" />
      <Integer Value="04" />
      <OctetString Value="5241544533000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="01" />
      <LongUnsigned Value="0006" />
      <OctetString Value="00000E0002FF" />
      <Integer Value="04" />
      <OctetString Value="5241544533000000" />
    </Structure>
    <Structure Qty="0005" >
      <Enum Value="02" />
      <LongUnsigned Value="0046" />
      <OctetString Value="000160030AFF" />
      <Integer Value="01" />
      <Unsigned Value="00" />
    </Structure>
  </Array>
</Structure>
```

```

    </Array>
  </Structure>
  <Structure Qty="0002" >
    <LongUnsigned Value="0004" />
    <Array Qty="0003" >
      <Structure Qty="0005" >
        <Enum Value="01" />
        <LongUnsigned Value="0006" />
        <OctetString Value="00000E0001FF" />
        <Integer Value="04" />
        <OctetString Value="5241544534000000" />
      </Structure>
      <Structure Qty="0005" >
        <Enum Value="01" />
        <LongUnsigned Value="0006" />
        <OctetString Value="00000E0002FF" />
        <Integer Value="04" />
        <OctetString Value="5241544534000000" />
      </Structure>
      <Structure Qty="0005" >
        <Enum Value="02" />
        <LongUnsigned Value="0046" />
        <OctetString Value="000160030AFF" />
        <Integer Value="02" />
        <Unsigned Value="00" />
      </Structure>
    </Array>
  </Structure>
</Array>
</_Data>

```

Mngmt Set End of billing period 1 scheduler 0-0:15.0.0.255 (@140)

(26) .type

INAPPLICABLE

Optional access right not available

(27) .execution\_time

PASSED

```

  <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <OctetString Value="00000000" />
        <OctetString Value="FFFFFF01FF" />
      </Structure>
    </Array>
  </Data>

```

Mngmt Set Data of billing period 1 0-0:98.1.0.255 (@146)

(28) .capture\_objects

PASSED

```

  <Data>
    <Array Qty="0005" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

```

    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020801FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020802FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

Mngmt Set Disconnect control scheduler 0-0:15.0.1.255 (@158)

(29) .executed\_script PASSED

```

  <Data>
    <Structure Qty="0002" >
      <OctetString Value="00000A006AFF" />
      <LongUnsigned Value="0001" />
    </Structure>
  </Data>

```

(30) .type INAPPLICABLE

Optional access right not available

(31) .execution\_time PASSED

```

  <Data>
    <Array Qty="0001" >
      <Structure Qty="0002" >
        <OctetString Value="FFFFFFFF" />
        <OctetString Value="FFFFFFFFFF" />
      </Structure>
    </Array>
  </Data>

```

Mngmt Set Disconnect control 0-0:96.3.10.255 (@169)

(32) .control\_mode PASSED

```

  <Data>
    <Enum Value="02" />
  </Data>

```

Mngmt Set Disconnect Control Log 0-0:99.98.2.255 (@181)

(33) .capture\_objects PASSED

```

  <Data>
    <Array Qty="0003" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0047" />
        <OctetString Value="0000110000FF" />
        <Integer Value="03" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

```

Mngmt Set Load Mgmt - Relay control 1 0-1:96.3.10.255 (@197)
(34) .control_mode PASSED
    <Data>
      <Enum Value="06" />
    </Data>

Mngmt Set Load Mgmt - Relay control 2 0-2:96.3.10.255 (@205)
(35) .control_mode PASSED
    <Data>
      <Enum Value="06" />
    </Data>

Mngmt Set Limiter 0-0:17.0.0.255 (@213)
(36) .monitored_value PASSED
    <Data>
      <Structure Qty="0003" >
        <LongUnsigned Value="0005" />
        <OctetString Value="0100011800FF" />
        <Integer Value="02" />
      </Structure>
    </Data>
(37) .threshold_normal PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(38) .treshold_emergency PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>
(39) .min_over_threshold_duration PASSED
    <Data>
      <DoubleLongUnsigned Value="000000B4" />
    </Data>
(40) .min_under_threshold_duration PASSED
    <Data>
      <DoubleLongUnsigned Value="000000B4" />
    </Data>
(41) .emergency_profile PASSED
    <Data>
      <Structure Qty="0003" >
        <LongUnsigned Value="0001" />
        <OctetString Value="FFFFFFFFFFFFFFFFFFFFFFFF" />
        <DoubleLongUnsigned Value="00000258" />
      </Structure>
    </Data>
(42) .emergency_profile_group_id_list PASSED
    <Data>
      <Array Qty="0004" >
        <LongUnsigned Value="0001" />
        <LongUnsigned Value="0002" />
        <LongUnsigned Value="0003" />
        <LongUnsigned Value="0004" />
      </Array>
    </Data>
(43) .actions PASSED
    <Data>
      <Structure Qty="0002" >
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0001" />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="00000A006AFF" />
          <LongUnsigned Value="0002" />
        </Structure>
      </Structure>
    </Data>

```

```

    </Data>

Mngmt Set Supervision monitor 1 - Fuse supervision L1 1-0:31.4.0.255 (@226)
(44) .thresholds PASSED
    <Data>
      <Array Qty="0001" >
        <DoubleLongUnsigned Value="00000000" />
      </Array>
    </Data>
(45) .monitored_value PASSED
    <Data>
      <Structure Qty="0003" >
        <LongUnsigned Value="0005" />
        <OctetString Value="01001F0400FF" />
        <Integer Value="02" />
      </Structure>
    </Data>
(46) .actions PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0001" />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0002" />
          </Structure>
        </Structure>
      </Array>
    </Data>

Mngmt Set Supervision monitor 2 - Fuse supervision L2 1-0:51.4.0.255 (@232)
(47) .thresholds PASSED
    <Data>
      <Array Qty="0001" >
        <DoubleLongUnsigned Value="00000000" />
      </Array>
    </Data>
(48) .monitored_value PASSED
    <Data>
      <Structure Qty="0003" >
        <LongUnsigned Value="0005" />
        <OctetString Value="0100330400FF" />
        <Integer Value="02" />
      </Structure>
    </Data>
(49) .actions PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0001" />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0002" />
          </Structure>
        </Structure>
      </Array>
    </Data>

Mngmt Set Supervision monitor 3 - Fuse supervision L3 1-0:71.4.0.255 (@238)
(50) .thresholds PASSED

```



```

    <Data>
      <Array Qty="0001" >
        <DoubleLongUnsigned Value="00000000" />
      </Array>
    </Data>
(51) .monitored_value PASSED
    <Data>
      <Structure Qty="0003" >
        <LongUnsigned Value="0005" />
        <OctetString Value="0100470400FF" />
        <Integer Value="02" />
      </Structure>
    </Data>
(52) .actions PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0001" />
          </Structure>
          <Structure Qty="0002" >
            <OctetString Value="00000A006AFF" />
            <LongUnsigned Value="0002" />
          </Structure>
        </Structure>
      </Array>
    </Data>

Mngmt Set Error Register 0-0:97.97.0.255 (@245)
(53) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00000000" />
    </Data>

Mngmt Set Alarm Register 0-0:97.98.0.255 (@249)
(54) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="00002001" />
    </Data>

Mngmt Set Alarm Filter 0-0:97.98.10.255 (@253)
(55) .value PASSED
    <Data>
      <DoubleLongUnsigned Value="FFFFFFFF" />
    </Data>

Mngmt Set Standard Event Log 0-0:99.98.0.255 (@261)
(56) .capture_objects PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600B00FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>

```

Mngmt Set Fraud Detection Log 0-0:99.98.1.255 (@276)	
(57) .capture_objects	PASSED
<Data>	
<Array Qty="0002" >	
<Structure Qty="0004" >	
<LongUnsigned Value="0008" />	
<OctetString Value="0000010000FF" />	
<Integer Value="02" />	
<LongUnsigned Value="0000" />	
</Structure>	
<Structure Qty="0004" >	
<LongUnsigned Value="0001" />	
<OctetString Value="0000600B01FF" />	
<Integer Value="02" />	
<LongUnsigned Value="0000" />	
</Structure>	
</Array>	
</Data>	
Mngmt Set Consumer Message Text 0-0:96.13.0.255 (@288)	
(58) .value	PASSED
<Data>	
<OctetString Value="\12345678" />	
</Data>	
Mngmt Set Consumer Message Code 0-0:96.13.1.255 (@292)	
(59) .value	PASSED
<Data>	
<OctetString Value="00" />	
</Data>	
Mngmt Set Image transfer 0-0:44.0.0.255 (@297)	
(60) .image_transfer_enabled	PASSED
<Data>	
<Bool Value="01" />	
</Data>	
Mngmt Set Image transfer activation scheduler 0-0:15.0.2.255 (@310)	
(61) .type	INAPPLICABLE
Optional access right not available	
(62) .execution_time	PASSED
<Data>	
<Array Qty="0001" >	
<Structure Qty="0002" >	
<OctetString Value="FFFFFFFF" />	
<OctetString Value="FFFFFFFFFF" />	
</Structure>	
</Array>	
</Data>	
Mngmt Set Demand Register 1 - Active energy import (+A) 1-0:1.4.0.255 (@684)	
(63) .period	PASSED
<Data>	
<DoubleLongUnsigned Value="00000384" />	
</Data>	
(64) .number_of_periods	PASSED
<Data>	
<LongUnsigned Value="0001" />	
</Data>	
Mngmt Set Demand Register 2 - Active energy export (-A) 1-0:2.4.0.255 (@697)	
(65) .period	PASSED
<Data>	
<DoubleLongUnsigned Value="00000384" />	
</Data>	
(66) .number_of_periods	PASSED

```

    <Data>
      <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Demand Register 3 - Reactive energy import (+R) 1-0:3.4.0.255 (@710)
(67) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(68) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Demand Register 4 - Reactive energy export (-R) 1-0:4.4.0.255 (@723)
(69) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(70) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Demand Register 5 - Apparent energy import (+VA) 1-0:9.4.0.255 (@736)
(71) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(72) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Demand Register 6 - Apparent energy export (-VA) 1-0:10.4.0.255 (@749)
(73) .period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000384" />
    </Data>
(74) .number_of_periods PASSED
    <Data>
      <LongUnsigned Value="0001" />
    </Data>

Mngmt Set Load profile with period 1
i.e. General Load Profile 1-0:99.1.0.255 (@1055)
(75) .capture_objects PASSED
    <Data>
      <Array Qty="0006" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0000600A01FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0003" />
          <OctetString Value="0100010800FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>

```

```

    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100020800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="01000F0800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0003" />
      <OctetString Value="0100100800FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
(76) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>

Mngmt Set Load profile with period 2
i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)
(77) .capture_objects PASSED
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600A02FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020801FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020802FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

```

        </Structure>
    </Array>
</Data>
(78) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00015180" />
    </Data>

Mngmt Set Time threshold for long power failure 0-0:96.7.20.255 (@1090)
(79) .value PASSED
    <Data>
        <LongUnsigned Value="00B4" />
    </Data>

Mngmt Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)
(80) .value PASSED
    <Data>
        <LongUnsigned Value="00CF" />
    </Data>

Mngmt Set Time threshold for voltage sag 1-0:12.43.0.255 (@1108)
(81) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)
(82) .value PASSED
    <Data>
        <LongUnsigned Value="00FD" />
    </Data>

Mngmt Set Time threshold for voltage swell 1-0:12.44.0.255 (@1168)
(83) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)
(84) .value PASSED
    <Data>
        <LongUnsigned Value="0067" />
    </Data>

Mngmt Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)
(85) .value PASSED
    <Data>
        <LongUnsigned Value="001E" />
    </Data>

Mngmt Set Power Failure Event Log 1-0:99.97.0.255 (@1234)
(86) .capture_objects PASSED
    <Data>
        <Array Qty="0002" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0003" />
                <OctetString Value="0000600713FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>

```

```

    </Array>
  </Data>

```

```

Mngmt Set Power Quality Log 0-0:99.98.4.255 (@1249)
(87) .capture_objects PASSED
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

Mngmt Set Sliding Average current L1 (for fuse supervision) 1-0:31.4.0.255 (@1278)
(88) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="005A" />
  </Data>

Mngmt Set Sliding Average current L2 (for fuse supervision) 1-0:51.4.0.255 (@1309)
(89) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="005A" />
  </Data>

Mngmt Set Sliding Average current L3 (for fuse supervision) 1-0:71.4.0.255 (@1340)
(90) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="005A" />
  </Data>

Mngmt Set Average Import Power (+A) 1-0:1.24.0.255 (@1407)
(91) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="000F" />
  </Data>

Mngmt Set Average Net Power (|+A|-|-A|) 1-0:16.24.0.255 (@1420)
(92) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="000F" />
  </Data>

Mngmt Set Average Total Power (|+A|+|-A|) 1-0:15.24.0.255 (@1433)
(93) .number_of_periods PASSED
  <Data>
    <LongUnsigned Value="000F" />
  </Data>

Mngmt Set Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)
(94) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000258" />
  </Data>

Mngmt Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)
(95) .mbus_port_reference PASSED

```

```

    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(96) .capture_definition PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
      </Array>
    </Data>
(97) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(98) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(99) .mbus_port_reference PASSED
    <Data>
      <OctetString Value="0000180600FF" />
    </Data>
(100) .capture_definition PASSED
    <Data>
      <Array Qty="0004" >
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
        <Structure Qty="0002" >
          <OctetString Value="\ " />
          <OctetString Value="\ " />
        </Structure>
      </Array>
    </Data>
(101) .capture_period PASSED
    <Data>
      <DoubleLongUnsigned Value="00000E10" />
    </Data>
(102) .primary_address PASSED
    <Data>
      <Unsigned Value="00" />

```

```

    </Data>

Mngmt Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(103) .mbus_port_reference PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>
(104) .capture_definition PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
        </Array>
    </Data>
(105) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>
(106) .primary_address PASSED
    <Data>
        <Unsigned Value="00" />
    </Data>

Mngmt Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(107) .mbus_port_reference PASSED
    <Data>
        <OctetString Value="0000180600FF" />
    </Data>
(108) .capture_definition PASSED
    <Data>
        <Array Qty="0004" >
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
            <Structure Qty="0002" >
                <OctetString Value="\ " />
                <OctetString Value="\ " />
            </Structure>
        </Array>
    </Data>
(109) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />

```



```
</Data>
(110) .primary_address PASSED
      <Data>
        <Unsigned Value="00" />
      </Data>

Mngmt Set M-Bus Value channel 1, instance 1 0-1:24.2.1.255 (@1571)
(111) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>

Mngmt Set M-Bus Value channel 1, instance 2 0-1:24.2.2.255 (@1579)
(112) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>

Mngmt Set M-Bus Value channel 1, instance 3 0-1:24.2.3.255 (@1587)
(113) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>

Mngmt Set M-Bus Value channel 1, instance 4 0-1:24.2.4.255 (@1595)
(114) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>

Mngmt Set M-Bus Value channel 2, instance 1 0-2:24.2.1.255 (@1603)
(115) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>

Mngmt Set M-Bus Value channel 2, instance 2 0-2:24.2.2.255 (@1611)
(116) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>

Mngmt Set M-Bus Value channel 2, instance 3 0-2:24.2.3.255 (@1619)
(117) .scaler_unit PASSED
      <Data>
        <Structure Qty="0002" >
          <Integer Value="00" />
          <Enum Value="FF" />
        </Structure>
      </Data>
```

```
    </Structure>
  </Data>

Mngmt Set M-Bus Value channel 2, instance 4 0-2:24.2.4.255 (@1627)
(118) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>

Mngmt Set M-Bus Value channel 3, instance 1 0-3:24.2.1.255 (@1635)
(119) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>

Mngmt Set M-Bus Value channel 3, instance 2 0-3:24.2.2.255 (@1643)
(120) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>

Mngmt Set M-Bus Value channel 3, instance 3 0-3:24.2.3.255 (@1651)
(121) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>

Mngmt Set M-Bus Value channel 3, instance 4 0-3:24.2.4.255 (@1659)
(122) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>

Mngmt Set M-Bus Value channel 4, instance 1 0-4:24.2.1.255 (@1667)
(123) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>

Mngmt Set M-Bus Value channel 4, instance 2 0-4:24.2.2.255 (@1675)
(124) .scaler_unit PASSED
  <Data>
    <Structure Qty="0002" >
      <Integer Value="00" />
      <Enum Value="FF" />
    </Structure>
  </Data>
```

Mngmt Set M-Bus Value channel 4, instance 3 0-4:24.2.3.255 (@1683)  
(125) .scaler\_unit PASSED  
    <Data>  
        <Structure Qty="0002" >  
            <Integer Value="00" />  
            <Enum Value="FF" />  
        </Structure>  
    </Data>

Mngmt Set M-Bus Value channel 4, instance 4 0-4:24.2.4.255 (@1691)  
(126) .scaler\_unit PASSED  
    <Data>  
        <Structure Qty="0002" >  
            <Integer Value="00" />  
            <Enum Value="FF" />  
        </Structure>  
    </Data>

Mngmt Set M-Bus Device ID 1 channel 1 0-1:96.1.0.255 (@1699)  
(127) .value PASSED  
    <Data>  
        <OctetString Value="00" />  
    </Data>

Mngmt Set M-Bus Device ID 1 channel 2 0-2:96.1.0.255 (@1703)  
(128) .value PASSED  
    <Data>  
        <OctetString Value="00" />  
    </Data>

Mngmt Set M-Bus Device ID 1 channel 3 0-3:96.1.0.255 (@1707)  
(129) .value PASSED  
    <Data>  
        <OctetString Value="00" />  
    </Data>

Mngmt Set M-Bus Device ID 1 channel 4 0-4:96.1.0.255 (@1711)  
(130) .value PASSED  
    <Data>  
        <OctetString Value="00" />  
    </Data>

Mngmt Set M-Bus Device ID 2 channel 1 0-1:96.1.1.255 (@1715)  
(131) .value PASSED  
    <Data>  
        <OctetString Value="00" />  
    </Data>

Mngmt Set M-Bus Device ID 2 channel 2 0-2:96.1.1.255 (@1719)  
(132) .value PASSED  
    <Data>  
        <OctetString Value="00" />  
    </Data>

Mngmt Set M-Bus Device ID 2 channel 3 0-3:96.1.1.255 (@1723)  
(133) .value PASSED  
    <Data>  
        <OctetString Value="00" />  
    </Data>

Mngmt Set M-Bus Device ID 2 channel 4 0-4:96.1.1.255 (@1727)  
(134) .value PASSED  
    <Data>  
        <OctetString Value="00" />  
    </Data>

Mngmt Set M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)

(135) .capture\_objects

PASSED

```

<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0001600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0001180201FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0001180202FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0001180203FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0001180204FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

(136) .capture\_period

PASSED

```

<Data>
  <DoubleLongUnsigned Value="00000E10" />
</Data>

```

Mngmt Set M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)

(137) .capture\_objects

PASSED

```

<Data>
  <Array Qty="0006" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0002600A03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0002180201FF" />
    </Structure>
  </Array>
</Data>

```

```

    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0002180202FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0002180203FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0002180204FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
(138) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>

Mngmt Set M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)
(139) .capture_objects PASSED
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0003600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0003180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

```

        <LongUnsigned Value="0000" />
    </Structure>
</Array>
</Data>
(140) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>

Mngmt Set M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)
(141) .capture_objects PASSED
    <Data>
        <Array Qty="0006" >
            <Structure Qty="0004" >
                <LongUnsigned Value="0008" />
                <OctetString Value="0000010000FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0001" />
                <OctetString Value="0004600A03FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180201FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180202FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180203FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
            <Structure Qty="0004" >
                <LongUnsigned Value="0004" />
                <OctetString Value="0004180204FF" />
                <Integer Value="02" />
                <LongUnsigned Value="0000" />
            </Structure>
        </Array>
    </Data>
(142) .capture_period PASSED
    <Data>
        <DoubleLongUnsigned Value="00000E10" />
    </Data>

Mngmt Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1791)
(143) .control_mode PASSED
    <Data>
        <Enum Value="00" />
    </Data>

Mngmt Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1799)
(144) .control_mode PASSED
    <Data>
        <Enum Value="00" />

```

```

    </Data>

Mngmt Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)
(145) .control_mode PASSED
    <Data>
      <Enum Value="00" />
    </Data>

Mngmt Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)
(146) .control_mode PASSED
    <Data>
      <Enum Value="00" />
    </Data>

Mngmt Set M-Bus Disconnect control scheduler 0-1:15.0.1.255 (@1823)
(147) .executed_script PASSED
    <Data>
      <Structure Qty="0002" >
        <OctetString Value="00010A006AFF" />
        <LongUnsigned Value="0001" />
      </Structure>
    </Data>
(148) .type INAPPLICABLE
  Optional access right not available
(149) .execution_time PASSED
    <Data>
      <Array Qty="0001" >
        <Structure Qty="0002" >
          <OctetString Value="FFFFFFFF" />
          <OctetString Value="FFFFFFFF" />
        </Structure>
      </Array>
    </Data>

Mngmt Set M-Bus Master Control log object 1 0-1:24.5.0.255 (@1850)
(150) .capture_objects PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0001600B04FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
      </Array>
    </Data>

Mngmt Set M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)
(151) .capture_objects PASSED
    <Data>
      <Array Qty="0002" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />
          <OctetString Value="0000010000FF" />
          <Integer Value="02" />
          <LongUnsigned Value="0000" />
        </Structure>
        <Structure Qty="0004" >
          <LongUnsigned Value="0001" />
          <OctetString Value="0002600B04FF" />
        </Structure>
      </Array>
    </Data>

```

```

    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
</Data>

```

Mngmt Set M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)

(152) .capture\_objects

PASSED

```

<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0003600B04FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

Mngmt Set M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

(153) .capture\_objects

PASSED

```

<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0004600B04FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

Mngmt Set M-Bus Event Log 0-0:99.98.3.255 (@1898)

(154) .capture\_objects

PASSED

```

<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600B03FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

Mngmt Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)

(155) .default\_mode

INAPPLICABLE

Optional object is not implemented



(156) .default_baud	INAPPLICABLE
Optional object is not implemented	
(157) .prop_baud	INAPPLICABLE
Optional object is not implemented	
(158) .response_time	INAPPLICABLE
Optional object is not implemented	
(159) .device_addr	INAPPLICABLE
Optional object is not implemented	
(160) .pass_p1	INAPPLICABLE
Optional object is not implemented	
(161) .pass_p2	INAPPLICABLE
Optional object is not implemented	
(162) .pass_p3	INAPPLICABLE
Optional object is not implemented	
Mngmt Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)	
(163) .comm_speed	PASSED
<Data>	
<Enum Value="05" />	
</Data>	
(164) .window_size_transmit	PASSED
<Data>	
<Unsigned Value="01" />	
</Data>	
(165) .window_size_receive	PASSED
<Data>	
<Unsigned Value="01" />	
</Data>	
(166) .max_info_field_lenght_transmit	PASSED
<Data>	
<LongUnsigned Value="00F8" />	
</Data>	
(167) .max_info_field_lenght_receive	PASSED
<Data>	
<LongUnsigned Value="003E" />	
</Data>	
(168) .inter_octet_time_out	PASSED
<Data>	
<LongUnsigned Value="0096" />	
</Data>	
(169) .inactivity_time_out	PASSED
<Data>	
<LongUnsigned Value="0078" />	
</Data>	
(170) .device_address	PASSED
<Data>	
<LongUnsigned Value="0000" />	
</Data>	
Mngmt Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)	
(171) .initiator_electrical_phase	PASSED
<Data>	
<Enum Value="00" />	
</Data>	
(172) .max_receiving_gain	PASSED
<Data>	
<Unsigned Value="24" />	
</Data>	
(173) .max_transmitting_gain	PASSED
<Data>	
<Unsigned Value="00" />	
</Data>	
(174) .search_initiator_gain	PASSED
<Data>	
<Unsigned Value="06" />	
</Data>	

(175)	.frequencies	PASSED
	<Data>	
	<Structure Qty="0002" >	
	<DoubleLongUnsigned Value="0000F744" />	
	<DoubleLongUnsigned Value="00012110" />	
	</Structure>	
	</Data>	
(176)	.mac_group_addresses	PASSED
	<Data>	
	<Array Qty="0005" >	
	<LongUnsigned Value="0000" />	
	<LongUnsigned Value="0000" />	
	<LongUnsigned Value="0000" />	
	<LongUnsigned Value="0000" />	
	<LongUnsigned Value="0000" />	
	</Array>	
	</Data>	
(177)	.repeater	PASSED
	<Data>	
	<Enum Value="02" />	
	</Data>	
(178)	.min_delta_credit	PASSED
	<Data>	
	<Unsigned Value="00" />	
	</Data>	
(179)	.transmission_speed	PASSED
	<Data>	
	<Enum Value="03" />	
	</Data>	
Mngmt	Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)	
(180)	.search_initiator_timeout	PASSED
	<Data>	
	<LongUnsigned Value="0258" />	
	</Data>	
(181)	.synchronization_confirmation_timeout	PASSED
	<Data>	
	<LongUnsigned Value="0005" />	
	</Data>	
(182)	.timeout_not_addressed	PASSED
	<Data>	
	<LongUnsigned Value="0168" />	
	</Data>	
(183)	.timeout_frame_not_OK	PASSED
	<Data>	
	<LongUnsigned Value="001E" />	
	</Data>	
Mngmt	Set S-FSK MAC counters 0-0:26.3.0.255 (@1962)	
(184)	.broadcast_frames_counter	INAPPLICABLE
	Optional access right not available	
(185)	.repetitions_counter	PASSED
	<Data>	
	<DoubleLongUnsigned Value="0000000E" />	
	</Data>	
(186)	.transmissions_counter	PASSED
	<Data>	
	<DoubleLongUnsigned Value="000004BC" />	
	</Data>	
(187)	.CRC_OK_frames_counter	PASSED
	<Data>	
	<DoubleLongUnsigned Value="000004CB" />	
	</Data>	
(188)	.CRC_NOK_frames_counter	PASSED
	<Data>	
	<DoubleLongUnsigned Value="00000000" />	

</Data>

Mngmt Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)  
 (189) .max\_frame\_length PASSED  
 <Data>  
 <Unsigned Value="F2" />  
 </Data>

\*\*\*\*\*  
 Test Case 8 : Set Pre attributes, 62 item(s)  
 \*\*\*\*\*

Pre Set Clock 0-0:1.0.0.255 (@75)  
 (1) .time PASSED  
 <Data>  
 <OctetString Value="07DE021902153407FF800001" />  
 </Data>  
 (2) .time\_zone PASSED  
 <Data>  
 <Long Value="FFC4" />  
 </Data>  
 (3) .daylights\_savings\_begin PASSED  
 <Data>  
 <OctetString Value="FFFF03FE07020000008000FF" />  
 </Data>  
 (4) .daylights\_savings\_end PASSED  
 <Data>  
 <OctetString Value="FFFF0AFE07030000008000FF" />  
 </Data>  
 (5) .daylights\_savings\_deviation PASSED  
 <Data>  
 <Integer Value="3C" />  
 </Data>  
 (6) .daylights\_savings\_enabled PASSED  
 <Data>  
 <Bool Value="01" />  
 </Data>

Pre Set Clock Time Shift Limit 1-0:0.9.11.255 (@94)  
 (7) .value PASSED  
 <Data>  
 <Unsigned Value="3C" />  
 </Data>

Pre Set Activity Calendar 0-0:13.0.0.255 (@100)  
 (8) .calendar\_name\_passive PASSED  
 <Data>  
 <OctetString Value="" />  
 </Data>  
 (9) .season\_profile\_passive PASSED  
 <Data>  
 <Array Qty="0000" >  
 </Array>  
 </Data>  
 (10) .week\_profile\_table\_passive PASSED  
 <Data>  
 <Array Qty="0000" >  
 </Array>  
 </Data>  
 (11) .day\_profile\_table\_passive PASSED  
 <Data>  
 <Array Qty="0000" >  
 </Array>  
 </Data>  
 (12) .activate\_passive\_calendar\_time PASSED  
 <Data>

```

    <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
  </Data>

Pre Set Special Days Table 0-0:11.0.0.255 (@113)
(13) .entries PASSED
  <Data>
    <Array Qty="0000" >
  </Array>
</Data>

Pre Set Register activation - Energy 0-0:14.0.1.255 (@117)
(14) .register_assignment INAPPLICABLE
  Optional access right not available

(15) .mask_list PASSED
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >
        <OctetString Value="5241544531000000" />
        <Array Qty="0005" >
          <Unsigned Value="01" />
          <Unsigned Value="05" />
          <Unsigned Value="09" />
          <Unsigned Value="0D" />
          <Unsigned Value="21" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544532000000" />
        <Array Qty="0005" >
          <Unsigned Value="02" />
          <Unsigned Value="06" />
          <Unsigned Value="0A" />
          <Unsigned Value="0E" />
          <Unsigned Value="22" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544533000000" />
        <Array Qty="0005" >
          <Unsigned Value="03" />
          <Unsigned Value="07" />
          <Unsigned Value="0B" />
          <Unsigned Value="0F" />
          <Unsigned Value="23" />
        </Array>
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="5241544534000000" />
        <Array Qty="0005" >
          <Unsigned Value="04" />
          <Unsigned Value="08" />
          <Unsigned Value="0C" />
          <Unsigned Value="10" />
          <Unsigned Value="24" />
        </Array>
      </Structure>
    </Array>
  </Data>

Pre Set Register activation - Maximum Demand 0-0:14.0.2.255 (@123)
(16) .register_assignment INAPPLICABLE
  Optional access right not available

(17) .mask_list PASSED
  <Data>
    <Array Qty="0004" >
      <Structure Qty="0002" >

```

```

    <OctetString Value="5241544531000000" />
    <Array Qty="0004" >
      <Unsigned Value="01" />
      <Unsigned Value="05" />
      <Unsigned Value="09" />
      <Unsigned Value="0D" />
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="5241544532000000" />
    <Array Qty="0004" >
      <Unsigned Value="02" />
      <Unsigned Value="06" />
      <Unsigned Value="0A" />
      <Unsigned Value="0E" />
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="5241544533000000" />
    <Array Qty="0004" >
      <Unsigned Value="03" />
      <Unsigned Value="07" />
      <Unsigned Value="0B" />
      <Unsigned Value="0F" />
    </Array>
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="5241544534000000" />
    <Array Qty="0004" >
      <Unsigned Value="04" />
      <Unsigned Value="08" />
      <Unsigned Value="0C" />
      <Unsigned Value="10" />
    </Array>
  </Structure>
</Array>
</Data>

```

Pre Set Consumer Message Text 0-0:96.13.0.255 (@288)

(18) .value

PASSED

```

  <Data>
    <OctetString Value="\12345678" />
  </Data>

```

Pre Set Consumer Message Code 0-0:96.13.1.255 (@292)

(19) .value

PASSED

```

  <Data>
    <OctetString Value="00" />
  </Data>

```

Pre Set Time threshold for long power failure 0-0:96.7.20.255 (@1090)

(20) .value

PASSED

```

  <Data>
    <LongUnsigned Value="00B4" />
  </Data>

```

Pre Set Threshold for voltage sag 1-0:12.31.0.255 (@1102)

(21) .value

PASSED

```

  <Data>
    <LongUnsigned Value="00CF" />
  </Data>

```

Pre Set Time threshold for voltage sag 1-0:12.43.0.255 (@1108)

(22) .value

PASSED

```

  <Data>
    <LongUnsigned Value="001E" />

```

```
</Data>

Pre Set Threshold for voltage swell 1-0:12.35.0.255 (@1162)
(23) .value PASSED
  <Data>
    <LongUnsigned Value="00FD" />
  </Data>

Pre Set Time threshold for voltage swell 1-0:12.44.0.255 (@1168)
(24) .value PASSED
  <Data>
    <LongUnsigned Value="001E" />
  </Data>

Pre Set Threshold for missing voltage (voltage cut) 1-0:12.39.0.255 (@1222)
(25) .value PASSED
  <Data>
    <LongUnsigned Value="0067" />
  </Data>

Pre Set Time threshold for voltage cut 1-0:12.45.0.255 (@1228)
(26) .value PASSED
  <Data>
    <LongUnsigned Value="001E" />
  </Data>

Pre Set Measurement Period 3 for Instantaneous values 1-0:0.8.2.255 (@1468)
(27) .value PASSED
  <Data>
    <DoubleLongUnsigned Value="00000258" />
  </Data>

Pre Set M-Bus client channel 1 0-1:24.1.0.255 (@1483)
(28) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>

Pre Set M-Bus client channel 2 0-2:24.1.0.255 (@1505)
(29) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>

Pre Set M-Bus client channel 3 0-3:24.1.0.255 (@1527)
(30) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>

Pre Set M-Bus client channel 4 0-4:24.1.0.255 (@1549)
(31) .capture_period PASSED
  <Data>
    <DoubleLongUnsigned Value="00000E10" />
  </Data>

Pre Set M-Bus Master Disconnect control object 1 0-1:24.4.0.255 (@1791)
(32) .control_mode PASSED
  <Data>
    <Enum Value="00" />
  </Data>

Pre Set M-Bus Master Disconnect control object 2 0-2:24.4.0.255 (@1799)
(33) .control_mode PASSED
  <Data>
    <Enum Value="00" />
  </Data>
```

```

    </Data>

Pre Set M-Bus Master Disconnect control object 3 0-3:24.4.0.255 (@1807)
(34) .control_mode                                     PASSED
    <Data>
        <Enum Value="00" />
    </Data>

Pre Set M-Bus Master Disconnect control object 4 0-4:24.4.0.255 (@1815)
(35) .control_mode                                     PASSED
    <Data>
        <Enum Value="00" />
    </Data>

Pre Set IEC local port setup - IEC Optical port 0-0:20.0.0.255 (@1910)
(36) .default_mode                                     INAPPLICABLE
    Optional object is not implemented
(37) .default_baud                                     INAPPLICABLE
    Optional object is not implemented
(38) .prop_baud                                       INAPPLICABLE
    Optional object is not implemented
(39) .response_time                                   INAPPLICABLE
    Optional object is not implemented
(40) .device_addr                                     INAPPLICABLE
    Optional object is not implemented
(41) .pass_p1                                         INAPPLICABLE
    Optional object is not implemented
(42) .pass_p2                                         INAPPLICABLE
    Optional object is not implemented
(43) .pass_p3                                         INAPPLICABLE
    Optional object is not implemented

Pre Set IEC HDLC setup - HDLC Optical port 0-0:22.0.0.255 (@1921)
(44) .comm_speed                                     PASSED
    <Data>
        <Enum Value="05" />
    </Data>
(45) .window_size_transmit                           PASSED
    <Data>
        <Unsigned Value="01" />
    </Data>
(46) .window_size_receive                           PASSED
    <Data>
        <Unsigned Value="01" />
    </Data>
(47) .max_info_field_lenght_transmit                 PASSED
    <Data>
        <LongUnsigned Value="00F8" />
    </Data>
(48) .max_info_field_lenght_receive                 PASSED
    <Data>
        <LongUnsigned Value="003E" />
    </Data>
(49) .inter_octet_time_out                           PASSED
    <Data>
        <LongUnsigned Value="0096" />
    </Data>
(50) .inactivity_time_out                           PASSED
    <Data>
        <LongUnsigned Value="0078" />
    </Data>

Pre Set S-FSK Phy&MAC setup 0-0:26.0.0.255 (@1933)
(51) .max_receiving_gain                             PASSED
    <Data>
        <Unsigned Value="24" />

```

```

    </Data>
(52) .max_transmitting_gain                                     PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(53) .search_initiator_gain                                   PASSED
    <Data>
      <Unsigned Value="06" />
    </Data>
(54) .frequencies                                           PASSED
    <Data>
      <Structure Qty="0002" >
        <DoubleLongUnsigned Value="0000F744" />
        <DoubleLongUnsigned Value="00012110" />
      </Structure>
    </Data>
(55) .min_delta_credit                                       PASSED
    <Data>
      <Unsigned Value="00" />
    </Data>
(56) .transmission_speed                                     PASSED
    <Data>
      <Enum Value="03" />
    </Data>

Pre Set S-FSK MAC synchronisation timeouts 0-0:26.2.0.255 (@1955)
(57) .search_initiator_timeout                               PASSED
    <Data>
      <LongUnsigned Value="0258" />
    </Data>
(58) .synchronization_confirmation_timeout                 PASSED
    <Data>
      <LongUnsigned Value="0005" />
    </Data>
(59) .timeout_not_addressed                                 PASSED
    <Data>
      <LongUnsigned Value="0168" />
    </Data>
(60) .timeout_frame_not_OK                                 PASSED
    <Data>
      <LongUnsigned Value="001E" />
    </Data>

Pre Set S-FSK IEC 61334-4-32 LLC Setup 0-0:26.5.0.255 (@1973)
(61) .max_frame_length                                       PASSED
    <Data>
      <Unsigned Value="F2" />
    </Data>
(62) Pre Set passive calendar name and check               PASSED
    calendar_name_passive set to "CNP_55B0"

*****
Test Case 9 : Selective access of profiles, 17 item(s)
*****

Mngmt Get Data of billing period 1 0-0:98.1.0.255 (@146)
(1) .buffer                                                 PASSED
    entries_in_use: 5
    <Data>
      <DoubleLongUnsigned Value="00000005" />
    </Data>
    capture_objects:
    <Data>
      <Array Qty="0005" >
        <Structure Qty="0004" >
          <LongUnsigned Value="0008" />

```



```

    <OctetString Value="0000010000FF" />
    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Array>
</Data>
Buffer has 5 elements:
<Data>
  <Array Qty="0005" >
    <Structure Qty="0005" >
      <OctetString Value="07DE021505000000FF800000" />
      <DoubleLongUnsigned Value="000016E0" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="0000002F" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DE021606000000FF800000" />
      <DoubleLongUnsigned Value="000016E0" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="0000002F" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DE021707000000FF800000" />
      <DoubleLongUnsigned Value="000016E0" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="0000002F" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DE021801000000FF800000" />
      <DoubleLongUnsigned Value="000016E0" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="0000002F" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0005" >
      <OctetString Value="07DE021902000000FF800000" />
      <DoubleLongUnsigned Value="000016E0" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="0000002F" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>
</Data>

```

```

    <DoubleLongUnsigned Value="00000000" />
  </Structure>
</Array>
</Data>

```

Earliest date: 21-FEB-2014 00:00:00, latest date: 25-FEB-2014 00:00:00  
 Middle date: 23-FEB-2014 00:00:00

Mngmt Get Disconnecter Control Log 0-0:99.98.2.255 (@181)

(2) .buffer

PASSED

entries\_in\_use: 15

```

<Data>
  <DoubleLongUnsigned Value="0000000F" />
</Data>

```

capture\_objects:

```

<Data>
  <Array Qty="0003" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600B02FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0047" />
      <OctetString Value="0000110000FF" />
      <Integer Value="03" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

Buffer has 15 elements:

```

<_Data>
  <Array Qty="000F" >
    <Structure Qty="0003" >
      <OctetString Value="07DE021902000001FF800000" />
      <Enum Value="FF" />
      <Long64Unsigned Value="0000000000000000" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DE021902000004FF800000" />
      <Enum Value="3E" />
      <Long64Unsigned Value="0000000000000000" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DE02190200000BFF800000" />
      <Enum Value="3F" />
      <Long64Unsigned Value="0000000000000000" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DE02190200000BFF800000" />
      <Enum Value="CE" />
      <Long64Unsigned Value="0000000000000000" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DE02190200000BFF800000" />
      <Enum Value="3B" />
      <Long64Unsigned Value="0000000000000000" />
    </Structure>
    <Structure Qty="0003" >
      <OctetString Value="07DE021902000016FF800000" />

```

```

    <Enum Value="3E" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
  <Structure Qty="0003" >
    <OctetString Value="07DE021902000016FF800000" />
    <Enum Value="CE" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
  <Structure Qty="0003" >
    <OctetString Value="07DE021902000020FF800000" />
    <Enum Value="3F" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
  <Structure Qty="0003" >
    <OctetString Value="07DE021902000020FF800000" />
    <Enum Value="CE" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
  <Structure Qty="0003" >
    <OctetString Value="07DE021902000020FF800000" />
    <Enum Value="3B" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
  <Structure Qty="0003" >
    <OctetString Value="07DE02190200002AFF800000" />
    <Enum Value="3E" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
  <Structure Qty="0003" >
    <OctetString Value="07DE02190200002AFF800000" />
    <Enum Value="CE" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
  <Structure Qty="0003" >
    <OctetString Value="07DE021902000037FF800000" />
    <Enum Value="3F" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
  <Structure Qty="0003" >
    <OctetString Value="07DE02190215350EFF800000" />
    <Enum Value="43" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
  <Structure Qty="0003" >
    <OctetString Value="07DE021902153510FF800000" />
    <Enum Value="43" />
    <Long64Unsigned Value="0000000000000000" />
  </Structure>
</Array>
</_Data>

```

Earliest date: 25-FEB-2014 00:00:01, latest date: 25-FEB-2014 21:53:16  
 Middle date: 25-FEB-2014 00:00:32

Mngmt Get Standard Event Log 0-0:99.98.0.255 (@261)

(3) .buffer

entries\_in\_use: 56

PASSED

```

  <Data>
    <DoubleLongUnsigned Value="00000038" />
  </Data>

```

capture\_objects:

```

  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
      </Structure>
    </Array>
  </Data>

```

```

    <LongUnsigned Value="0000" />
  </Structure>
</Structure Qty="0004" >
  <LongUnsigned Value="0001" />
  <OctetString Value="0000600B00FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 56 elements:
<_Data>
  <Array Qty="0038" >
    <Structure Qty="0002" >
      <OctetString Value="07DE021404000000FF800000" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021404000000FF800000" />
      <Enum Value="FE" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021404000000FF800000" />
      <Enum Value="FE" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021404000000FF800000" />
      <Enum Value="FE" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021404000002FF800000" />
      <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021505000000FF800000" />
      <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021505000000FF800000" />
      <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021505000001FF800000" />
      <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021606000000FF800000" />
      <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021606000000FF800000" />
      <Enum Value="CA" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021606000001FF800000" />
      <Enum Value="04" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021707000000FF800000" />
      <Enum Value="05" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021707000000FF800000" />
      <Enum Value="CA" />
    </Structure>
  </Array>
</_Data>

```

```
<OctetString Value="07DE021707000001FF800000" />
<Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021801000000FF800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021801000000FF800000" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021801000001FF800000" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000000FF800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000000FF800000" />
  <Enum Value="CA" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000124FF800000" />
  <Enum Value="35" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000125FF800000" />
  <Enum Value="35" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000315FF800000" />
  <Enum Value="FE" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000602FF800000" />
  <Enum Value="35" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200062BFF800000" />
  <Enum Value="35" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200062EFF800000" />
  <Enum Value="2F" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200062FFF800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200062FFF800001" />
  <Enum Value="06" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200062FFF800001" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000635FF800001" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000635FF800001" />
  <Enum Value="06" />
</Structure>
```

```
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000635FF800001" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000C33FF800001" />
  <Enum Value="35" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000E13FF800001" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000D17FF800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190203263BFF800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032C1EFF800000" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032D30FF800000" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032D30FF800001" />
  <Enum Value="06" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032D30FF800001" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032D38FF800001" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032D38FF800001" />
  <Enum Value="06" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032D38FF800001" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190214372BFF800001" />
  <Enum Value="01" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902150025FF800001" />
  <Enum Value="02" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902161D34FF800001" />
  <Enum Value="04" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902153407FF800000" />
  <Enum Value="05" />
</Structure>
<Structure Qty="0002" >
```

```

    <OctetString Value="07DE02190215341BFF800000" />
    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE02190215341EFF800000" />
    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902153421FF800000" />
    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902153536FF800000" />
    <Enum Value="0A" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902153B0BFF800000" />
    <Enum Value="04" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902153407FF800000" />
    <Enum Value="05" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE02190215351FFF800000" />
    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE02190215352EFF800000" />
    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902153600FF800000" />
    <Enum Value="13" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902160322FF800000" />
    <Enum Value="13" />
  </Structure>
</Array>
</_Data>

```

Earliest date: 20-FEB-2014 00:00:00, latest date: 25-FEB-2014 22:29:52  
 Middle date: 25-FEB-2014 00:06:53

Mngmt Get Fraud Detection Log 0-0:99.98.1.255 (@276)

(4) .buffer

PASSED

entries\_in\_use: 13

```

  <Data>
    <DoubleLongUnsigned Value="0000000D" />
  </Data>

```

capture\_objects:

```

  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

```

</Data>
Buffer has 13 elements:
<_Data>
  <Array Qty="000D" >
    <Structure Qty="0002" >
      <OctetString Value="07DE02190200040DFF800000" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000412FF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000417FF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE02190200041CFF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000422FF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000427FF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE02190200042CFF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000431FF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000436FF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE02190200043BFF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000504FF800000" />
      <Enum Value="28" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902150025FF800001" />
      <Enum Value="29" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902151E27FF800001" />
      <Enum Value="31" />
    </Structure>
  </Array>
</_Data>
Earliest date: 25-FEB-2014 00:04:13, latest date: 25-FEB-2014 21:30:39
Middle date: 25-FEB-2014 00:04:44

```

Mngmt Get Load profile with period 1  
i.e. General Load Profile 1-0:99.1.0.255 (@1055)

(5) .buffer  
entries\_in\_use: 93  
<Data>

PASSED



```

    <DoubleLongUnsigned Value="0000005D" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600A01FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100010800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100020800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="01000F0800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0003" />
        <OctetString Value="0100100800FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 93 elements:
  <_Data>
    <Array Qty="005D" >
      <Structure Qty="0006" >
        <OctetString Value="07DE021404000F00FF800000" />
        <Unsigned Value="A6" />
        <DoubleLongUnsigned Value="000016E0" />
        <DoubleLongUnsigned Value="0000002F" />
        <DoubleLongUnsigned Value="00001710" />
        <DoubleLong Value="000016B0" />
      </Structure>
      <Structure Qty="0006" >
        <OctetString Value="07DE021505000F00FF800000" />
        <Unsigned Value="24" />
        <DoubleLongUnsigned Value="000016E0" />
        <DoubleLongUnsigned Value="0000002F" />
        <DoubleLongUnsigned Value="00001710" />
        <DoubleLong Value="000016B0" />
      </Structure>
      <Structure Qty="0006" >
        <OctetString Value="07DE021606000F00FF800000" />
        <Unsigned Value="24" />
        <DoubleLongUnsigned Value="000016E0" />

```

```
<DoubleLongUnsigned Value="0000002F" />
<DoubleLongUnsigned Value="00001710" />
<DoubleLong Value="000016B0" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021707000F00FF800000" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="0000002F" />
  <DoubleLongUnsigned Value="00001710" />
  <DoubleLong Value="000016B0" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021801000F00FF800000" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="0000002F" />
  <DoubleLongUnsigned Value="00001710" />
  <DoubleLong Value="000016B0" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902000F00FF800000" />
  <Unsigned Value="84" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902001E00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902002D00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902010000FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902010F00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902011E00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
```

```
<DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902012D00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902020000FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902020F00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902021E00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902022D00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902030000FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902030F00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902031E00FF800000" />
  <Unsigned Value="00" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
```

```
<Structure Qty="0006" >
  <OctetString Value="07DE021902032D00FF800000" />
  <Unsigned Value="80" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902040000FF800001" />
  <Unsigned Value="86" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902040F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902041E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902042D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902050000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902050F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902051E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902052D00FF800001" />
```

```
<Unsigned Value="06" />
<DoubleLongUnsigned Value="000016E0" />
<DoubleLongUnsigned Value="00000032" />
<DoubleLongUnsigned Value="00001713" />
<DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902060000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902060F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902061E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902062D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902070000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902070F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902071E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902072D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
```

```
<DoubleLongUnsigned Value="00000032" />
<DoubleLongUnsigned Value="00001713" />
<DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902080000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902080F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902081E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902082D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902090000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902090F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902091E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902092D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
```

```
<DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020A0000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020A0F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020A1E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020A2D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020B0000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020B0F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020B1E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020B2D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
```

```
<Structure Qty="0006" >
  <OctetString Value="07DE0219020C0000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020C0F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020C1E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020C2D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020D0000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020D0F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020D1E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020D2D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020E0000FF800001" />
```



```
<Unsigned Value="06" />
<DoubleLongUnsigned Value="000016E0" />
<DoubleLongUnsigned Value="00000032" />
<DoubleLongUnsigned Value="00001713" />
<DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020E0F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020E1E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020E2D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020F0000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020F0F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020F1E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE0219020F2D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902100000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
```

```

    <DoubleLongUnsigned Value="00000032" />
    <DoubleLongUnsigned Value="00001713" />
    <DoubleLong Value="000016AC" />
  </Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902100F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902101E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902102D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902110000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902110F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902111E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902112D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902120000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />

```

```
<DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902120F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902121E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902122D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902130000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902130F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902131E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902132D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902140000FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
```

```
<Structure Qty="0006" >
  <OctetString Value="07DE021902140F00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902141E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902142D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902150000FF800001" />
  <Unsigned Value="86" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902150F00FF800001" />
  <Unsigned Value="86" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902151E00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902152D00FF800001" />
  <Unsigned Value="06" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902160000FF800000" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000032" />
  <DoubleLongUnsigned Value="00001713" />
  <DoubleLong Value="000016AC" />
</Structure>
</Array>
</_Data>
```

Earliest date: 20-FEB-2014 00:15:00, latest date: 25-FEB-2014 22:00:00  
 Middle date: 25-FEB-2014 10:30:00

Mngmt Get Load profile with period 2  
 i.e. Daily Values Profile 1-0:99.2.0.255 (@1070)

(6) .buffer

PASSED

entries\_in\_use: 5

<Data>

<DoubleLongUnsigned Value="00000005" />

</Data>

capture\_objects:

<Data>

<Array Qty="0006" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0000600A02FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0100010801FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0100010802FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0100020801FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0100020802FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 5 elements:

<Data>

<Array Qty="0005" >

<Structure Qty="0006" >

<OctetString Value="07DE021505000000FF800000" />

<Unsigned Value="A6" />

<DoubleLongUnsigned Value="000016E0" />

<DoubleLongUnsigned Value="00000000" />

<DoubleLongUnsigned Value="0000002F" />

<DoubleLongUnsigned Value="00000000" />

</Structure>

<Structure Qty="0006" >

<OctetString Value="07DE021606000000FF800000" />

<Unsigned Value="24" />

<DoubleLongUnsigned Value="000016E0" />

```

    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="0000002F" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021707000000FF800000" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="0000002F" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021801000000FF800000" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="0000002F" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
<Structure Qty="0006" >
  <OctetString Value="07DE021902000000FF800000" />
  <Unsigned Value="24" />
  <DoubleLongUnsigned Value="000016E0" />
  <DoubleLongUnsigned Value="00000000" />
  <DoubleLongUnsigned Value="0000002F" />
  <DoubleLongUnsigned Value="00000000" />
</Structure>
</Array>
</Data>
Earliest date: 21-FEB-2014 00:00:00, latest date: 25-FEB-2014 00:00:00
Middle date: 23-FEB-2014 00:00:00

```

Mngmt Get Power Failure Event Log 1-0:99.97.0.255 (@1234)

(7) .buffer

PASSED

entries\_in\_use: 10

<Data>

<DoubleLongUnsigned Value="0000000A" />

</Data>

capture\_objects:

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0003" />

<OctetString Value="0000600713FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 10 elements:

<Data>

<Array Qty="000A" >

<Structure Qty="0002" >

<OctetString Value="07DE021902000316FF800000" />

<LongUnsigned Value="01D6" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE02190200031BFF800000" />

<LongUnsigned Value="01D6" />

```

</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000320FF800000" />
  <LongUnsigned Value="01D6" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000325FF800000" />
  <LongUnsigned Value="01D6" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200032AFF800000" />
  <LongUnsigned Value="01D6" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200032FFF800000" />
  <LongUnsigned Value="01D6" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000334FF800000" />
  <LongUnsigned Value="01D6" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200033AFF800000" />
  <LongUnsigned Value="01D6" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000403FF800000" />
  <LongUnsigned Value="01D6" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000408FF800000" />
  <LongUnsigned Value="01D6" />
</Structure>
</Array>
</Data>

```

Earliest date: 25-FEB-2014 00:03:22, latest date: 25-FEB-2014 00:04:08  
Middle date: 25-FEB-2014 00:03:47

Mngmt Get Power Quality Log 0-0:99.98.4.255 (@1249)

(8) .buffer

PASSED

entries\_in\_use: 19

```

<Data>
  <DoubleLongUnsigned Value="00000013" />
</Data>

```

capture\_objects:

```

<Data>
  <Array Qty="0002" >
    <Structure Qty="0004" >
      <LongUnsigned Value="0008" />
      <OctetString Value="0000010000FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0000600B04FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>

```

Buffer has 19 elements:

```

<_Data>
  <Array Qty="0013" >
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000505FF800000" />

```

```
<Enum Value="FF" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200050AFF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200050FFF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000514FF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000519FF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200051FFF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000524FF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000529FF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE02190200052EFF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000533FF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902000538FF800000" />
  <Enum Value="4C" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032C23FF800000" />
  <Enum Value="54" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032C23FF800000" />
  <Enum Value="53" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032D35FF800001" />
  <Enum Value="53" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032D35FF800001" />
  <Enum Value="52" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032E01FF800001" />
  <Enum Value="53" />
</Structure>
<Structure Qty="0002" >
  <OctetString Value="07DE021902032E01FF800001" />
  <Enum Value="52" />
</Structure>
```



```

    <Structure Qty="0002" >
      <OctetString Value="07DE02190215002AFF800001" />
      <Enum Value="54" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE02190215002AFF800001" />
      <Enum Value="53" />
    </Structure>
  </Array>
</_Data>
Earliest date: 25-FEB-2014 00:05:05, latest date: 25-FEB-2014 21:00:42
Middle date: 25-FEB-2014 00:05:51

```

Mngmt Get M-Bus Master Load profile for channel 1 0-1:24.3.0.255 (@1747)

(9) .buffer

PASSED

```

  entries_in_use: 5
  <Data>
    <DoubleLongUnsigned Value="00000005" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0001600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180203FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0001180204FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
  Buffer has 5 elements:
  <Data>
    <Array Qty="0005" >
      <Structure Qty="0006" >
        <OctetString Value="07DE021404010000FF800000" />
        <Unsigned Value="14" />
      </Structure>
    </Array>
  </Data>

```

```

    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DE021505010000FF800000" />
    <Unsigned Value="14" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DE021606010000FF800000" />
    <Unsigned Value="14" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DE021707010000FF800000" />
    <Unsigned Value="14" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DE021801010000FF800000" />
    <Unsigned Value="14" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
</Array>
</Data>

```

Earliest date: 20-FEB-2014 01:00:00, latest date: 24-FEB-2014 01:00:00

Middle date: 22-FEB-2014 01:00:00

Mngmt Get M-Bus Master Load profile for channel 2 0-2:24.3.0.255 (@1758)

(10) .buffer

PASSED

entries\_in\_use: 5

<Data>

<DoubleLongUnsigned Value="00000005" />

</Data>

capture\_objects:

<Data>

<Array Qty="0006" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0002600A03FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0004" />

<OctetString Value="0002180201FF" />

```

    <Integer Value="02" />
    <LongUnsigned Value="0000" />
  </Structure>
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0002180202FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0002180203FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
<Structure Qty="0004" >
  <LongUnsigned Value="0004" />
  <OctetString Value="0002180204FF" />
  <Integer Value="02" />
  <LongUnsigned Value="0000" />
</Structure>
</Array>
</Data>
Buffer has 5 elements:
<Data>
  <Array Qty="0005" >
    <Structure Qty="0006" >
      <OctetString Value="07DE021404010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DE021505010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DE021606010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DE021707010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DE021801010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>
</Data>

```

```
</Array>
```

```
</Data>
```

```
Earliest date: 20-FEB-2014 01:00:00, latest date: 24-FEB-2014 01:00:00
```

```
Middle date: 22-FEB-2014 01:00:00
```

```
Mngmt Get M-Bus Master Load profile for channel 3 0-3:24.3.0.255 (@1769)
```

```
(11) .buffer
```

```
PASSED
```

```
entries_in_use: 5
```

```
<Data>
```

```
<DoubleLongUnsigned Value="00000005" />
```

```
</Data>
```

```
capture_objects:
```

```
<Data>
```

```
<Array Qty="0006" >
```

```
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0008" />
```

```
<OctetString Value="0000010000FF" />
```

```
<Integer Value="02" />
```

```
<LongUnsigned Value="0000" />
```

```
</Structure>
```

```
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0001" />
```

```
<OctetString Value="0003600A03FF" />
```

```
<Integer Value="02" />
```

```
<LongUnsigned Value="0000" />
```

```
</Structure>
```

```
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0004" />
```

```
<OctetString Value="0003180201FF" />
```

```
<Integer Value="02" />
```

```
<LongUnsigned Value="0000" />
```

```
</Structure>
```

```
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0004" />
```

```
<OctetString Value="0003180202FF" />
```

```
<Integer Value="02" />
```

```
<LongUnsigned Value="0000" />
```

```
</Structure>
```

```
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0004" />
```

```
<OctetString Value="0003180203FF" />
```

```
<Integer Value="02" />
```

```
<LongUnsigned Value="0000" />
```

```
</Structure>
```

```
<Structure Qty="0004" >
```

```
<LongUnsigned Value="0004" />
```

```
<OctetString Value="0003180204FF" />
```

```
<Integer Value="02" />
```

```
<LongUnsigned Value="0000" />
```

```
</Structure>
```

```
</Array>
```

```
</Data>
```

```
Buffer has 5 elements:
```

```
<Data>
```

```
<Array Qty="0005" >
```

```
<Structure Qty="0006" >
```

```
<OctetString Value="07DE021404010000FF800000" />
```

```
<Unsigned Value="14" />
```

```
<DoubleLongUnsigned Value="00000000" />
```

```
<DoubleLongUnsigned Value="00000000" />
```

```
<DoubleLongUnsigned Value="00000000" />
```

```
<DoubleLongUnsigned Value="00000000" />
```

```
</Structure>
```

```
<Structure Qty="0006" >
```

```
<OctetString Value="07DE021505010000FF800000" />
```

```
<Unsigned Value="14" />
```

```

    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DE021606010000FF800000" />
    <Unsigned Value="14" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DE021707010000FF800000" />
    <Unsigned Value="14" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
  <Structure Qty="0006" >
    <OctetString Value="07DE021801010000FF800000" />
    <Unsigned Value="14" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
    <DoubleLongUnsigned Value="00000000" />
  </Structure>
</Array>
</Data>

```

Earliest date: 20-FEB-2014 01:00:00, latest date: 24-FEB-2014 01:00:00

Middle date: 22-FEB-2014 01:00:00

Mngmt Get M-Bus Master Load profile for channel 4 0-4:24.3.0.255 (@1780)

(12) .buffer

PASSED

```

  entries_in_use: 5
  <Data>
    <DoubleLongUnsigned Value="00000005" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0004600A03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180201FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0004" />
        <OctetString Value="0004180202FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

```

    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180203FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0004" />
      <OctetString Value="0004180204FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
Buffer has 5 elements:
<Data>
  <Array Qty="0005" >
    <Structure Qty="0006" >
      <OctetString Value="07DE021404010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DE021505010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DE021606010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DE021707010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
    <Structure Qty="0006" >
      <OctetString Value="07DE021801010000FF800000" />
      <Unsigned Value="14" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
      <DoubleLongUnsigned Value="00000000" />
    </Structure>
  </Array>
</Data>
Earliest date: 20-FEB-2014 01:00:00, latest date: 24-FEB-2014 01:00:00
Middle date: 22-FEB-2014 01:00:00

```

```

Mngmt Get M-Bus Master Control log object 1 0-1:24.5.0.255 (@1850)
(13) .buffer
  entries_in_use: 6

```

PASSED

```

<Data>
  <DoubleLongUnsigned Value="00000006" />
</Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0001600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
Buffer has 6 elements:
  <Data>
    <Array Qty="0006" >
      <Structure Qty="0002" >
        <OctetString Value="07DE021902000126FF800000" />
        <Enum Value="FF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE021902000126FF800000" />
        <Enum Value="A0" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE02190200012BFF800000" />
        <Enum Value="A1" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE021902000130FF800000" />
        <Enum Value="A0" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE021902000135FF800000" />
        <Enum Value="A1" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE02190200013BFF800000" />
        <Enum Value="A0" />
      </Structure>
    </Array>
  </Data>
Earliest date: 25-FEB-2014 00:01:38, latest date: 25-FEB-2014 00:01:59
Middle date: 25-FEB-2014 00:01:48

```

Mngmt Get M-Bus Master Control log object 2 0-2:24.5.0.255 (@1861)

(14) .buffer

PASSED

```

entries_in_use: 6
  <Data>
    <DoubleLongUnsigned Value="00000006" />
  </Data>
capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

```

    </Structure>
    <Structure Qty="0004" >
      <LongUnsigned Value="0001" />
      <OctetString Value="0002600B04FF" />
      <Integer Value="02" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Array>
</Data>
Buffer has 6 elements:
<Data>
  <Array Qty="0006" >
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000204FF800000" />
      <Enum Value="FF" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000204FF800000" />
      <Enum Value="AA" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000209FF800000" />
      <Enum Value="AB" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE02190200020EFF800000" />
      <Enum Value="AA" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000213FF800000" />
      <Enum Value="AB" />
    </Structure>
    <Structure Qty="0002" >
      <OctetString Value="07DE021902000218FF800000" />
      <Enum Value="AA" />
    </Structure>
  </Array>
</Data>
Earliest date: 25-FEB-2014 00:02:04, latest date: 25-FEB-2014 00:02:24
Middle date: 25-FEB-2014 00:02:14

```

Mngmt Get M-Bus Master Control log object 3 0-3:24.5.0.255 (@1872)

(15) .buffer

PASSED

```

  entries_in_use: 6
  <Data>
    <DoubleLongUnsigned Value="00000006" />
  </Data>
  capture_objects:
  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0003600B04FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>
  Buffer has 6 elements:
  <Data>

```



```

<Array Qty="0006" >
  <Structure Qty="0002" >
    <OctetString Value="07DE02190200021EFF800000" />
    <Enum Value="FF" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE02190200021EFF800000" />
    <Enum Value="B4" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902000223FF800000" />
    <Enum Value="B5" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902000228FF800000" />
    <Enum Value="B4" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE02190200022DFF800000" />
    <Enum Value="B5" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902000232FF800000" />
    <Enum Value="B4" />
  </Structure>
</Array>
</Data>

```

Earliest date: 25-FEB-2014 00:02:30, latest date: 25-FEB-2014 00:02:50  
 Middle date: 25-FEB-2014 00:02:40

Mngmt Get M-Bus Master Control log object 4 0-4:24.5.0.255 (@1883)

(16) .buffer

PASSED

entries\_in\_use: 6

<Data>

<DoubleLongUnsigned Value="00000006" />

</Data>

capture\_objects:

<Data>

<Array Qty="0002" >

<Structure Qty="0004" >

<LongUnsigned Value="0008" />

<OctetString Value="0000010000FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

<Structure Qty="0004" >

<LongUnsigned Value="0001" />

<OctetString Value="0004600B04FF" />

<Integer Value="02" />

<LongUnsigned Value="0000" />

</Structure>

</Array>

</Data>

Buffer has 6 elements:

<Data>

<Array Qty="0006" >

<Structure Qty="0002" >

<OctetString Value="07DE021902000237FF800000" />

<Enum Value="FF" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE021902000238FF800000" />

<Enum Value="BE" />

</Structure>

<Structure Qty="0002" >

<OctetString Value="07DE021902000301FF800000" />

```

    <Enum Value="BF" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902000306FF800000" />
    <Enum Value="BE" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE02190200030BFF800000" />
    <Enum Value="BF" />
  </Structure>
  <Structure Qty="0002" >
    <OctetString Value="07DE021902000310FF800000" />
    <Enum Value="BE" />
  </Structure>
</Array>
</Data>

```

Earliest date: 25-FEB-2014 00:02:55, latest date: 25-FEB-2014 00:03:16

Middle date: 25-FEB-2014 00:03:06

Mngmt Get M-Bus Event Log 0-0:99.98.3.255 (@1898)

(17) .buffer

PASSED

entries\_in\_use: 6

```

  <Data>
    <DoubleLongUnsigned Value="00000006" />
  </Data>

```

capture\_objects:

```

  <Data>
    <Array Qty="0002" >
      <Structure Qty="0004" >
        <LongUnsigned Value="0008" />
        <OctetString Value="0000010000FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
      <Structure Qty="0004" >
        <LongUnsigned Value="0001" />
        <OctetString Value="0000600B03FF" />
        <Integer Value="02" />
        <LongUnsigned Value="0000" />
      </Structure>
    </Array>
  </Data>

```

Buffer has 6 elements:

```

  <Data>
    <Array Qty="0006" >
      <Structure Qty="0002" >
        <OctetString Value="07DE021404000000FF800000" />
        <Enum Value="FF" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE021404000000FF800000" />
        <Enum Value="FE" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE021404000001FF800000" />
        <Enum Value="FE" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE021404000001FF800000" />
        <Enum Value="FE" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE021404000001FF800000" />
        <Enum Value="FE" />
      </Structure>
      <Structure Qty="0002" >
        <OctetString Value="07DE021404000001FF800000" />
        <Enum Value="FE" />
      </Structure>
    </Array>
  </Data>

```

```

    <OctetString Value="07DE021404000001FF800000" />
    <Enum Value="FE" />
  </Structure>
</Array>
</Data>

```

Earliest date: 20-FEB-2014 00:00:00, latest date: 20-FEB-2014 00:00:01  
 Middle date: 20-FEB-2014 00:00:01

\*\*\*\*\*  
 Test Case 10 : Multiple references, 4 item(s)  
 \*\*\*\*\*

(1) Public, logical names  
 Reading 5 attributes

PASSED

```

<Result Qty="0005" >
  <Data>
    <OctetString Value="0000290000FF" />
  </Data>
  <Data>
    <OctetString Value="0000280000FF" />
  </Data>
  <Data>
    <OctetString Value="00002B0101FF" />
  </Data>
  <Data>
    <OctetString Value="00002B0100FF" />
  </Data>
  <Data>
    <OctetString Value="00002A0000FF" />
  </Data>
</Result>

```

(2) Mngmt, logical names  
 Reading 16 attributes

PASSED

```

<Result Qty="0010" >
  <Data>
    <OctetString Value="00001A0500FF" />
  </Data>
  <Data>
    <OctetString Value="00001A0300FF" />
  </Data>
  <Data>
    <OctetString Value="00001A0200FF" />
  </Data>
  <Data>
    <OctetString Value="00001A0100FF" />
  </Data>
  <Data>
    <OctetString Value="00001A0000FF" />
  </Data>
  <Data>
    <OctetString Value="0000160000FF" />
  </Data>
  <Data>
    <OctetString Value="0100040700FF" />
  </Data>
  <Data>
    <OctetString Value="0100030700FF" />
  </Data>
  <Data>
    <OctetString Value="0100020700FF" />
  </Data>
  <Data>
    <OctetString Value="0100010700FF" />
  </Data>
  <Data>
    <OctetString Value="01000F0700FF" />
  </Data>

```

```

<Data>
  <OctetString Value="01005A0700FF" />
</Data>
<Data>
  <OctetString Value="01001F0700FF" />
</Data>
<Data>
  <OctetString Value="0100201800FF" />
</Data>
<Data>
  <OctetString Value="0100200700FF" />
</Data>
<Data>
  <OctetString Value="0000636204FF" />
</Data>
</Result>

```

(3) Mngmt, mixed attributes

PASSED

Reading 15 attributes

```

<Result Qty="000F" >
  <Data>
    <OctetString Value="0000290000FF" />
  </Data>
  <Data>
    <Enum Value="00" />
  </Data>
  <Data>
    <Long Value="FFC4" />
  </Data>
  <Data>
    <OctetString Value="5241544531000000" />
  </Data>
  <Data>
    <Enum Value="01" />
  </Data>
  <Data>
    <Structure Qty="0004" >
      <LongUnsigned Value="0000" />
      <OctetString Value="000000000000" />
      <Integer Value="00" />
      <LongUnsigned Value="0000" />
    </Structure>
  </Data>
  <Data>
    <DoubleLongUnsigned Value="00000000D" />
  </Data>
  <Data>
    <DoubleLongUnsigned Value="00000384" />
  </Data>
  <Data>
    <LongUnsigned Value="0001" />
  </Data>
  <Data>
    <Enum Value="02" />
  </Data>
  <Data>
    <Bool Value="01" />
  </Data>
  <Data>
    <Unsigned Value="00" />
  </Data>
  <Data>
    <LongUnsigned Value="0C00" />
  </Data>
  <Data>
    <Bool Value="01" />
  </Data>

```

```

    <Data>
      <Enum Value="03" />
    </Data>
  </Result>
(4) Mngmt, long attributes (block transfer) PASSED
  Reading 5 attributes
  <Result Qty="0005" >
    <Data>
      <OctetString Value="\CNP_55B0" />
    </Data>
    <Data>
      <Array Qty="0000" >
        </Array>
      </Data>
    <Data>
      <Array Qty="0000" >
        </Array>
      </Data>
    <Data>
      <Array Qty="0000" >
        </Array>
      </Data>
    <Data>
      <OctetString Value="FFFFFFFFFFFFFFFF8000FF" />
    </Data>
  </Result>

```

\*\*\*\*\*  
 Test Case 11 : Disconnect controls, 3 item(s)  
 \*\*\*\*\*

```

(1) Disconnect control PASSED
  Disconnect in control mode 0
  Test control mode 1
  Test control mode 2
  Test control mode 3
  Test control mode 4
  Test control mode 5
  Test control mode 6
(2) Load Mgmt - Relay control 1 PASSED
(3) Load Mgmt - Relay control 2 PASSED

```

\*\*\*\*\*  
 Test Case 12 : Script tables, 3 item(s)  
 \*\*\*\*\*

```

(1) Tariffication script table PASSED
  Tariffication script table (parameters 1): "RATE1 ,RATE2 ,RATE3 ,RATE4 "
  Register activation - Energy (mask names): "RATE1 ,RATE2 ,RATE3 ,RATE4 "
  Tariffication script table (parameters 2): "RATE1 ,RATE2 ,RATE3 ,RATE4 "
  Register activation - Maximum Demand (mask names): "RATE1 ,RATE2 ,RATE3 ,RATE4 "
  calendar_name_passive name: TOU_5DBC
  activate_passive_calendar_time: 25-FEB-2014 22:27:32
  activate_passive_calendar_time: 25-FEB-2014 12:00:57
(2) MDI Reset / End of billing period script table PASSED
(3) Disconnect script table PASSED

```

\*\*\*\*\*  
 Test Case 13 : Miscellaneous tests, 5 item(s)  
 \*\*\*\*\*

```

(1) Set/Get of long attribute PASSED
(2) S-FSK Initiator, execute reset_NEW_not_synchronized PASSED
  MAC address = 0x001
(3) Reset S-FSK MAC counters INAPPLICABLE
  Optional access right not available
(4) Set S-FSK transmissions counter PASSED
(5) COSEM logical device name PASSED
  Value: "LGZ1010711480044"

```

\*\*\*\*\*  
Test Case 14 : Application association, 17 item(s)  
\*\*\*\*\*

(1) Wrong logical device Id	PASSED
(2) Wrong client Id	PASSED
(3) Opening an already opened application association	PASSED
(4) Error on the Protocol version	PASSED
(5) Application context missing	PASSED
(6) Wrong application context	PASSED
(7) Missing calling AP title in a ciphering AARQ	PASSED
(8) Wrong system title in the Calling AP title	PASSED
(9) ACSE requirement missing	PASSED
(10) Wrong ACSE requirement	PASSED
(11) Authentication mechanism missing	PASSED
(12) Wrong authentication mechanism	PASSED
(13) Authentication value missing	PASSED
(14) Wrong authentication value	PASSED
(15) User information missing	PASSED
(16) Wrong dedicated key	PASSED
(17) Incorrect conformance bloc	PASSED

\*\*\*\*\*  
Test Case 15 : xDLMS Services, 20 item(s)  
\*\*\*\*\*

(1) Get without AA opening	PASSED
(2) Set without AA opening	PASSED
(3) Action without AA opening	PASSED
(4) Get with wrong inner tag	PASSED
(5) Set with wrong inner tag	PASSED
(6) Action with wrong inner tag	PASSED
(7) Error during block transfer with get	PASSED
(8) Error during block transfer with set	PASSED
(9) Get with wrong attribute id	PASSED
(10) Set with wrong attribute id	PASSED
(11) Action with wrong attribute id	PASSED
(12) Get with wrong access right	PASSED
(13) Set with wrong access right	PASSED
(14) Action with wrong access right	PASSED
(15) Get with wrong access selector	PASSED
(16) Get with wrong access parameters	PASSED
(17) Set with wrong data type	PASSED
(18) Action with wrong data type	PASSED
(19) Set with wrong data content	PASSED
(20) Action with wrong data content	PASSED

\*\*\*\*\*  
Test Case 16 : Security Activate, 3 item(s)  
\*\*\*\*\*

(1) Activate 1	PASSED
Pre set calendar_name_passive to CNP_7829 using +A, -E	
Pre set calendar_name_passive to CNP_3C9F using +A, -E tweaked A	
Mngmt get calendar_name_passive using +A, -E, expect "CNP_7829"	
Mngmt set calendar_name_passive to CNP_3C9F using +A, -E tweaked A	
Mngmt get calendar_name_passive using +A, -E, expect "CNP_7829"	
Mngmt set security_policy attribute to 0	
(2) Activate 2	PASSED
Pre set calendar_name_passive to CNP_6817 using -A, +E	
Pre set calendar_name_passive to CNP_F0DC using -A, +E tweaked E	
Mngmt get calendar_name_passive using -A, +E, expect "CNP_6817"	
Mngmt set calendar_name_passive to CNP_F0DC using -A, +E tweaked E	
Mngmt get calendar_name_passive using -A, +E, expect "CNP_6817"	
Mngmt set security_policy attribute to 0	
(3) Activate 3	PASSED
Pre set calendar_name_passive to CNP_52B3 using +A, +E	
Pre set calendar_name_passive to CNP_9974 using +A, +E tweaked A	

```

Mngmt get calendar_name_passive using +A, +E, expect "CNP_52B3"
Mngmt set calendar_name_passive to CNP_9974 using +A, +E tweaked A
Mngmt get calendar_name_passive using +A, +E, expect "CNP_52B3"
Pre set calendar_name_passive to CNP_0367 using +A, +E tweaked E
Mngmt get calendar_name_passive using +A, +E, expect "CNP_52B3"
Mngmt set calendar_name_passive to CNP_0367 using +A, +E tweaked E
Mngmt get calendar_name_passive using +A, +E, expect "CNP_52B3"
Mngmt set security_policy attribute to 0

```

```

*****
Test Case 17 : Frame counter, 5 item(s)
*****

```

- (1) Unicast replay PASSED
- (2) Broadcast replay PASSED
- (3) Unicast Register PASSED
- (4) Broadcast Register PASSED
- (5) Received value PASSED

```

*****
Test Case 18 : Security global key transfer, 4 item(s)
*****

```

- (1) Global unicast encryption key transfer PASSED
- (2) Global broadcast encryption key transfer PASSED
- (3) Global authentication key transfer PASSED
- (4) All key transfer PASSED

```

*****
Test Case 19 : Secured service user information, 9 item(s)
*****

```

- (1) AARQ not encrypted PASSED
- (2) AARQ not authenticated PASSED
- (3) AARQ not encrypted not authenticated PASSED
- (4) AARQ with A security header PASSED
- (5) AARQ with E security header PASSED
- (6) AARQ with empty security header PASSED
- (7) AARQ with invalid frame counter PASSED
- (8) AARQ with invalid authentication PASSED
- (9) AARQ with invalid encryption PASSED

```

*****
Test Case 20 : Application association release service, 6 item(s)
*****

```

- (1) RLRQ invalid release request PASSED
- (2) RLRQ with missing user information PASSED
- (3) RLRQ non secure user information PASSED
- (4) RLRQ invalid security header PASSED
- (5) RLRQ invalid authentication PASSED
- (6) RLRQ invalid encryption PASSED

```

*****
Test Case 21 : Image transfer, 3 item(s)
*****

```

- (1) Basic PASSED  
Block size: 64
- (2) Full PASSED  
Block size: 64  
ImageSize: 471728, Blocks: 7371, Last block size: 48  
image\_to\_activate\_info:  
  <Data>  
    <Array Qty="0001" >  
      <Structure Qty="0003" >  
        <DoubleLongUnsigned Value="00073280" />  
        <OctetString Value="\V65.01.01.V3" />  
        <OctetString  
Value="3BD1CBC266DEDE0CA60FF4D5930F5C8569C1ECB8FF22CF4DB91E0B1E777A1215" />  
      </Structure>

```

    </Array>
  </Data>
(3) Full delayed                                     PASSED
Block size: 64
ImageSize: 471728, Blocks: 7371, Last block size: 48
image_to_activate_info:
  <Data>
    <Array Qty="0001" >
      <Structure Qty="0003" >
        <DoubleLongUnsigned Value="00073280" />
        <OctetString Value="\V65.01.01.V3" />
        <OctetString
Value="3BD1CBC266DEDE0CA60FF4D5930F5C8569C1ECB8FF22CF4DB91E0B1E777A1215" />
        </Structure>
      </Array>
    </Data>

*****
* CTI *
*****

// Conformance Test Information (CTI) Template
// 1.6

// The CTI has a specified syntax but it's format is free

// Mandatory 'Manufacturer' structure
// *****
Manufacturer = {
  // Keep the leading '\' to denote a visible-string.
  Name = '\Landis+Gyr'
  // The manufacturer's FLAG id is a part of the DUT system title
  ThreeLettersId = '\LGZ'
}

// Mandatory 'DeviceUnderTest' structure
// *****
DeviceUnderTest = {
  IDISDeviceType = 101 //tri
  IDISFunctionType = [Extension_D, Extension_L, Extension_M]
  SerialNr = 11480044
  Type = '\E450 ZMXi 3x0xP xxxxxxxx.xx S3'
}

// Mandatory 'ObjectMode' structure
// *****
// It defines the variant of the object model that the iCTT uses for testing.
ObjectModel = {
  // Optional objects implemented
  OptionalObjects = '\
+ '1-0:0.9.1.255|1,' // Local Time (@86)
+ '1-0:0.9.2.255|1,' // Local Date (@90)
+ '0-2:96.3.10.255|70,' // Load Mgmt - Relay control 2 (@205)
+ '1-0:9.8.0.255|3,' // Apparent energy import (+VA) (QI+QIV) (@406)
+ '1-0:10.8.0.255|3,' // Apparent energy export (-VA) (QII+QIII) (@412)
+ '1-0:5.8.1.255|3,' // Reactive energy (QI) rate 1 (@515)
+ '1-0:5.8.2.255|3,' // Reactive energy (QI) rate 2 (@521)
+ '1-0:5.8.3.255|3,' // Reactive energy (QI) rate 3 (@527)
+ '1-0:5.8.4.255|3,' // Reactive energy (QI) rate 4 (@533)
+ '1-0:6.8.1.255|3,' // Reactive energy (QII) rate 1 (@539)
+ '1-0:6.8.2.255|3,' // Reactive energy (QII) rate 2 (@545)
+ '1-0:6.8.3.255|3,' // Reactive energy (QII) rate 3 (@551)
+ '1-0:6.8.4.255|3,' // Reactive energy (QII) rate 4 (@557)
+ '1-0:7.8.1.255|3,' // Reactive energy (QIII) rate 1 (@563)
+ '1-0:7.8.2.255|3,' // Reactive energy (QIII) rate 2 (@569)
+ '1-0:7.8.3.255|3,' // Reactive energy (QIII) rate 3 (@575)

```



```

+ '1-0:7.8.4.255|3,' // Reactive energy (QIII) rate 4 (@581)
+ '1-0:8.8.1.255|3,' // Reactive energy (QIV) rate 1 (@587)
+ '1-0:8.8.2.255|3,' // Reactive energy (QIV) rate 2 (@593)
+ '1-0:8.8.3.255|3,' // Reactive energy (QIV) rate 3 (@599)
+ '1-0:8.8.4.255|3,' // Reactive energy (QIV) rate 4 (@605)
+ '1-0:9.4.0.255|5,' // Demand Register 5 - Apparent energy import (+VA) (@736)
+ '1-0:10.4.0.255|5,' // Demand Register 6 - Apparent energy export (-VA) (@749)
+ '1-0:14.7.0.255|3,' // Instantaneous net frequency; any phase (@1359)
+ '1-0:9.7.0.255|3,' // Instantaneous apparent import power (+VA) (@1395)
+ '1-0:16.24.0.255|5,' // Average Net Power (|+A|-|-A|) (@1420)
+ '1-0:13.7.0.255|3,' // Instantaneous Power factor (+A/+VA) (@1446)
+ '1-0:13.5.0.255|4,' // Last Average Power factor (+A/+VA) (@1452)
+ '1-0:13.3.0.255|4,' // Minimum Power factor (+A/+VA) (@1460)
+ '1-0:0.8.2.255|3,' // Measurement Period 3 for Instantaneous values (@1468)
+ '0-1:24.6.0.255|74,' // M-Bus master port setup 2 (@1479)
+ '0-0:26.6.0.255|56' // S-FSK Reporting system list (@1978)

```

```

InstanceExtraInfo = {
  // Tariffication script table (@129)
  LogicalName = '0-0:10.0.100.255'
  ClassId = 9
  MethodExtraInfo = {
    // execute
    MethodId = 1
    AccessRights = [ACTION]
  }
}

```

```

InstanceExtraInfo = {
  // Disconnector Control Log (@181)
  LogicalName = '0-0:99.98.2.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}

```

```

InstanceExtraInfo = {
  // Load Mgmt - Relay control 1 (@197)
  LogicalName = '0-1:96.3.10.255'
  ClassId = 70
  AttributeExtraInfo = {
    // control_mode
    AttributeId = 4
    AccessRights = [GET,SET]
  }
}

```

```

InstanceExtraInfo = {
  // Load Mgmt - Relay control 2 (@205)
  LogicalName = '0-2:96.3.10.255'
  ClassId = 70
  AttributeExtraInfo = {
    // control_mode
    AttributeId = 4
    AccessRights = [GET,SET]
  }
}

```

```

InstanceExtraInfo = {
  // Limiter (@213)
  LogicalName = '0-0:17.0.0.255'
  ClassId = 71
  AttributeExtraInfo = {

```

```
        // actions
        AttributeId = 11
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Standard Event Log (@261)
    LogicalName = '0-0:99.98.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Fraud Detection Log (@276)
    LogicalName = '0-0:99.98.1.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Power Failure Event Log (@1234)
    LogicalName = '1-0:99.97.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // Power Quality Log (@1249)
    LogicalName = '0-0:99.98.4.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 1, instance 1 (@1571)
    LogicalName = '0-1:24.2.1.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 1, instance 2 (@1579)
  LogicalName = '0-1:24.2.2.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 1, instance 3 (@1587)
  LogicalName = '0-1:24.2.3.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 1, instance 4 (@1595)
  LogicalName = '0-1:24.2.4.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 2, instance 1 (@1603)
  LogicalName = '0-2:24.2.1.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}
```

```
InstanceExtraInfo = {
  // M-Bus Value channel 2, instance 2 (@1611)
```

```
LogicalName = '0-2:24.2.2.255'  
ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
  MethodExtraInfo = {  
    // reset  
    MethodId = 1  
    AccessRights = [ACTION]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 2, instance 3 (@1619)  
  LogicalName = '0-2:24.2.3.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
  MethodExtraInfo = {  
    // reset  
    MethodId = 1  
    AccessRights = [ACTION]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 2, instance 4 (@1627)  
  LogicalName = '0-2:24.2.4.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
  MethodExtraInfo = {  
    // reset  
    MethodId = 1  
    AccessRights = [ACTION]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 3, instance 1 (@1635)  
  LogicalName = '0-3:24.2.1.255'  
  ClassId = 4  
  AttributeExtraInfo = {  
    // scaler_unit  
    AttributeId = 3  
    AccessRights = [GET,SET]  
  }  
  MethodExtraInfo = {  
    // reset  
    MethodId = 1  
    AccessRights = [ACTION]  
  }  
}  
  
InstanceExtraInfo = {  
  // M-Bus Value channel 3, instance 2 (@1643)  
  LogicalName = '0-3:24.2.2.255'  
  ClassId = 4
```

```
AttributeExtraInfo = {
  // scaler_unit
  AttributeId = 3
  AccessRights = [GET,SET]
}
MethodExtraInfo = {
  // reset
  MethodId = 1
  AccessRights = [ACTION]
}
}

InstanceExtraInfo = {
  // M-Bus Value channel 3, instance 3 (@1651)
  LogicalName = '0-3:24.2.3.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}

InstanceExtraInfo = {
  // M-Bus Value channel 3, instance 4 (@1659)
  LogicalName = '0-3:24.2.4.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}

InstanceExtraInfo = {
  // M-Bus Value channel 4, instance 1 (@1667)
  LogicalName = '0-4:24.2.1.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
    AttributeId = 3
    AccessRights = [GET,SET]
  }
  MethodExtraInfo = {
    // reset
    MethodId = 1
    AccessRights = [ACTION]
  }
}

InstanceExtraInfo = {
  // M-Bus Value channel 4, instance 2 (@1675)
  LogicalName = '0-4:24.2.2.255'
  ClassId = 4
  AttributeExtraInfo = {
    // scaler_unit
```

```
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 4, instance 3 (@1683)
    LogicalName = '0-4:24.2.3.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Value channel 4, instance 4 (@1691)
    LogicalName = '0-4:24.2.4.255'
    ClassId = 4
    AttributeExtraInfo = {
        // scaler_unit
        AttributeId = 3
        AccessRights = [GET,SET]
    }
    MethodExtraInfo = {
        // reset
        MethodId = 1
        AccessRights = [ACTION]
    }
}

InstanceExtraInfo = {
    // M-Bus Master Control log object 1 (@1850)
    LogicalName = '0-1:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Master Control log object 2 (@1861)
    LogicalName = '0-2:24.5.0.255'
    ClassId = 7
    AttributeExtraInfo = {
        // capture_objects
        AttributeId = 3
        AccessRights = [GET,SET]
    }
}

InstanceExtraInfo = {
    // M-Bus Master Control log object 3 (@1872)
```

```

LogicalName = '0-3:24.5.0.255'
ClassId = 7
AttributeExtraInfo = {
  // capture_objects
  AttributeId = 3
  AccessRights = [GET,SET]
}
}

InstanceExtraInfo = {
  // M-Bus Master Control log object 4 (@1883)
  LogicalName = '0-4:24.5.0.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}

InstanceExtraInfo = {
  // M-Bus Event Log (@1898)
  LogicalName = '0-0:99.98.3.255'
  ClassId = 7
  AttributeExtraInfo = {
    // capture_objects
    AttributeId = 3
    AccessRights = [GET,SET]
  }
}

InstanceExtraInfo = {
  // S-FSK MAC counters (@1962)
  LogicalName = '0-0:26.3.0.255'
  ClassId = 53
  AttributeExtraInfo = {
    // repetitions_counter
    AttributeId = 5
    AccessRights = [GET,SET]
  }
  AttributeExtraInfo = {
    // transmissions_counter
    AttributeId = 6
    AccessRights = [GET,SET]
  }
  AttributeExtraInfo = {
    // CRC_OK_frames_counter
    AttributeId = 7
    AccessRights = [GET,SET]
  }
  AttributeExtraInfo = {
    // CRC_NOK_frames_counter
    AttributeId = 8
    AccessRights = [GET,SET]
  }
}

InstanceExtraInfo = {
  // Set value for Consumer Message Text
  LogicalName = '0-0:96.13.0.255'
  ClassId = 1
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><OctetString Value="3132333435363738" /></Data>'
  }
}

```

```

InstanceExtraInfo = {
  // Set value for Error register value
  LogicalName = '0-0:97.97.0.255'
  ClassId = 1
  AttributeExtraInfo = {
    AttributeId = 2
    SetData = '\<Data><DoubleLongUnsigned Value="00000000" /></Data>'
  }
}

// Mandatory 'TestParameters' structure
// *****
// Defines miscellaneous values used during the test
TestParameters = {
  // 'DisableDiscoveryStart' when true, prevents the iCTT from starting
  // a discovery procedure on the Data Concentrator.
  //DisableDiscoveryStart = FALSE
  // When starting a test session, iCTT optionally starts a discovery and then polls
  // the meters network until it finds the meter specified by 'MeterId'.
  // This polling will last at least the specified time (in ms).
  MeterDiscoveryTimeout = 240000
  // The 'DefaultAccessTimeout' is the time (in ms) allowed to complete an
  // access (read, write or action)
  DefaultAccessTimeout = 360000
  // The accesses have a priority between 1 (highest priority) and 10 (lowest priority)
  DefaultPriority = 1
  // Optional delay (in ms) after executing the Disconnect Control (class 70)
  // connect and disconnect actions performed directly or via a script table.
  ConnectDisconnectDelay = 30000
  // Mandatory DC system title
  DCSystemTitle = '4C475A4954000002' //My DC
  // Mandatory structure for the ImageTransfer
  ImageTransfer = {
    // Image identifier as passed to the image_transfer_initiate method
    ImageIdentifier = '5374727563745F303100'
    // Filename of the image to transfer. If no filepath is given, then the file
    // is supposed to be in the same directory as the CTI file
    ImageFileName = '\Flex_V65.01.01.V3.img' //the image file to be located in the CTI is!

    // Time (in ms) that the iCTT loops reading the image_transfer status waiting for changes
    Timeout = 450000//in miliseconds
  }
}

// Mandatory 'PLCConfig' structure
// *****
// The PLCConfig is set before each test session. The various members are
// defined in the appropriate document. The values defined hereafter are
// the default values
PLCConfig = {
  AddrMAC = 0xC00
  TimeoutNotAddr = 360
  MaxSubFrames = 7
  TimeUpdatePeriod = 0
  BkgTaskEnabled = 1
  BkgMinDelay = 60
  DiscoverTimeSlots = 20
  ResponseProbability = 100
  MaxCredit = 2
  DiscoverPeriod = 0 // was 60, disable periodic discovery
  TransmissionGain = 0
  ReceptionGain = 8
  BaudRate = 1
  InputFrequency = 0
}

```



```

NbComOkDecrCredit = 3
DecrCredit = 1
IncrCredit = 2
MaxRetry = 1//3
RepeaterCallEnabled = 0
RepeaterCallLevel = 1000
NewBcplTSlotCount = 10
AlarmMngtEnabled = 0 // was 1, Disable alarms
AlarmMngtDelay = 0
AutoDiscoveryPriority = 2
FCTxValue = 100
}

// Mandatory 'SecurityElements'
// *****
// There is one structure per client, each specifies an 'EncryptionKey'
// and a 'Policy'. An encryption key is a visible-string of 32 characters,
// with each pair encoding one byte of a 16 bytes binary key.
// Policy is one of NO_SECURITY, AUTHENTICATION, ENCRYPTION or AUTHENTICATION_AND_ENCRYPTION
// StandardSecurityElements
// Mandatory, used for the standard access (DC and Java API).
// No context name is required. The DC selects the context according
// to the 'Policy' member. If zero, then the DC generates an AARQ with LONG_NAMES context.
// If positive then the DC generates an AARQ with LONG_NAME_WITH_CIPHERING context.
StandardSecurityElements = {
  Public = {
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }
  Management = {
    //MechanismName = HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECURITY
    //Policy = NO_SECURITY//ENCRYPTION//NO_SECURITY//AUTHENTICATION_AND_ENCRYPTION
    //Password = '\12345678'
    ContextName = LONG_NAMES_WITH_CIPHERING //LONG_NAMES_WITH_CIPHERING//LONG_NAMES
    MechanismName = HIGH_LEVEL_SECURITY_GMAC //HIGH_LEVEL_SECURITY_GMAC//LOW_LEVEL_SECURITY
    Policy = NO_SECURITY //ENCRYPTION//NO_SECURITY//AUTHENTICATION//AUTHENTICATION_AND_ENCRYPTION
    Password = '\12345678'
  }
  PreEstablished = {
    Policy = NO_SECURITY //ENCRYPTION//NO_SECURITY
  }
}

// TunnelSecurityElements
// Mandatory, used when making tunneled accesses.
TunnelSecurityElements = {
  Public = {
    ContextName = LONG_NAMES
    MechanismName = LOWEST_LEVEL_SECURITY
    Policy = NO_SECURITY
  }
  Management = {
    ContextName = LONG_NAMES_WITH_CIPHERING
    MechanismName = HIGH_LEVEL_SECURITY_GMAC
    Policy = AUTHENTICATION_AND_ENCRYPTION
    Password = '\12345678'
  }
  PreEstablished = {
    Policy = AUTHENTICATION_AND_ENCRYPTION
  }
}

// LocalSecurityElements
// Mandatory, used when making 'local' accesses.
LocalSecurityElements = {

```

```
Public = {
  ContextName = LONG_NAMES
  MechanismName = LOWEST_LEVEL_SECURITY
  Policy = NO_SECURITY
}
Management = {
  ContextName = LONG_NAMES_WITH_CIPHERING////LONG_NAMES
  MechanismName = HIGH_LEVEL_SECURITY_GMAC//LOWEST_LEVEL_SECURITY
  Policy = NO_SECURITY
  Password = '\12345678'
}
PreEstablished = {
  Policy = NO_SECURITY
}
}

// Parameters of the ''Local'' HDLC Profile
HDLCProfile = {
  PhysicalLayer = {
    OpeningMode = DIRECT_HDLC
    HdlcBaud = 9600
  }
  DataLinkLayer = {
    InactivityTimeout = 120000
    InterFrameTimeout = 100
    ResponseTimeout = 2000
    DISCToNDMTimeout = 2000
    AddressingSchemes = [ONE_BYTE_ADDRESSING]
  }
}
// END CTI_Template

*****
* Miscellaneous *
*****

TestMode:           Tunnel
Test Plan Signature: E53F3C99A379560370B3E7F18D7D877C
Object Model:       IDIS - object model - V1.24 (20120510).xlsx
DUT system title:   4C475A6570AF2BEC
DC MeterId:         LGZ6570AF2BEC
Run number:         118
--

8CD76AA65B889B8F36CA83357C9A88BF
```